

RYOBI



PRODUCT CATALOGUE

2021

volume 1



CONTENTS

PRODUCT CATALOGUE 2021

Volume 1

	HANDYLINE DIY TOOLS	2
	CORDED POWER TOOLS	10
	CORDLESS POWER TOOLS AND GARDENING EQUIPMENT	38
	ONE-PLUS 18V CORDLESS UNIVERSAL POWER PLATFORM	42
	HEAVY-DUTY - INDUSTRIAL POWER TOOLS	60
	MACHINERY	68
	CLEANING EQUIPMENT	80
	OTHER TOOLS & MEASURING EQUIPMENT	88
	GARDENING EQUIPMENT	96
	WELDING	114
	#RYOBIKNOWS	128
	ABOUT US	130
	BRANCHES	132



GUARANTEE
1-YEAR
GUARANTEE

DIY FOR HOME USE
HANDYLINE
POWER
TOOLS

CORDLESS SCREWDRIVER

HSD-360

3.6V CORDLESS SCREWDRIVER NiCAD BATTERY HANDYLINE + 4 BITS

FEATURES:

- Compact design
- Soft grip handle
- 2-position twist handle
- LED light to illuminate work area
- Charging & battery capacity indicator

MODEL NO.	BATTERY	CHARGE TIME	NO LOAD SPEED	NETT WEIGHT
HSD-360	3.6V, 600mAh	3 - 5hrs	250min ⁻¹	0.3kg



CORDLESS LI-ION DRIVER DRILLS

HLD-120

12V CORDLESS DRILL 10MM LI-ION CHARGER + BATTERY

FEATURES:

- 21+1 torque setting with variable speed to suit a variety of work
- Ergonomically designed shell with soft grip for increased comfort
- LED light to illuminate work area
- Keyless chuck for quick and easy changes
- Li-ion battery and belt hook for increased portability and versatility

MODEL NO.	DRILL CHUCK CAPACITY	ROTATION SPEED	DRILLING CAPACITIES	MAX. TORQUE	TORQUE SETTING	BATTERY	CHARGE TIME
HLD-120	10mm	0 - 700 min ⁻¹	Steel: 8mm Wood: 16mm	12Nm	21 + 1	12V Li-ion, 1 300mAh	3 - 5hrs



HLD-180

18V CORDLESS DRILL 10MM LI-ION CHARGER + BATTERY

FEATURES:

- Variable speed with 21+1 torque setting
- Ergonomically designed shell with soft grip for increased comfort
- LED light to illuminate work area and belt hook for increased portability

MODEL NO.	DRILL CHUCK CAPACITY	ROTATION LOAD SPEED	DRILLING CAPACITIES	MAX. TORQUE	TORQUE SETTING	BATTERY	CHARGE TIME
HLD-180	10mm	0 - 550 min ⁻¹	Wood: 22mm Steel: 8mm	20Nm	21 + 1	18V Li-ion, 1 300mAh	3 - 5hrs



HLD-180K

18V DRIVER DRILL 10MM LI-ION

FEATURES:

- Keyless chuck for quick and easy bit changes
- Reversing mode to unjam drill bits
- Easy Switch from drilling to impact mode
- Variable speed control for the correct speed for all drilling applications

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLOWS PER MINUTE	MAX. CHUCK CAPACITY	NETT WEIGHT
HLD-180K	500W	0 - 3 000 min ⁻¹	0 - 48 000 bpm	10mm	1.5kg



ANGLE GRINDER

HG-650

650W ANGLE GRINDER 115MM HANDYLINE

FEATURES:

- Lock-on Switch for easy operation
- 2-Position handle design providing user comfort for left and right handed use
- Spindle lock and lock nut spanner for faster and easier wheel changing

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	GRINDING WHEEL	SPINDLE THREAD	DISC BORE SIZE	NETT WEIGHT
HG-650	650W	11 000 min ⁻¹	115mm	M14 x 2.0	22mm	2kg



BELT SANDER

HBS-720

720W BELT SANDER 76 x 457mm

FEATURES:

- Ergonomic handle for increased comfort and ease of use
- Tracking adjustment for extended belt life
- Quick and easy belt change with the tension release lever
- Lock on button for ease of continuous use

MODEL NUMBER	POWER INPUT	BELT SIZE	DISC SPEED	NETT WEIGHT
HBS-720	720W	76 x 457mm	250min ⁻¹	2.8kg



BELT & DISC SANDER

HBDS-350

350W BELT & DISC SANDER HANDYLINE

FEATURES:

- Belt adjusts for either horizontal or vertical sanding
- Mitre guide and bevel adjustable working table for precise working with wither sanding belt or disc
- Quick action belt tensioning and tracking system
- Robust cast iron construction provides good stability and minimizes vibration

MODEL NUMBER	POWER INPUT	BELT SIZE	DISC SIZE	DISC SPEED	NETT WEIGHT
HBDS-350	350W	100 x 914mm	ø150mm	1 450min ⁻¹	15.5kg



BENCH GRINDER

HBG-150

150W BENCH GRINDER HANDYLINE 150MM

FEATURES:

- Opti-view lens provides magnification of the work piece
- Convenient fully adjustable tool rests
- Fully adjustable eye shields and spark deflectors for added safety
- Large, easy access On/Off switch

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	NETT WEIGHT
HBG-150	150W	2 950 min ⁻¹	ø150 x 16 x ø12.7mm	5.5kg



CIRCULAR SAW

HCS-1250

1250W CIRCULAR SAW 185WW

FEATURES:

- Easy to adjust base for bevel cutting from 0°-45°
- Spindle lock for easy blade changes
- Large front handle for increased comfort and ease of use
- Steel retractable lower guard for added safety
- Slide fence allows for increased accuracy

MODEL NUMBER	POWER INPUT	DIAMETER OF SAW BLADE	NO LOAD SPEED	MAX. SAWING DEPTH	NETT WEIGHT
HCS-1250	1 250W	185mm	5 000min ⁻¹	@ 90° = 65mm @ 45° = 44mm	3.8kg



IMPACT DRILL

HID-500

500W IMPACT DRILL HANDYLINE 10MM

FEATURES:

- Keyless chuck for quick and easy bit changes
- Reversing mode to unjam drill bits
- Easy Switch from drilling to impact mode
- Variable speed control for the correct speed for all drilling applications

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLOWS PER MINUTE	MAX. CHUCK CAPACITY	MAX. DRILLING CAPACITY	NETT WEIGHT
HID-500	500W	0 – 3 000 min ⁻¹	0 – 48 000 bpm	10mm	Wood: 20mm, Steel: 8mm, Concrete: 10mm	1.5kg



IMPACT DRILL

HID-710

710W DRILL IMPACT HANDYLINE 13MM

FEATURES:

- Powerful 710 Watt motor for drilling tough masonry
- Reversing mode to unjam drill bits
- Easy switch from drilling to impact mode
- Variable speed control for the correct speed for all drilling applications
- Adjustable auxiliary handle for improved drilling control

MODEL NO.	POWER INPUT	NO LOAD SPEED	MAX. CHUCK CAPACITY	MAX. DRILLING CAPACITY	NETT WEIGHT
HID-710	710W	0 – 3 000 min ⁻¹	13mm	Wood: 25mm, Steel: 10mm, Concrete: 13mm	2.14kg



HAND PLANER

HP-650

650W ELECTRIC HAND PLANER 82MM

FEATURES:

- Aluminium front base plate
- Adjustable cutting depth
- Ergonomic handle with soft grip

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PLANING WIDTH	PLANING DEPTH	NETT WEIGHT
HP-650	650W	16 500min ⁻¹	82mm	2mm	2.6kg



PRESSURE WASHER

HJP-1270

1200W HIGH PRESSURE WASHER 100 BAR

FEATURES:

- Compact and lightweight design
- 3 Axial-piston wobble-plate pump
- Tempered stainless steel plungers
- Energy saving auto-stop system
- Self-resetting thermal cut-out

MODEL NUMBER	RATED POWER	RATED PRESSURE	MAX PRESSURE	RATED FLOW	MAX FLOW	NETT WEIGHT
HJP-1270	1 200W	100bar	100bar	5.5L/min	6.5L/min	4.9kg



INVERTER WELDER

HIW-120

120 AMP METAL ARC INVERTER WELDER

FEATURES:

- Ideal for welding various ferrous metals such as carbon steel, medium carbon steel, alloy steel etc
- Variable amperage of 10 - 120A and regulated DC power output
- Greatly improved efficiency by IGBT technology
- Terminal overload protection and stick protection
- 2m electrode holders, 1,5m earth clamp, welding mask and brush included

MODEL NUMBER	INPUT POWER CAPACITY	NO LOAD VOLTAGE	RATED DUTY CYCLE	ELECTRODE DIAMETER	PROTECTION DEGREE	NETT WEIGHT
HIW-120	5.1kVA	60V	60%	1.6-3.2mm	IP21S	2.9kg



JIGSAW

HJ-400

400W JIGSAW HANDYLINE

FEATURES:

- Lock on button for ease of continuous use
- Built-in dust blower mechanism clears dust away from cutting line for better visibility
- Angle adjustable base for bevel cutting

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX. CUTTING CAPACITY	NETT WEIGHT
HJ-400	400W	3 000min ⁻¹	Wood: 55mm Steel: 6mm	1.4kg



MITRE SAW

HMS-850

850W MITRE SAW 185mm

FEATURES:

- Tungsten carbide tipped 24 teeth blade for superior cutting accuracy
- Ergonomic handle with soft grip for added user comfort
- Large and easy access knob for bevel adjustment
- Dust extraction outlet and bag for efficient dust collection

MODEL NO.	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	MAX. CUTTING DEPTH	NETT WEIGHT
HMS-850	850W	5 000min ⁻¹	ø190 x ø16 x 2.4mm, 24T	0° x 90°: 40 x 105mm 45° x 90°: 20 x 39mm 45° x 45° (right): 20 x 60mm 45° x 45° (left): 20 x 39mm	5.5kg



MULTI-PURPOSE TOOL

HMP-180

180W MULTI-PURPOSE TOOL

FEATURES:

- Ideal for multiple DIY applications such as cutting, scraping, sanding and removing grout
- Multi-position blade system for setting blade at ideal angle for the work piece with no risk of slipping
- High frequency oscillation of 22 000min⁻¹ with 3° oscillation angle for quick, smooth precision
- Compact body and ergonomic soft grip for optimal handling and control
- Universal fit system adapts to fit most other brands accessories

MODEL NUMBER	POWER INPUT	NO LOAD OSCILLATING RATE	OSCILLATING ANGLE	NETT WEIGHT
HMP-180	180W	22 000min ⁻¹	3°	1.2kg



ORBITAL SANDER

HS-150

150W ORBITAL SANDER HANDYLINE

FEATURES:

- Ergonomic handle with soft grip for increased comfort and ease of use
- Quick action paper clamps for fast and easy sanding paper changes
- Lock on button for ease of continuous use
- Dust port for use with dust extraction systems

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	SANDING PAD SIZE	DIAMETER OF ORBIT	NETT WEIGHT
HS-150	150W	11 500min ⁻¹	90x182mm	1.6mm	1.35kg



TABLE SAW

HBT-254L

1500W TABLE SAW 254MM HANDYLINE

FEATURES:

- Mitre gauge allows precise angle to be cut quickly and easily
- Stands with anti-slip rubber feet provides full support and stability
- Powerful 1800 Watt motor with up and down torsion system cuts through the toughest of timber with precision and ease
- Blade bevel 0 - 45° for accurate angle cuts

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	CUTTING CAPACITIES	NETT WEIGHT
HBT-254L	1 800W	4 800min ⁻¹	254mm	75mm @ 90° 63mm @ 40°	19.6kg





GUARANTEE
2-YEAR
GUARANTEE

CORDED POWER TOOLS

BATTERY CHARGER

BC-800 8AMP ELECTRONIC BATTERY CHARGER

FEATURES:

- Electronic charger protects against polarity inversion, over charging and short-circuits helping to ensure a longer battery life
- Easy to read analogue gauge
- Tough sheet metal housing helps protect electronics and dissipates heat during charging
- Long 1m charging leads and 2m power cord make charging a battery in place much easier
- Large clamps for better connection to the battery poles
- Two charging voltages for 12V and 6V batteries
- Two charging modes – car charge & motorcycle charge

MODEL NUMBER	POWER INPUT	POWER OUTPUT FOR CAR	POWER OUTPUT FOR MOTORCYCLE	NETT WEIGHT
BC-800	84W	12V = 6.5A / 6V = 8A	12V = 1.2A / 6V = 0.85A	2.4kg



BC-1200 12AMP ELECTRONIC BATTERY CHARGER

FEATURES:

- Charging progress can be seen on the ampere gauge
- Designed to charge or keep the charge on service free and lead batteries with gel
- Two charging modes – car charge & motorcycle charge
- Protection against polarity inversion, over charge and short circuit
- Protective insulation
- Tough sheet steel casing
- Charging lead with sturdy pole clamps

MODEL NUMBER	POWER INPUT	POWER OUTPUT	CHARGE LEAD	MAX. CURRENT	DURATIVE CURRENT	NETT WEIGHT
BC-1200	143W	DC 12V / 12 Aeff, 8 Aarith	2m	12A	8A	3.4kg



BISCUIT JOINTER

JM-100K 710W JOINT MAKER

FEATURES:

- 6-position turret stop 0mm - 18mm cutting depth adjustment for easy biscuit size selection
- Rear handle with trigger switch provides safety and comfortable operation
- Fence tilts 0°-90° in 5° increments for precision cuts
- Hinged base provides tool-free easy blade change and cleaning
- Dust collection bag conveniently collects the sawdust for a cleaner work area

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	BLADE CUT THICKNESS	MAX. CUTTING DEPTH	NETT WEIGHT
JM-100K	760W	11 600min ⁻¹	100mm	4mm	18mm	3kg



BLOWER

BL-600 600W ELECTRIC MINI BLOWER

FEATURES:

- Powerful 600W motor produces 2.5m³/min air flow at 13 000min⁻¹ in a compact, easy to handle size
- Lock button for continuous air flow
- Easily fits into narrow, hard to reach areas and is ideal for cleaning workshops and garages
- Includes dust collection bag to use as a vacuum

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CABLE LENGTH	SOUND PRESSURE LEVEL	SOUND POWER LEVEL	VIBRATION LEVEL	NETT WEIGHT
BL-600	600W	13 000min ⁻¹	1.8m	Lpa 79dB (A) k=3dB(A)	Lwa 95dB(A) k=3dB(A)	4.3m/s ²	1.5kg



CUT-OFF SAW

C-3552 2300W CUT-OFF SAW 355MM

FEATURES:

- Powerful 2 300 Watt motor delivers high overload capabilities
- Heavy duty pressed steel base for added strength
- Spark diversion guard for operator safety
- Adjustable guide plate 45° right and left
- Quick lock/release vice clamp for changing work pieces in a short time.

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE SIZE	MAX. CUTTING CAPACITY	NETT WEIGHT
C-3552	2 300W	4 300min ⁻¹	ø355 x 25.4mm	Round pipe @ 45° - 115mm; @ 90° - 130mm Square @ 45° - 107 x 107mm; @ 90° - 120 x 120mm Rectangle @ 45° - 75 x 100mm; @ 90° - 125 x 130mm	17kg



DRILL PRESSES

BD-516L 500W BENCH DRILL PRESS WITH LASER GUIDE 16MM

FEATURES:

- 5 pulley speeds for drilling in to wood or metal
- Adjustable depth stop and laser guide with on/off switch accurately marks drilling point for quick and easy repeat drilling
- Large, heavy-duty feed handles for increased leverage and maximum control
- 1.5 - 16mm adjustable keyed chuck for greater bit capacity
- Rack and pinion table for easy and accurate height adjustment includes with 0-45° (L&R) tilt ability for angled drilling

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX. DRILLING CAPACITY	SPINDLE TRAVEL	COLUMN DIAMETER	CHUCK SIZE	NETT WEIGHT
BD-516L	500W	600 - 2 600min ⁻¹	16mm	50mm	50mm	16mm	15.5kg



DRILL PRESSES

BD-16

550W DRILL PRESS 16MM 16-SPEED BENCH TOP

FEATURES:

- Powerful 550 Watt induction motor with cast iron housing for long-lasting, smooth performance
- 16 Speeds for optimum drilling performance in a variety of materials
- Pivoting motor mount maintains correct belt tension and facilitates speed change
- Adjustable locking depth stop for accurate depth measurement and repetitive drilling
- Built-in light illuminates the work area
- Standard 3-jaw 16mm chuck

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CHUCK CAPACITY	SPINDLE STROKES	COLUMN TO CHUCK	TABLE TO CHUCK	NETT WEIGHT
BD-16	550W	215 – 2 130min ⁻¹	16mm	80mm	170mm	350mm	40kg



DP-16

550W DRILL PRESS 16MM 16-SPEED PEDESTAL

FEATURES:

- Powerful 550 Watt induction motor with cast iron housing for long-lasting, smooth performance
- 16 Speeds for optimum drilling performance in a variety of materials
- Adjustable locking depth stop for accurate depth measurement and repetitive drilling
- Pivoting motor mount maintains correct belt tension and facilitates speed change
- Built-in light illuminates the work area
- Standard 3-jaw 16mm chuck

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CHUCK CAPACITY	SPINDLE STROKES	COLUMN TO CHUCK	TABLE TO CHUCK	NETT WEIGHT
DP-16	550W	215 – 2 130min ⁻¹	16mm	80mm	170mm	680mm	51.5kg



IMPACT DRILLS

PD-550K

550W IMPACT DRILL 13MM VAR / REV

FEATURES:

- Powerful 550 Watt motor with impact function for drilling with ease
- 360° Adjustable auxiliary handle for improved drilling control
- Forward and reverse function
- Variable speed switch for various applications
- 87 piece accessories

MODEL NUMBER	POWER INPUT	CHUCK CAPACITY	NO LOAD SPEED	IMPACT RATE	DRILLING CAPACITY	NETT WEIGHT
PD-550K	550W	13mm	0 – 3 000min ⁻¹	0 – 48 000bpm	Wood: 20mm, Steel: 13mm, Masonry: 13mm	2.2kg



IMPACT DRILLS

PD-650

650W IMPACT DRILL 13MM VAR / REV

FEATURES:

- Powerful 650 Watt motor with impact function for drilling with ease
- 13mm keyed chuck offers better durability and bit retention (Chuck key included)
- 360° Adjustable auxiliary handle for improved drilling control
- Forward and reverse functions
- Variable speed control for the correct speed selection allows for use in various applications
- Depth stop gauge for precise blind hole drilling

MODEL NUMBER	POWER INPUT	CHUCK CAPACITY	NO LOAD SPEED	IMPACT RATE	DRILLING CAPACITY	NETT WEIGHT
PD-650	650W	13mm	0 – 3 000min ⁻¹	0 – 48 000bpm	Wood: 25mm, Steel: 13mm, Masonry: 13mm	2.25kg



PD-852VR

850W IMPACT DRILL 13MM KEYED CHUCK

FEATURES:

- Variable speed control for the correct speed selection
- Reversing mode to unjam drill bits
- Adjustable auxiliary handle for improved drilling control
- Depth stop for precise blind hole drilling
- Durable metal gear housing
- External brush caps for easy carbon brush changes

MODEL NUMBER	POWER INPUT	CHUCK CAPACITY	NO LOAD SPEED	IMPACT RATE	DRILLING CAPACITY	NETT WEIGHT
PD-852VR	850W	13mm	0 – 28 000min ⁻¹	0 – 27 000bpm	Wood: 25mm, Steel: 13mm, Masonry: 19mm	3.2kg



PD-1053VR

1050W IMPACT DRILL 13MM 2-SPEED

FEATURES:

- Powerful 1050 Watt motor for drilling tough masonry
- Reversing mode to unjam drill bits
- Easy switch from drilling to impact mode
- 2-Speed metal gear box for durability
- Variable speed control for the correct speed for all drilling applications
- Adjustable auxiliary handle for improved drilling control

MODEL NUMBER	POWER INPUT	CHUCK CAPACITY	NO LOAD SPEED	IMPACT RATE	DRILLING CAPACITY	NETT WEIGHT
PD-1053VR	1 050W	13mm	0 – 3 000min ⁻¹	0 – 48 000bpm	Wood: 30mm, Steel: 13mm, Concrete: 16mm	3.1kg



FB-300

300MM FLEXIBLE DRILL EXTENSION BAR

FEATURES:

- The flexible extension bar is a handy solution for tricky jobs – giving you an extra 280mm in length and convenient flexibility
- Magnetized for increased bit hold
- Quick change function for fast and easy bit change
- Holds any 6.35mm hex shank bits



ROTARY HAMMERS

ED-500

500W ROTARY HAMMER 1.5 JOULES SDS-PLUS

FEATURES:

- 2 operating modes: drilling mode, hammer-drilling mode
- Powerful 500 Watt motor with SDS-plus type shank
- Soft grip auxiliary handle rotates 360°
- Complete in carry case with accessories: 1x 6x150mm drill bit, 1x 8x150mm drill bit, 1x 10x150mm drill bit

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX. DRILLING CAPACITY	DRILL BIT SIZE	MAX. IMPACT RATE	NETT WEIGHT
ED-500	500W	0 - 1200 min ⁻¹	Wood: 30mm Steel: 20mm Concrete: 20mm	20mm SDS-Plus	5 000bpm	2.3kg



ED-938

900W ROTARY HAMMER 4 JOULES SDS-PLUS

FEATURES:

- 4 functions: rotary hammering, hammering, drilling and vario-lock for various jobs
- SDS-plus system for easy tool free bit change and high efficient work
- Anti-vibration system and soft grip handle for optimal operator comfort
- 360-degree adjustment auxiliary handle for improved drilling control

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX. DRILLING CAPACITY	DRILL BIT SIZE	MAX. IMPACT RATE	NETT WEIGHT
ED-938	900W	0 - 900min ⁻¹	Wood: 40mm Steel: 13mm Concrete: 26mm	SDS-Plus	4 400bpm	4.6kg



ED-1260

1200W ROTARY HAMMER 6 JOULES SDS-PLUS

FEATURES:

- 1250w motor delivers 6J of impact energy
- 4 functions: rotary hammering, hammering, drilling and vario-lock for various jobs
- SDS-plus system for easy tool free bit change and high efficient work
- Anti-vibration system and soft grip handle for optimal operator comfort
- 360-degree adjustment auxiliary handle for improved drilling control

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX. DRILLING CAPACITY	MAX. IMPACT RATE	NETT WEIGHT
ED-1260	1 200W	850min ⁻¹	Wood: 40mm Steel: 13mm Concrete: 32mm	4 000bpm	4.6kg



ED-1565

1500W ROTARY HAMMER 6.5 JOULES SDS-PLUS

FEATURES:

- 4 functions: rotary hammering, hammering, drilling and vario-lock for various jobs
- Variable speed selector for various chipping applications
- SDS-plus system for easy tool free bit change and high efficient work
- Anti-vibration system and soft grip handle for optimal operator comfort
- 360-degree adjustment auxiliary handle for improved drilling control

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX. DRILLING CAPACITY	MAX. IMPACT RATE	NETT WEIGHT
ED-1565	1 500W	260-870min ⁻¹	Wood: 40mm, Steel: 13mm Concrete: 32mm	1 200-4 100bpm	5kg



ROTARY HAMMERS

RH-1400

1400W ROTARY HAMMER MAX 9 JOULES 3-MODE PLUS

FEATURES:

- Powerful 1400 Watt motor delivers 9J of impact energy and 3700bpm drilling performance
- 360-degree adjustable auxiliary handle for improved drilling control
- SDS-plus bit system for easy tool-free bit change and high efficient work
- 3 operation modes: Rotary hammering, hammering and drilling for various work
- Unique rotation system locks the flat chisel in 12 positions

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX. DRILLING CAPACITY	IMPACT ENERGY	NETT WEIGHT
RH-1400	1 400W	580min ⁻¹	Concrete: 40mm Wood: 65mm	9J	7.3kg



DEMOLITION HAMMERS / BREAKERS

DH-15K

1200W DEMOLITION HAMMER 15 JOULES SDS-PLUS

FEATURES:

- Powerful 1 200W motor delivers 12J of impact energy
- 360-degree adjustable auxiliary handle for improved drilling control
- SDS-max bit system for easy tool free bit change and high efficient work
- Accessories: 18x280mm point chisel, 18x280mm flat chisel, spanner

MODEL NUMBER	POWER INPUT	MAX IMPACT RATE	IMPACT FORCE	SHANK TYPE	NETT WEIGHT
DH-15K	1 200W	3 750bpm	12J	SDS Max	7.2kg



DH-65K

1600W DEMOLITION HAMMER 43 JOULES SDS-PLUS

FEATURES:

- Powerful 43J impact energy for tough jobs
- 1600 watt motor provides ample power for a wide range of demolition jobs
- 360-degree auxiliary handle, ideal for left and right hand use
- Rubber dust cover prevents debris and dust from entering the gear box and can prolong the lifetime of the tool
- Standard accessories: Ø30x410mm hex pointed chisel, Ø26x410mm hex flat chisel, spanner

MODEL NUMBER	POWER INPUT	IMPACT FORCE	IMPACT RATE	SHANK TYPE	NETT WEIGHT
DH-65K	1 600W	43J	2000bpm	SDS HEX	17kg



DEMOLITION HAMMERS / BREAKERS

DH-85K

2100W DEMOLITION HAMMER 85 JOULES SDS-PLUS

FEATURES:

- Oversized cylinder supply super impact energy
- 2100W dustproof high torque motor
- Reliable clamping system
- Converting twice the impact energy more comfortable
- Standard accessories included: Ø30x410mm hex pointed chisel, Ø30x410mm hex flat chisel

MODEL NUMBER	POWER INPUT	IMPACT RATE	IMPACT FORCE	SHANK TYPE	NETT WEIGHT
DH-85K	2 100W	1 600bpm	85J	SDS HEX	22.5kg

RH-500

1700W ROTARY HAMMER + BREAKER 27 JOULES SDS

FEATURES:

- 3 adjustable operating modes: Chiselling, Rotary hammer drilling and hammering mode
- Anti-vibration system and soft grip handle for optimal comfort
- SDS-max bit system for easy tool-free bit changes and efficient impact energy transfer
- D-shaped 360 degree adjustable auxiliary handle and a 3 position straight auxiliary handle
- Complete with handy storage/carry case
- "Power on" indicator for added safety
- Service reminder light for longer tool life
- Lock-on button for continuous operation

MODEL NUMBER	POWER INPUT	IMPACT RATE	IMPACT FORCE	MAX. DRILLING CAPACITY	NETT WEIGHT
RH-500	1 700W	950 - 1 900bpm	27J	Wood: 80mm, Concrete: 50mm	12kg



EXTENSION CORDS FOR POWER TOOLS



MODEL NUMBER	DESCRIPTION	BOX LOT QTY (MOQ)
832201610	10M POWER TOOL EXTENSION CORD 220V 16AMP / 1 x 1VP (1,5 x 3)	10



MODEL NUMBER	DESCRIPTION	BOX LOT QTY (MOQ)
832201620	20M POWER TOOL EXTENSION CORD 220V 16AMP / 1 x 1VP (1,5 x 3)	10

ANGLE GRINDERS

G-850

850W ANGLE GRINDER 115MM

FEATURES:

- Powerful 850 Watt motor with high durability
- Adjustable disc guard for easy adjustment and added safety
- Suitable for cutting, grinding, sanding or wire buffing. Spindle lock for fast and easy disc changing

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	SPINDLE THREAD	BORE SIZE	NETT WEIGHT
G-850	850W	11 000min ⁻¹	115mm	M14 x 2.0	22mm	2.0kg



G-915

900W ANGLE GRINDER 115MM

FEATURES:

- Powerful 900 Watt motor with high durability
- Adjustable disc guard for easy adjustment and added safety
- Suitable for cutting, grinding, sanding or wire buffing. Spindle lock for fast and easy disc changing

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	SPINDLE THREAD	BORE SIZE	NETT WEIGHT
G-915	900W	11 000min ⁻¹	115mm	M14 x 2.0	22mm	2.0kg



G-1115D

1000W ANGLE GRINDER 115MM

FEATURES:

- Safety lock on the start trigger for added safety to prevent accidental starting
- Supplied with a soft grip 3 position auxiliary side handle for added user comfort, safety and control
- Removable carbon brush covers for the easy replacement of carbon brushes
- Spindle lock for fast and easy disc changing
- Adjustable disc guard for easy adjustment and added safety
- Suitable for cutting, grinding, sanding or wire buffing
- Start trigger lock for continuous use

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	SPINDLE NUT	NETT WEIGHT
G-1115D	1 000W	11 000min ⁻¹	115mm/125mm	M14 x2.0	2.3kg



G-2000

2000W ANGLE GRINDER 230MM

FEATURES:

- Powerful 2000 Watt motor delivers 6500rpm to handle the most demanding applications
- Lightweight design for reduced fatigue and improved control
- Three position adjustable side handle for operator convenience
- Rotatable rear handle, spindle lock for wheel changes

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	SPINDLE THREAD	BORE SIZE	NETT WEIGHT
G-2000	2 000W	650min ⁻¹	230mm	M14 x 2.0	22mm	3.98kg



G-2323

2300W ANGLE GRINDER 230MM

FEATURES:

- Powerful 2300W motor with 230mm wheel ideal for large angle grinding jobs
- Spindle lock for fast disc changes
- 3-position adjustable side handle for more user convenience
- Rear trigger switch with lock-on for optimum user safety and convenience
- Rotatable rear handle

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	SPINDLE THREAD	BORE SIZE	NETT WEIGHT
G-2323	2 300W	6 500min ⁻¹	230mm	M14 x 2.0	22mm	5.3kg



BENCH GRINDERS

BG-120

120W MULTI PURPOSE BENCH GRINDER, WITH FLEXIBLE SHAFT

FEATURES:

- Powerful 120 Watt motor in compact size
- Includes 2 wheels, fine grit grinding wheel and fibre polishing wheel
- Handy flexible shaft attachment with variable speed control for versatility
- Adjustable eye protection shields and spark deflectors for added safety
- Ideal for deburring, grinding, polishing small parts, etc

MODEL NUMBER	POWER INPUT	HORSE POWER	NO LOAD SPEED	DISC SIZE	WHEEL SIZE
BG-120	120W	1/5hp	0 – 9 900min ⁻¹	ø75 x 20 x ø10mm	10mm



HBG-6E

250W BENCH GRINDER 150MM 1/3HP

FEATURES:

- Ideal for sharpening chisels, drill bits, axes, scissors, knives, lawnmower blades, etc
- Fitted with one fine and one coarse grinding wheel
- Fully adjustable solid tool resets for grinding control

MODEL NUMBER	POWER INPUT	HORSE POWER	NO LOAD SPEED	DISC SIZE	WHEEL SIZE	BORE SIZE	NETT WEIGHT
HBG-6E	250W	1/3hp	2 850min ⁻¹	150mm	20mm	12.7mm	9kg



HBGS-150

370W BENCH GRINDER SANDER 150MM

FEATURES:

- Ideal for sharpening chisels, drill bits, axes, scissors, knives, lawnmower blades, etc
- Fitted with one fine and one coarse grinding wheel
- Fully adjustable solid tool resets for grinding control

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BELT SIZE	WHEEL SIZE	NETT WEIGHT
HBGS-150	370W	2 980min ⁻¹	50 x 686mm	50X20X12.7mm	10.3kg



HBG-620

250W BENCH GRINDER 150MM + LIGHT & WHEEL DRESSER

FEATURES:

- Fitted with one fine and one coarse grinding wheel
- Auto-on light automatically illuminates work area for more accurate grinding and sharpening
- Built-in coolant storage drip tray to cool overheated work-pieces
- Wheel dressing tool cleans metal build-up from wheels to improve grinding performance
- Sparks are deflected away from the operator
- Ideal for sharpening chisels, drill bits, axes, scissors, knives, lawnmower blades, etc

MODEL NUMBER	POWER INPUT	HORSE POWER	NO LOAD SPEED	DISC SIZE	WHEEL SIZE	BORE SIZE	NETT WEIGHT
HBG-620	250W	1/3hp	2 850min ⁻¹	150mm	20mm	12.7mm	8.5kg



HBG-825B

375W BENCH GRINDER 200MM H/D + LIGHT

FEATURES:

- Fitted with one fine and one coarse grinding wheel
- Auto-on light automatically illuminates work area for more accurate grinding and sharpening
- Built-in coolant storage drip tray to cool overheated work-pieces
- Wheel dressing tool cleans metal build-up from wheels to improve grinding performance
- Opti-view eye shield magnifies the work-piece. Sparks are deflected away from the operator
- Ideal for sharpening chisels, drill bits, axes, scissors, knives, lawnmower blades, etc

MODEL NUMBER	POWER INPUT	HORSE POWER	NO LOAD SPEED	DISC SIZE	WHEEL SIZE	BORE SIZE	NETT WEIGHT
HBG-825B	375W	1/2hp	2 850min ⁻¹	200mm	25mm	15.88mm	17kg



GLUE GUN

GG-120

80W GLUE GUN IN CARRY CASE WITH 6 GLUE STICKS

FEATURES:

- Laminated power switch for added safety
- Fast heating
- Includes 6 glue sticks; metal stand, replacement nozzles and wrench
- Stored in a sturdy carry case

MODEL NUMBER	POWER INPUT	PREHEAT TIME	GUM FLOW	NETT WEIGHT
GG-120	80W	3 – 5mins	9 – 12g	0.27kg



HEAT GUNS

HG-2000

2000W HEAT GUN 2 SPEED 450 - 600°

FEATURES:

- Two temperature settings allows for a variety of jobs
- Thermal overload protection
- Temperature ranges from a low of 450°C with a 300 litre per minute airflow to a high temperature of 600°C with a 500 litre per minute airflow
- Dual airflow settings
- Ideal for stripping paint, drying paint or varnish, bending plastic pipes, softening adhesives and heat-shrinking plastic film

MODEL NUMBER	POWER INPUT	TEMPERATURE SETTING	AIRFLOW ON LOW TEMPERATURE	AIRFLOW ON HIGH TEMPERATURE	NETT WEIGHT
HG-2000	2 000W	450°C low 600°C high	300L/min	500L/min	0.8kg



HG-2000K

2000W HEAT GUN 2 SPEED 450 - 600° WITH 6 PIECE ACCESSORY KIT & CARRY CASE

FEATURES:

- Temperature ranges from a low of 450°C with a 300 litre per minute airflow to a high temperature of 600°C with a 500 litre per minute airflow
- Dual airflow settings
- Ideal for stripping paint, drying paint or varnish, bending plastic pipes, softening adhesives and heat-shrinking plastic film
- Thermal overload protection with two temperature settings for a variety of jobs
- Complete in plastic carry case with 5 accessories

MODEL NUMBER	POWER INPUT	TEMPERATURE SETTING	AIRFLOW ON LOW TEMPERATURE	AIRFLOW ON HIGH TEMPERATURE	NETT WEIGHT
HG-2000K	2 000W	450°C low 600°C high	300L/min	500L/min	0.8kg



HG-2530

2000W HEAT GUN, 450 - 600° 500HR RATING

FEATURES:

- Temperature ranges from a low of 50°C with a 250 litre per minute airflow, or a high temperature of 600°C with a 500 litre per minute airflow
- Ideal for stripping paint, drying paint/varnish, bending plastic pipes, softening adhesives, heat-shrinking plastic film, vinyl & leather repairs, loosening rusty bolts, automobile body repairs etc
- Thermal overload protection
- Ceramic element for longer use
- Accessories included: Concentrator nozzle, Flat nozzle, Glass protection nozzle, Hook Nozzle, Shave hook

MODEL NUMBER	POWER INPUT	TEMPERATURE SETTING	AIRFLOW ON LOW TEMPERATURE	AIRFLOW ON HIGH TEMPERATURE	NETT WEIGHT
HG-2530	2 000W	50°C 450°C 600°C	250L/min	500L/min	0.8kg



MINI/MULTI-PURPOSE TOOL KITS

CHT-40K

150W MINI TOOL KIT WITH 42 PIECE ACCESSORIES AND FLEXIBLE SHAFT

FEATURES:

- The perfect machine for any hobbyist
- Fitted with a variable speed motor for the correct speed selection depending on the accessory being used
- Ideal for grinding, engraving, polishing, sanding and cutting
- External brush caps for easy, quick changing of carbon brushes
- Complete in carry case with 44 piece accessory kit

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	COLLET SIZE	NETT WEIGHT
CHT-40K	150W	10 000 – 36 000min ⁻¹	2.2 & 3.2mm	0.78kg



MP-300

300W MULTI-PURPOSE TOOL WITH 4 PIECE ACCESSORIES IN CARRY CASE

FEATURES:

- Ideal for multiple applications such as cutting, scraping, sanding, and removing grout
- Variable speed of 15 000 - 22 000 oscillations per minute for optimum control in various jobs
- Multi-positions blade systems for setting blade at ideal angle for the work piece with no risk of slipping
- Power 300 Watt motor with 3° oscillation angle for faster and stable operation
- Quick change accessory system for quick and easy changes without wrenches
- 5 Accessories Included: HCS Plunge cut saw blade (32mm); Rigid scraper blade; sanding base plate; sandpaper (#60, #80)

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	NETT WEIGHT
CHT-40K	300W	15 000 – 22 000min ⁻¹	1.4kg



HAND PLANERS

PL-850

850W ELECTRIC HAND PLANER

FEATURES:

- Aluminium front and rear base
- Adjustable cutting depth
- Ergonomic handle with soft grip
- Dual side dust extraction

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PLANING WIDTH	PLANING DEPTH	REBATE DEPTH	NETT WEIGHT
PL-850	850W	17 000min ⁻¹	82mm	0 – 2.5mm	11mm	3kg



PL-1200

1200W HAND PLANER 110MM 14MM REBATE WITH JOINT BRACKET

FEATURES:

- Powerful 1 200W motor
- Can be used as bench top with support bracket
- Ergonomic handle with soft grip
- Dust extraction port
- Adjustable cutting depth
- Aluminium base plate

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PLANING WIDTH	PLANING DEPTH	REBATE DEPTH	NETT WEIGHT
PL-1200	1 200W	15 800min ⁻¹	110mm	0 – 35mm	14mm	5kg



THICKNESSERS

AP-13 2000W PLANER 318MM

FEATURES:

- Height scale for accurate cutting
- Power feed system (8m/min) and cutting speed ensures a quick and parallel finish
- Can plane hard and soft woods
- Fitted with 2 x HSS planer blades and built in material rollers
- Safety knob built into on/off switch to prevent accidental starting
- Includes extraction shoot attachment for connection to a workshop vacuum

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PLANING WIDTH	PLANING DEPTH	PLANING HEIGHT	FEEDING SPEED	NETT WEIGHT
AP-13	2 000W	8 000min ⁻¹	127 – 318mm	0 – 3mm	5 – 153mm	8m/min	30.5kg



JP-254L 1500W JOINTER PLANER 254MM

FEATURES:

- Fast switching between planer and thicknesser in seconds
- Powerful 1500 Watt motor
- Overload Switch
- Circuit Breaker
- Dust extraction port for industrial vacuum
- Can be fitted to a work bench
- Stand with anti-slip feet for added stability

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX. CUTTING WIDTH	CUTTING RANGE	FEEDING SPEED	JOINTER TABLE	PLANER TABLE
JP-254L	1 500W	9 000min ⁻¹	204mm	5 – 120mm	6m/min	946 x 263mm	270 x 303mm



ROUTERS

RE-1200A 1200W ROUTER ELECTRONIC 6.35/8MM

FEATURES:

- 1200 Watt motor for routing and trimming an assortment of soft and hard wood
- Micro-adjust depth control for precise adjustment on intricate routing applications
- Ergonomically designed handles with on/ off switch and electronic speed control built into the handles

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	COLLET CAPACITY	PLUNGE CAPACITY	NETT WEIGHT
RE-1200A	1 200W	11 500 – 30 000min ⁻¹	8 / 6.35mm	0 - 40mm	3.7kg



ROUTERS

RE-1200K

1200W ROUTER ELECTRONIC KIT 6.35/8MM

FEATURES:

- 1200 Watt motor for routing and trimming the toughest hardwood
- Electronic speed control for the correct speed selection in various materials
- Micro-adjust depth control for precise adjustment on intricate routing applications
- Ergonomically designed handles with on/off switch and electronic speed control built into the handles
- Kit includes: Straight guide, template guide, 6 long life router bits in a sturdy carry case

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	COLLET CAPACITY	PLUNGE CAPACITY	NETT WEIGHT
RE-1200K	1 200W	10 000 – 28 000min ⁻¹	8 / 6.35mm	0 – 40mm	3.7kg



RE-1600

1600W ROUTER ELECTRIC 6.35/10/12.7MM

FEATURES:

- 1600 Watt motor for routing and trimming the toughest hardwood
- Electronic speed control for the correct speed selection in various materials
- Micro-adjust depth control for precise adjustment on intricate routing applications
- Ergonomically designed handles with on/ off switch and electronic speed control built into the handles

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	COLLET CAPACITY	PLUNGE CAPACITY	NETT WEIGHT
RE-1600	1 600W	10 000 – 30 000min ⁻¹	12.7 / 10 / 6.35mm	0 – 60mm	4.1kg



RT-800

ROUTER ATTACHMENT TABLE

FEATURES:

- Cast aluminium table top for greater durability
- Fully adjustable rear fence
- Built in dust extraction
- Mitre gauge adjusts to 60° in both directions
- Large clear safety guard
- Emergency stop switch for added safety

MODEL NUMBER	TABLE SIZE	TABLE HEIGHT	NETT WEIGHT
RT-800	610x360x32mm	310mm	7.5kg



RT-1200

1200W TRACK SAW

FEATURES:

- With guide rail made from aluminium, can be mounted in 2 lengths (70cm or 140cm)
- Allow closed-wall working up to 15mm, ideal for shadow and expansion joints
- Tilting saw blade for precise mitre cuts
- Cutting depth adjustable from 0-56mm
- Easy saw blade exchange with SPINDLE LOCK spindle restraint
- Ergonomic soft grip with safety switch
- Connection for external dust extraction

MODEL NUMBER	NO LOAD SPEED	BLADE DIAMETER	NETT WEIGHT
RT-1200	5 200min ⁻¹	165mm	4.7kg



BELT & DISC SANDERS

EBS-810

810W BELT SANDER 76x533MM

FEATURES:

- Ideal for finishing off wood surfaces
- Removes rust and finishes metal surfaces
- Can be used in a fixed inverted position
- Belt centering adjustment to keep belt running straight
- Lock-on button for continuous operation
- Quick and easy belt changes with the tension release lever
- Standard accessories include dust bag and abrasive belt

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BELT SIZE	NETT WEIGHT
EBS-810	810W	250m/min	76 x 533mm	2.7kg



MBS-1200

1200W BELT SANDER 100x610MM

FEATURES:

- Magnesium housing for lighter, stronger and quieter operation
- Powerful 1200 Watt industrial motor
- Swivel ball cord bushing minimises cord tangle
- Lever for quick sanding belt replacement
- Integrated dust extraction system
- External brush caps for easier carbon brush changes
- Front handle allows better control and increased safety

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BELT SIZE	NETT WEIGHT
MBS-1200	1 200W	500min ⁻¹	100 x 610mm	5.96kg



EMBS-200

200W MINI BELT & DISC SANDER 25X125

FEATURES:

- Dust extraction to keep work area clean
- Tracking knob to keep belt straight
- Tension release knob for easy belt replacement
- Adjustable work tables for various table angles
- Mitre gauge for set sanding angles

MODEL NUMBER	POWER INPUT	BELT SPEED	BELT SIZE	DISC ROTATION	DISC SIZE	NETT WEIGHT
EMBS-200	200W	970m/min	25 x 762mm	400min ⁻¹	127mm	7.5kg



BDS-460

370W BELT & DISC SANDER 100x914MM

FEATURES:

- Induction motor for quiet, dependable operation
- Mitre gauge included for use on 0 - 45° pivoting table
- Tool-free belt tension release makes changing sanding belts quick and easy
- Large belt tracking knob for easy belt positioning from 0 - 90°
- Cast iron base for additional stability and less vibration
- Integrated dust port for optimal dust collection

MODEL NUMBER	POWER INPUT	BELT SPEED	BELT SIZE	DISC ROTATION	DISC SIZE	NETT WEIGHT
BDS-460	370W	450m/min	100 x 914mm	2 850min ⁻¹	150mm	18.5kg



SANDERS: RANDOM / ORBITAL SANDERS

MS-130

130W MOUSE SANDER WITH 13 PIECE ACCESSORIES

FEATURES:

- 130 Watt orbital mouse sander
- Soft grip handle for more comfort of use
- Triangular shaped pad for optimum sanding of corners
- Dust extraction port for clean workplace
- Soft storage bag with set of accessories for different applications

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PAPER SIZE	NETT WEIGHT
MS-130	130W	12 000min ⁻¹	1/3 sheet sanding pad (187 x 90mm)	0.93kg



S-180

180W ORBITAL SANDER 92X187MM SHEET

FEATURES:

- Powerful 180 Watt motor for sanding with ease
- 12 000min⁻¹ sanding performance
- Dust collection bag supplied as an accessory
- Quick action clamps allows for fast paper changes
- On/Off lock for continuous operation

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PAPER SIZE	NETT WEIGHT
S-180	180W	12 000min ⁻¹	90mm x 240mm	1.7kg



RS-380

380W RANDOM ORBITAL SANDER 125MM

FEATURES:

- Random orbital action ideal for finishing
- Variable speed control for sanding a wide variety of materials
- Soft grip handle for comfortable use
- Adjustable front handle to assist with guiding machine for more precise sanding
- Dust collection bag keeps work area clean
- Lock-on button for continuous operation
- Standard Accessories: Sand paper #80 and dust bag
- Sand paper is attached with an easy velcro fastener

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PAD SIZE	NETT WEIGHT
RS-380	380W	6 000 – 13 000min ⁻¹	125mm	1.78kg



RMS-231

200W MULTIPLE SANDER 3-IN-1

FEATURES:

- Interchangeable sanding base system - 1/3 sheet, Delta and Random orbit, for meeting all your sanding needs
- Powerful 200 Watt motor and large orbital sanding circle for smooth finishing
- Ergonomic design handle with rubberized soft grip for increased comfort
- Dust extraction canister for efficient dust removal and improved sanding finish
- Dust sealed push-on/push-off switch for improved dust-proofness

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PAPER SIZE	NETT WEIGHT
RMS-231	200W	10 000min ⁻¹	1/3 sheet sanding pad (187 x 90mm) Delta Sanding Pad (208x110mm)	2kg



ROLLER SANDER

SP-1218

1200W SANDER POLISHER 180MM

FEATURES:

- Powerful 1200 Watt motor for tough jobs
- Variable speed control between 800 and 3200 min⁻¹
- Spindle lock for quick accessory changes
- Accessories Included: sanding pad, wool polishing bonnet and carbon brushes
- Sturdy D-shaped auxiliary handle for control and comfort

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	WHEEL SIZE	NETT WEIGHT
SP-1218	1 200W	800 – 3 200min ⁻¹	180mm	2.55kg



RRS-300

300W ROLLER SANDER WITH 9 PIECE ACCESSORY KIT

FEATURES:

- Powerful 300 Watt motor
- Variable speed control for sanding a wide variety of materials
- Dust extraction hood keeps work area clean
- Quick and easy change of accessories
- Soft grip handle for comfortable use
- Accessories included: Slim polishing wheel, Wide polishing wheel, Sanding wheel, Taper sanding wheel, Slim polishing brusher and Wire brusher all in neat carry case

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	NETT WEIGHT
RRS-300	300W	1 600 – 3 300 min ⁻¹	1.67kg



PF-125K

400W POWER FILE 1125MM

FEATURES:

- Adjustable sanding arm pivots 100 degrees for hard to reach areas
- Narrow belt and exposed front pulley allows filling and sanding in close quarters or on irregular shapes
- Ball and needle bearing construction for smooth operation and long tool life
- Easily adjusted belt tracking with the turn of a knob
- Tool-less belt changing system for user convenience
- Standard accessory: 2 x 9mm sanding belts. Also compatible with a 13mm sanding belt

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	SANDING BELT SIZES	MAXIMUM SANDING DEPTH	NETT WEIGHT
PF-125K	400W	300 – 1 700min ⁻¹	9 x 457mm	85mm	1.5kg



BAND & BENCH SAWS

BS-200

250W BAND SAW 200MM

FEATURES:

- Table tilts from 0-45 degrees to allow straight cross cutting, ripping, mitre and bevel cutting
- Electromagnetic switch prevents accidental starts for better safety
- Newly-designed blade guard system for precision cutting
- Mitre gauge allows precise angles to be cut quick and easily
- Newly designed blade guard system for precision cutting

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX. CUTTING RANGE	MAX. CUTTING DEPTH	TABLE SIZE	NETT WEIGHT
BS-200	250W	15.9min ⁻¹	254mm	80mm	305 x 305mm	17kg

BS-230

350W BANDSAW 230MM

FEATURES:

- Tilting table between 0 - 45 deg. allows for straight cross cutting, ripping mitre & bevel cutting
- Electromagnetic switch prevents accidental starts for added safety
- Quick lock system allows for blade tension adjustments in a short amount of time
- Mitre gauge allows precise angles to be cut quick and easily
- Newly designed blade guard system for precision cutting
- Maximum cutting width is 230mm and maximum cutting depth is 80mm

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	TABLE SIZE	NETT WEIGHT
BS-230	350W	11.6 m/sec	1 575mm x 6.35mm x 0.3mm	300mm x 300mm	18kg

BSI-356

1.5HP BANDSAW WOOD CUTTING 355MM

FEATURES:

- Easy adjustable locking system for setting blade
- Storage slot for angle guide
- Ideal for re-sawing, ripping cutting curves, cross cutting, cutting circles or even intricate scroll patterns
- Micro safety switches on upper and lower doors
- Tracking adjustment knob to keep blade running in centre of wheels
- Table lock allows the table to be tilted and tightened from 0° - 45°
- Tilt scale shows degree table is tilted

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE WIDTHS	DEPTH OF CUT	BLADE LENGTH	NETT WEIGHT
BSI-356	1 100W	1 400min ⁻¹	6 - 15mm	200mm	2 490mm	101kg



CIRCULAR SAWS

RCS-1500

1500W CIRCULAR SAW 185MM

FEATURES:

- Ergonomically designed front and rear handle for maximum comfort and control and chip ejection port
- Bevel cuts from 0° - 45°
- Spindle lock for quick blade changes
- 24 - Tooth carbide tipped saw blade. Depth adjustment

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	BORE DIAMETER	CUTTING CAPACITY	NETT WEIGHT
RCS-1500	1 500W	5 500min ⁻¹	185mm	16mm	@90° = 62mm @45° = 46mm	3.85kg



MULTI-FUNCTION SAW

DCS-125

900W DUAL CUT SAW 125MM BLADE

FEATURES:

- Two blades simultaneously rotate in opposite directions for a more powerful cutting edge with less kick back, friction, sparks and vibration
- Can cut hard and soft metals, hard wood, PVC and plastic
- Lubrication sticks included for smooth cutting of soft metals, copper, aluminium, brass, etc
- Aluminium upper and lower blade guard

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	NETT WEIGHT
DCS-125	900W	4 300min ⁻¹	125mm	3.2kg



JIGSAWS

J-650V

650W JIGSAW VARIABLE / PENDULUM 65MM

FEATURES:

- Powerful 650 Watt motor
- Compact and light weight design with soft grip handle
- Pendulum action with variable speed for cutting a wide variety of materials
- Angle adjustable base for bevel cutting
- Built-in dust blower mechanism clears dust away from cutting line to maintain visibility
- Dust extraction port for connecting vacuum cleaner
- Standard accessories include jigsaw blade, wrench and dust nozzle

MODEL NUMBER	POWER INPUT	STROKE SPEED	MAX. CUTTING CAPACITY	NETT WEIGHT
J-650V	650W	800 – 3 000min ⁻¹	Wood: 65mm, Steel: 6mm	1.8kg



JS-80

800W JIGSAW VARIABLE SPEED WITH LASER

FEATURES:

- Powerful 800 Watt motor with variable speed control for cutting a wide variety of shapes and materials with ease
- Tool-less blade clamp for easier and quicker blade changes
- Built-in laser and dust blower mechanism for a more visible cutting line and cleaner work area
- "Power on" indicator for safer and easier use with trigger on-lock for continuous use
- Supplied with 2 blades (Wood and Metal) and a parallel guide for rip and cross cuts
- Soft grip handle for more comfort of use
- 3 orbital actions for more comfort of use
- Complete with dust extraction port
- Adjustable base for 0° to 45° bevel cutting
- Safety guard over the blade for added safety
- Uses T-shank blades only

MODEL NUMBER	POWER INPUT	STROKE SPEED	MAX. CUTTING CAPACITY	NETT WEIGHT
JS-80	800W	0 – 3 000min ⁻¹	Wood: 100mm, Steel: 10mm	2.6kg



MITRE SAWS

MS-210CL

1200W COMPOUND MITRE SAW WITH LASER LIGHT

FEATURES:

- Easy to read scale on mitre table, mitre fence and bevel
- Powerful 1 200 Watt motor
- Ergonomic handle with soft grip for added user comfort
- Laser beam guide for precise cutting
- 24-tooth carbide-tipped saw blade for superior cutting
- Large trigger safety switch

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE SIZE	CUTTING CAPACITIES	NETT WEIGHT
MS-210CL	1 200W	4 900min ⁻¹	210 X 16 X 2.6MM 24T	0° X 90° 60 X 115MM 45° X 90° 25 X 115MM 0° X 45° 60 X 80MM 45° X 45° 25 X 80MM	6.3kg



MS-210SCL

1700W SLIDING COMPOUND MITRE SAW WITH LASER LIGHT

FEATURES:

- Easy to read scale on mitre table, mitre fence and bevel
- Dual slide rail system for high accuracy
- Ergonomic handle with soft grip for added user comfort
- Laser beam guide for precise cutting
- 24-tooth carbide-tipped saw blade for superior cutting

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	CUTTING CAPACITIES	NETT WEIGHT
MS-210SCL	1 700W	4 700min ⁻¹	210 x 16 x 2.6mm 24T	0° x 90° 65 x 340mm 0° x 45° 38 x 340mm 45° x 90° 65 x 240mm 45° x 45° 38 x 240mm	23kg



MS-255CL

1500W COMPOUND MITRE SAW WITH LASER LIGHT

FEATURES:

- Easy to read scale on mitre table, mitre fence and bevel
- Dual slide rail system for high accuracy
- Powerful 2 000 Watt motor
- Ergonomic handle with soft grip for added user comfort
- Laser beam guide for precise cutting
- 48-tooth carbide-tipped saw blade for superior cutting
- Robust Extension supports

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE SIZE	CUTTING CAPACITIES	NETT WEIGHT
MS-255CL	2 000W	4 500min ⁻¹	255 x 16 x 2.8mm 48T	0° x 90° 90 x 340mm 0° x 45° 42 x 340mm 45° x 90° 90 x 240mm 45° x 45° 42 x 240mm	14.3kg



MITRE SAWS

MS-255SCL

2000W SLIDING COMPOUND MITRE SAW WITH LASER LIGHT

FEATURES:

- Easy to read scale on mitre table, mitre fence and bevel
- Dual slide rail system for high accuracy
- Powerful 2 000 Watt motor
- Ergonomic handle with soft grip for added user comfort
- Laser beam guide for precise cutting
- 48-tooth carbide-tipped saw blade for superior cutting
- Robust Extension supports

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	CUTTING CAPACITIES	NETT WEIGHT
MS-255SCL	2 000W	4 500min ⁻¹	255 x 16 x 2.8mm 48T	0° x 90° 90 x 340mm 0° x 45° 42 x 340mm 45° x 90° 90 x 240mm	14.3kg



MS-305DB

1800W SLIDING COMPOUND DUAL BEVEL MITRE SAW

FEATURES:

- Accurate laser alignment
- Larger trigger safety switch
- Robust extension supports
- External brush cap
- Dual sliding rail design
- Vice clamp system
- Dual action high sliding fence
- Ergonomic D handle
- Easy to read scale

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	NETT WEIGHT
MS-305DB	1 800W	3 800rpm	305 x 16 x 2.8mm 48T	21.30kg



MS-2552BD

1800W SLIDING COMPOUND MITRE SAW DUAL BELT WITH LASER LIGHT

FEATURES:

- Easy to read scale on mitre table, mitre fence and bevel
- Dual slide rail system for high accuracy
- Powerful 1 800 Watt motor
- Ergonomic D handle for added user comfort
- Dual belt driven design increases vertical cutting capacity with a 30% decreases in noise and vibration
- 60-tooth carbide-tipped saw blade for superior cutting
- Laser beam guide for precise cutting
- External brush cap

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	CUTTING CAPACITIES	NETT WEIGHT
MS-2552D	1 800W	5 500min ⁻¹	255 x 16 x 2.8mm, 60T	0° x 90° @ 70 x 300mm 0° x 45° @ 40 x 300mm 45° x 90° @ 70 x 200mm 45° x 45° @ 40 x 200mm	18.2kg



MITRE SAWS/WORKING CENTRE

MSS-3000

3M MITRE SAW STAND

FEATURES:

- 227kg load capacity and 2 940mm long material support to handle the toughest jobs
- Comfortable 875mm work height with stability
- Quick tool mounts work with nearly every mitre saw and other benchtop tools
- Fast and easy snap pin set-up
- Completely portable and folds for easy transport and storage

MODEL NUMBER	WORK HEIGHT	EXTENSION LENGTH	MAX. CUTTING CAPACITY	TOOL MOUNT BRACKET LENGTH	T-TYPE MATERIAL SUPPORT SIZE	NETT WEIGHT
MSS-3000	875mm	1 100 - 2 940mm	227kg	500mm	227mm	13.2kg



RECIPROCATING SAWS

RMS-350

350W MULTI PURPOSE RECIPROCATING SAW

FEATURES:

- Compact and versatile for all cutting needs - it's a panel saw, it's a jig saw, it's a metal cutting saw, it's a pruning saw all in one
- Includes: Wood blade, metal blade and pruner blade

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX. CUTTING CAPACITY	STROKE LENGTH	NETT WEIGHT
RMS-350	350W	2 350min ⁻¹	Wood: 60mm, Metal: 6mm	18mm	1.5kg



RS-850

850W RECIPROCATING SAW

FEATURES:

- Powerful 850 Watt motor
- Tool-free blade clamp for quick and easy blade changes
- Adjustable grip for cutting in different directions
- Soft grip rubber front and rear handle, for safe and comfortable use
- Lock-on switch for continuous cutting operation

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX. CUTTING CAPACITY	STROKE LENGTH	NETT WEIGHT
RS-850	850W	2 800min ⁻¹	Wood: 180mm, Metal: 10mm	28mm	2.6kg



SCROLL SAW

SC-1600VL

120W SCROLL SAW 405MM VARIABLE SPEED WITH LIGHT

FEATURES:

- Variable speed for greater control and ease of use when cutting intricate patterns
- Unique built-in light to illuminate work area
- Built-in dust clearing blower and collection port
- Table tilts 0° - 45° for perfect angle cutting
- Takes both plain and pin type blades

MODEL NUMBER	POWER INPUT	STROKE SPEED	BLADE LENGTH	DIMENSIONS	NETT WEIGHT
SC-1600VL	120W	550 – 1 700min ⁻¹	127mm	415 x 255mm	12kg



TABLE SAW

HBT-255L

1500W TABLE SAW 254MM HANDYLINE

FEATURES:

- Mitre gauge allows precise angle to be cut quickly and easily
- Stands with anti-slip rubber feet provides full support and stability
- Powerful 1800 Watt motor with up and down torsion system cuts through the toughest of timber with precision and ease
- Blade bevel 0 - 45° for accurate angle cuts

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	CUTTING CAPACITIES	NETT WEIGHT
HBT-255L	1 800W	4 800min ⁻¹	254mm	75mm @ 90° 63mm @ 40°	19.6kg



BT-256

1500W TABLE SAW 254MM

FEATURES:

- Powerful 1 500 Watt motor cuts through the toughest of timber with ease
- 3 extension tables provide a large working area of 977mm x 943mm
- Mitre Gauge allows precise angle to be cut quickly and easily
- Up and down torsion system for precise cutting
- Stand with anti-slip rubber feet provides full support and stability

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE SPECIFICATIONS	NETT WEIGHT
BT-256	1 500W	4 500min ⁻¹	254mm	33.2kg



TABLE SAWS

TMS-1800

1800W TABLE MITRE SAW 254MM

FEATURES:

- 1800 Watt powerful motor cuts hard wood with ease
- Versatile, convertible from mitre saw to table saw in seconds
- 5 positions: 0-45 deg. bevel angle with aluminium base and table
- Laser alignment and dust extraction port for accurate and clean working
- Soft Start and electric brake for active user protection and additional machine safety



MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE SIZE	TABLE SIZE	NETT WEIGHT
TMS-1800	1 800W	4 800min ⁻¹	254x16x 3mm, 48T	457x340mm	15kg

TMS-250

1800W FLIP-OVER TABLE MITRE 255MM

FEATURES:

- Dual action cutting mitre saw and table saw in one design
- Quick transformation from mitre saw to table saw in seconds
- Machined aluminium large working table provides larger cutting capacities with precision
- Foldable legs with wheels for easier transportation and storage
- Easy accessible emergency stop button for extra safety



MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE SIZE	TABLE HEIGHT	NETT WEIGHT
TMS-250	1 800W	4 200min ⁻¹	255x25.4x3mm,60T	820mm	42kg

BT-254SL

1500W SLIDE TABLE SAW 254MM

FEATURES:

- Sliding carriage can be mounted both right and left sides for smoother and more accurate cutting
- Side extensions can be locked at any position
- Electro-Magnetic switch and overload switch for better safety
- Dust extraction ports on router fence and rear table saw
- Laser indication line for accurate cutting
- Includes: mitre gauge, straight fence, router fence system and push stick



MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	OVERALL SIZE	CUTTING CAPACITY	NETT WEIGHT
TMS-250	1 500W	4 500min ⁻¹	254mm	1480x760x1100mm	@ 90° - 80mm @ 45° - 55mm	45kg

TABLE SAWS

TCS-1065

1800W CONTRACTORS SAW 254MM

FEATURES:

- Powerful 1 800 W motor for speeds up to 3 450min⁻¹
- Heavy-duty, cast iron main table with right and left extensions provide a flat and level surface
- Double clamping aluminium rip fence for precise cutting
- Maximum cut depth of 57mm at 45° and 80mm at 90° for a variety of useful cuts
- Heavy-duty dual castor system can be easily set with the front and rear pedals

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE SIZE	TABLE SIZE	NETT WEIGHT
TCS-1065	1 800W	3 450min ⁻¹	254 x 1.6mm	700 x 1000 x 950mm	150kg



SPRAY GUN

RES-140

80W SPRAY GUN 140 BAR

FEATURES:

- Airless paint sprayer with powerful 80 Watt motor
- Flexible extension nozzle design allows for use at various angles
- Ergonomic handle with over-mould improves user comfort and grip
- Ideal for applying paints, varnishes containing solvents, acrylic enamel paints, polishes, wood preservatives, etc
- Standard accessories are the flexible extension nozzle, viscosity cup and cleaning pin for nozzle

MODEL NUMBER	POWER INPUT	MAX. DELIVERY RATE	CONTAINER CAPACITY	MAX. PRESSURE	ROUND SPRAY NOZZLE	NETT WEIGHT
RES-140	80W	250ml/min	700ml	140 bar	22mm	1.7kg



PS-900

500W ELECTRIC SPRAYER 900ML

FEATURES:

- Powerful 500 Watt motor supplies constant flow of paint. 2 / 2.5 / 3mm diameter nozzles
- High Velocity Low Pressure spraying technology gives a fast, professional finish with no brush marks
- Variable paint flow control and 3 spray patterns - Horizontal, vertical or round with adjustable width to cope with a variety of surfaces
- Removable front end for easy cleaning and maintenance
- Suitable for interior and exterior use, applying water and oil based paints, lacquers, primers, stains and wood preservative etc.

MODEL NUMBER	POWER INPUT	WATER FLOW RATE	MAX VISCOSITY	NOZZLE	PAINT CUP VOLUME	NETT WEIGHT
PS-900	500W	900ml/min	100DIN-s	2mm/ 2.5mm/3mm	900ml	1.5kg



STAPLE GUN

ES-200

200W ELECTRIC STAPLER 16MM

FEATURES:

- Ergonomic design with soft grip
- Impact regulator for nailing or stapling on an assortment of materials
- Safety catch and On / Off mains switch prevents accidental firing
- Easy to load magazine holds up to 100 staples or nails
- Includes 100 x 150mm nails and 400 x 14mm staples

MODEL NUMBER	MAX. FIRING SPEED	NAIL SIZE	STAPLE SIZE
ES-200	20 shots/min	2mm wide x 15 - 16mm long x 1.25mm thick	13.3mm wide x 8 - 16mm long x 0.75mm thick



TILE CUTTERS

TC-200

800W TILE CUTTER 200MM

FEATURES:

- Blade tilts from 0°- 45° for bevel cutting
- Mitre gauge for accurate mitre and compound cutting
- Complete with continuous rimmed diamond blade
- Specially designed water pump keeps tile cut cool
- Adjustable cutting length stops for precise and repetitive cuts
- Perfect for cross, mitre, bevel and compound cuts

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	TABLE SIZE	NETT WEIGHT
TC-200	800W	2 950min ⁻¹	200mm	785 x 395mm	28.5kg



WALL CHASER

RWC-1350

1350W WALL CHASER 125MM

FEATURES:

- Powerful 1350 Watt motor with high durability
- Adjustable cutting depth
- Safety + On / Off Switch
- Dust Ejection Port
- Convenient Storage Case

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE SIZE	NETT WEIGHT
RWC-1350	1350W	11000min ⁻¹	125mm	4.2kg



WOOD LATHES

WL-140 400W WOOD LATHE 1000MM

FEATURES:

- Four speed manual adjustment pulley
- 1m Distance between centres for large work pieces
- Swing over the bed is 350mm
- With spindle lock on tool rest and tail stock
- Complete with 142mm face plate


MODEL NUMBER	POWER INPUT	ROTATION FREQUENCY	CENTRE HEIGHT	NETT WEIGHT
WL-140	400W	810 / 1 180 / 1 700 / 2 480min ⁻¹	175mm	28.3kg

WL-2000 550W WOOD LATHE 1000MM

FEATURES:

- Powerful 550 Watt induction motor for smooth lathing
- Four Spindle speeds for various woodturning operations
- Copy device for accurately duplicating a profile
- Stand with wheels for easy transport
- Large capacity 1m between centres and 350mm swing

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CENTRE HEIGHT	NETT WEIGHT
WL-2000	550W	810 / 1 180 / 1 700 / 2 480min ⁻¹	175mm	63kg



WORK BENCH

RWB-100 WORK BENCH WITH CLAMPS

FEATURES:

- Folding support braces fold down for easy storage
- Dual clamping by means of two turn screws with locking action
- Can clamp irregular shapes using the blocks supplied
- Made from heavy duty box section steel
- Measuring scale and protractor are marked on the surface for guidance

MODEL NUMBER	OPEN DIMENSIONS	SQUARE TUBE DIMENSIONS	LOAD CAPACITY	NETT WEIGHT
RWB-100	605 x 625 x 760mm	25 x 25 x 0.7mm	100kg	5.6kg

RWB-1200 WORK BENCH WITH SHELF L1200 x W600 x H900MM

FEATURES:

- Feet are pre-drilled to bolt the bench in place or to fit castors
- Easy to assemble with bolts and nuts supplied
- 1.6mm Powder coated steel frame
- Can take up to 600kg weight
- 18mm thick wood work top
- Shelf for storage
- Made in South Africa

MODEL NUMBER	ASSEMBLED SIZE	LOAD CAPACITY	NETT WEIGHT
RWB-1200	900 x 600 x 1 200mm	600kg	28kg





GUARANTEE
2-YEAR
GUARANTEE

CORDLESS POWER

SCREWDRIVERS / SCREWDRIVER KITS

CS-1480

4,8V SCREWDRIVER + 6 PIECE ACCESSORIES IN BLISTER PACK

FEATURES:

- Soft grip handle for user comfort
- 6 piece accessory kit
- Automatic spindle lock
- Charging and battery capacity LED indicator
- Forward and reverse for effective screw fastening / loosening
- Magnetic bit holder
- LED light for working in dark places

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BATTERY TYPE	CHARGE TIME	NETT WEIGHT
CS-1480	4.8V	180min ⁻¹	4.8V NICAD	3 - 5hrs	0.4kg



CLS-360U

3,6V LI-ION SCREWDRIVER WITH USB

FEATURES:

- 3.6V Li-ion technology provides lighter weight with more power
- 2 position twist handle, converts pistol grip to straight grip to fit any job
- Convenient LED torch is built into the grip
- Built-in overload protection and automatic spindle lock mechanism for greater control when manually screw driving
- Handy LED light to illuminate the work area when working in dark places
- Magnetic hexagonal collet allows quick bit change
- 55pc accessories included: 12x Phillips driver bits, 15x Slotted driver bits, 8x Pozi driver bits, 7x Torx driver bits, 12x Hex driver bits and 1x magnetic bit holder

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BATTERY TYPE	CHARGE TIME	NETT WEIGHT
CLS-360U	3.6V	180min ⁻¹	3.6v Li-ion, 1 300mAh	3 - 5hrs	0.34kg



[illegible]



GUARANTEE
2-YEAR
GUARANTEE

ONE-PLUS


18V CORDLESS UNIVERSAL
POWER PLATFORM

**POWER
TOOLS**

AND

**GARDEN
EQUIPMENT**

ONE + 18V LITHIUM-ION





XCS-165



XD-18



XHD-1820



XMS-2400



XP-18



XID-150



XIW-3100



XJ-80



XRS-18



XAI-8800



XHP-18



XNS-1800



XSG-18



XVC-18




XWL-1800



BRUSHLESS

XBDG-25



BRUSHLESS

XBID-18



BRUSHLESS

XBSP-180



BRUSHLESS

XBRH-18



XPS-18



XPCS-18



XBL-200K



XHT-510K



XLT-240K



XBV-230 PLUS



XCS-355 PLUS



XRM-350 PLUS



18V X2 BRUSHLESS

XBBL-18 PLUS



18V X2 BRUSHLESS

XBBX-18 PLUS

ONE + 18V LITHIUM-ION BATTERIES

XB-1500

18V LI-ION 1500mAh BATTERY PACK

FEATURES:

- Fits RYOBI Universal Power Platform range of tools
- Quick charging. Deep discharge protection

MODEL NUMBER	CELL TYPE	CAPACITY	COMPATIBLE CHARGER	CHARGE TIME	NETT WEIGHT
XB-1500	Li-ion	1 500mAh	XPP-2700	45min	0.36kg



XB-2000

18V LI-ION 3000mAh BATTERY PACK

FEATURES:

- Fits RYOBI Universal Power Platform range of tools:
- Quick charging, high capacity with LED fuel gauge. Deep discharge protection

MODEL NUMBER	CELL TYPE	CAPACITY	COMPATIBLE CHARGER	CHARGE TIME	NETT WEIGHT
XB-2000	Li-ion	2 000mAh	XPP-2700; XPP-9000	60min	0.38kg



XB-3000

18V LI-ION 3000mAh BATTERY PACK

FEATURES:

- Fits all RYOBI Universal Power Platform range of tools
- High capacity. Deep discharge protection

MODEL NUMBER	CELL TYPE	CAPACITY	COMPATIBLE CHARGER	CHARGE TIME	NETT WEIGHT
XB-3000	Li-ion	3 000mAh	XPP-2700	90min	0.66kg



XB-6000

18V LI-ION 6000mAh BATTERY PACK

FEATURES:

MODEL NUMBER	CELL TYPE	CAPACITY	COMPATIBLE CHARGER	CHARGE TIME	NETT WEIGHT
XB-6000	Li-ion		XPP-2700		

COMING SOON

XB-8000

18V LI-ION 3000mAh BATTERY PACK

FEATURES:

MODEL NUMBER	CELL TYPE	CAPACITY	COMPATIBLE CHARGER	CHARGE TIME	NETT WEIGHT
XB-8000	Li-ion	2 000mAh	XPP-2700; XPP-9000	60min	0.38kg

COMING SOON

ONE + 18V LITHIUM-ION BATTERIES

XB-4000

18V BATTERY 4000mAh

FEATURES:

- LED fuel gauge function. A+ battery also have another function intelligent ID recognition
- High capacity. Deep discharge protection

MODEL NUMBER	CELL TYPE	CAPACITY	COMPATIBLE CHARGER	CHARGE TIME	NETT WEIGHT
XB-4000	Li-ion	4 000mAh	XPP-2700 XPP-9000	XPP-2700 @ 120min XPP-9000 @ 80min	0.70kg



XPP-2700

18V LI-ION CHARGER PACK

FEATURES:

- Quick charge
- LED indicator displays charging status
- Fits RYOBI XB-3000 3000mAh Li-ion battery pack and XB-1500 1500mAh Li-ion battery pack

MODEL NUMBER	POWER INPUT	OUTPUT	COMPATIBLE BATTERIES	CHARGE TIME	NETT WEIGHT
XPP-2700	100-240V 50/60Hz	18 VDC - 2.5A	XB-1500 XB-3000	XB-1500 - 45min XB-3000 - 90min	0.35kg



XPP-4200

18V LI-ION CHARGER PACK

FEATURES:



MODEL NUMBER	POWER INPUT	OUTPUT	COMPATIBLE BATTERIES	CHARGE TIME	NETT WEIGHT
XPP-4200					

XPP-9000

18V LI-ION CHARGER PACK

FEATURES:

- Quick charge
- Suits Ryobi Universal Power Platform range of tools
- LED indicator displays charging status

MODEL NUMBER	POWER INPUT	OUTPUT	COMPATIBLE BATTERIES	CHARGE TIME	NETT WEIGHT
XPP-9000	100-240V, 50/60Hz, 55W / 95W	18 VDC - 2.5A / 4.0A	XB-1500 XB-3000 XB-4000	XB-1500 - 45min XB-3000 - 90min XB-4000 - 80min	0.46kg



ONE + 18V LITHIUM-ION TOOLS

XD-180

18V LI-ION DRIVER DRILL KIT 10MM (INCL. BATTERY+CHARGER)

FEATURES:

- Ergonomical compact design
- Heavy duty motor and gear box
- Includes: charging connector and battery pack
- 21 + 1 torque setting with variable speed
- LED work light

MODEL NUMBER	BATTERY	MAX. CHUCK CAPACITY	MAX. DRILLING CAPACITY	NO LOAD SPEED	NETT WEIGHT
XD-180	18V Li-ion: 1 500mAh; 3 000mAh; 4 000mAh	10mm	Wood: 19mm, Steel: 8mm	0 - 400 / 0-1 500min ⁻¹	1.3kg



XG-115

18V LI-ION ANGLE GRINDER 115MM

FEATURES:

- Quick adjust wheel guard
- Heavy duty motor
- Safety slide switch
- Spindle lock for faster disc changing
- Adjustable disc guard for easy adjustment and added safety
- Excludes battery and charger

MODEL NUMBER	BATTERY	NO LOAD SPEED	BLADE DIAMETER	NETT WEIGHT
XG-115	18V Li-ion: 1 500mAh; 3 000mAh; 4 000mAh	7 000 min ⁻¹	115mm	1.6kg



XCS-165

18V LI-ION CIRCULAR SAW 165MM

FEATURES:

- High performance, heavy duty motor
- Single beam laser guide
- 45-degree bevel cut
- Large front handle. Excludes battery and charger

MODEL NUMBER	BATTERY	NO LOAD SPEED	MAX. CUTTING CAPACITY	BLADE DIAMETER	NETT WEIGHT
XCS-165	18V Li-ion: 1 500mAh; 3 000mAh; 4 000mAh	4 000min ⁻¹	52mm @ 90° 36mm @ 45°	155mm	2.4kg



XD-18

18V LI-ION DRIVER DRILL 30Nm 10MM

FEATURES:

- Ergonomical compact designed shell with soft grip for increased comfort
- Heavy duty motor and gear box for longer tool life
- 21 + 1 torque setting with variable speed for various jobs
- LED light to illuminate work area. Excludes battery and charger

MODEL NUMBER	BATTERY	MAX. CHUCK CAPACITY	MAX. DRILLING CAPACITY	NO LOAD SPEED	NETT WEIGHT
XD-18	18V Li-ion: 1 500mAh; 3 000mAh; 4 000mAh	10mm	Wood: 25mm, Steel: 8mm	0 - 400 / 0-1 500min ⁻¹	1kg



ONE + 18V LITHIUM-ION TOOLS

XHD-1820

18V LI-ION IMPACT DRILL 40Nm 13MM

FEATURES:

- Built-in high efficiency impact mechanism
- Heavy duty motor and gear box
- 21+1 torque setting with variable speed
- LED work light. Excludes battery and charger

MODEL NUMBER	BATTERY	MAX. CHUCK CAPACITY	MAX. DRILLING CAPACITY	NO LOAD SPEED	NETT WEIGHT
XHD-1820	18V Li-ion: 1 500mAh; 3 000mAh; 4 000mAh	13mm keyless	Wood: 19mm Steel: 8mm	0 - 400 / 0-1 500min ⁻¹	1.2kg



XMS-2400

18V LI-ION MOUSE SANDER

FEATURES:

- Easily fits in tight spaces
- Orbital action
- Velcro base pad, 6 Sanding pads included
- Excludes battery and charger

MODEL NUMBER	PAD SIZE	NO LOAD ORBIT	NETT WEIGHT
XMS-2400	140 X 140 X 80mm	12 000min ⁻¹	0.9kg



XP-18

18V LI-ION CORDLESS PLANER 82MM 8MM REBATE

FEATURES:

- 3.5L removable tank for easy clean up and easy level check
- User-friendly integrated measuring cup, mance and spray nozzle with various mode selection ensures ultimate performance in a variety of applications
- Modern and ergonomic design with large soft grip handle and shoulder belt for more user comfort
- Excludes battery and charger

MODEL NUMBER	NO LOAD SHEDDING	PLANING WIDTH	PLANING DEPTH	REBATE DEPTH	NETT WEIGHT
XP-18	16 000min ⁻¹	82mm	1.5mm	8mm	2.8kg



XRH-2020

18V LI-ION ROTARY HAMMER 2 JOULES SDS-PLUS

FEATURES:

- SDS-plus bit system
- Powerful and efficient pneumatic hammering mechanism
- Compact and well-balanced design.
- Excludes Battery and Charger

MODEL NUMBER	CHUCK TYPE	NO LOAD SPEED	NO LOAD IMPACT RATE	IMPACT ENERGY	CAPACITIES	FUNCTION	NETT WEIGHT
XRH-2020	SDS-plus	0 - 1 100min ⁻¹	0-5 200min ⁻¹	2J	Wood: 30mm, Steel: 13mm Concrete: 20mm	2-mode	2.1kg



ONE + 18V LITHIUM-ION TOOLS

XCSS-210

18V 210MM SLIDING MITRE SAW

FEATURES:

- Laser alignment for accurate cutting
- Dual sliding rail design for cutting large work pieces easier
- Ergonomic D handle with soft grip for increased user comfort
- Standard accessories: Wrench, Clamp, Dust bag
- Excludes battery and charger

MODEL NUMBER	NO LOAD SPEED	BLADE SIZE	CUTTING CAPACITY	NETT WEIGHT
XCSS-210	3000rpm	210x1.8x16mm, 40T	0°×90° - 70mm×220mm; 45°×90° - 70mm×155mm; 0°×45° - 35mm×220mm; 45°×45° - 35mm×155mm	10.5kg



XID-150

18V LI-ION IMPACT DRIVER 150Nm

FEATURES:

- Durable high performance motor
- Maximum torque: 150Nm
- LED work light
- Excludes battery and charger

MODEL NUMBER	BATTERY	MAX. CHUCK CAPACITY	MAX. DRILLING CAPACITY	NO LOAD SPEED	NETT WEIGHT
XID-150	18V Li-ion: 1 500mAh; 3 000mAh; 4 000mAh	Hex 6.35mm	Screw - 6.35mm Bolt - 6.35mm	0-2 200min ⁻¹	1.1kg



XIW-3100

18V LI-ION IMPACT WRENCH

FEATURES:

- Durable high performance motor
- LED work light
- High efficiency - up to 3000 impacts per minute
- 1/2" square drive with hog ring socket detention
- Excludes battery and charger

MODEL NUMBER	BIT SHANK SIZE	FASTENING CAPACITY	FASTENING TORQUE	NO LOAD SPEED	IMPACT RATE	NETT WEIGHT
XIW-3100	1/2" Sq	BOLT M14 - M32 BOLT	310 Nm	0-2 200min ⁻¹	0 - 3 000min ⁻¹	1.7kg



XJ-80

18V LI-ION JIGSAW 20MM STROKE LENGTH

FEATURES:

- Variable speed for various cutting applications
- Ergonomic handle design with soft grip for more user comfort
- 4 position orbital cutting action for fast efficient cutting
- Tool free blade holder for quick and easy blade changes
- Dust extraction port for clean work place
- Excludes battery and charger

MODEL NUMBER	STROKE LENGTH	STROKE SPEED	MAX. CUTTING CAPACITY
XJ-80	20mm	0 - 2 500min ⁻¹	80mm wood; 6mm steel; 12mm plastic



ONE + 18V LITHIUM-ION TOOLS

XRS-18

18V LI-ION RECIPROCATING SAW

FEATURES:

- Heavy duty motor
- Tool-free blade clamp for quick and easy blade changes
- Soft grip rubber front and rear handle, for safe and comfortable use
- Lock-on switch for continuous cutting operation
- Excludes battery and charger

MODEL NUMBER	BATTERY	NO LOAD SPEED	MAX. CUTTING CAPACITY	NETT WEIGHT
XRS-18	18V Li-ion: 1 500mAh; 3 000mAh; 4 000mAh	2 700 min ⁻¹	Wood: 50mm; Metal: 6mm Aluminium: 10mm	1.5kg



XAI-8800

18V LI-ION AIR INFLATOR 8 BAR

FEATURES:

- Ideal for inflating car, motorcycle, bicycle tyres and balls
- Easy view pressure gauge
- Includes extension tube and 3 nozzle adaptors
- Excludes battery and charger

MODEL NUMBER	MAX AIR PRESSURE	MAX AIR FLOW	WORKING TIME	NETT WEIGHT
XAI-8800	8 bar (116 psi)	8L/min	30 min (XB-3000)	0.8kg



XBV-18

18V LI-ION CORDLESS BLOWER VACUUM

FEATURES:

- Compact and lightweight design with ergonomic soft grip handle for increased user comfort
- Rotatable handle for fast transition between blower and vacuum modes
- Lock on switch for less fatigue in continuous use
- 7-position adjustable speed for optimum control in various jobs
- Excludes battery and charger

MODEL NUMBER	VOLTAGE	AIR SPEED	NETT WEIGHT
XBV-18	DC 18V	65m/s	1.1kg



XHG-18

18V LI-ION CORDLESS HEAT GUN

FEATURES:

- Innovative cellular heating technology and electronic control for professional applications with scald-proof sleeve to quick release hot nozzle safely
- Compact and lightweight with ergonomic soft grip handle for added user comfort and easy handling
- LED light for work area illumination and hanging hook for convenient carrying and storage
- Excludes battery and charger

MODEL NUMBER	TEMPERATURE	AIR FLOW	NETT WEIGHT
XHG-18	500°C	200L/min	0.6kg



ONE + 18V LITHIUM-ION TOOLS

XHP-18

18V LI-ION HIGH PRESSURE WASHER

FEATURES:

- Easy clean cordless high pressure washer
- 360° Rotatable nozzle
- High or low pressure mode
- Standard Accessories: Short lance, Normal nozzle, Soap bottle
- Excludes battery and charger

MODEL NUMBER	POWER	NORMAL PRESSURE	FLOW RATE	NETT WEIGHT
XHP-18	200W	23bar for high pressure mode; 5bar for sprayer mode	120l/h for high pressure mode; 170l/h for sprayer mode	1.4kg



XNS-1800

18V LI-ION NAILER STAPLER 50MM BRAD NAIL

FEATURES:

- No compressors, hoses or gas cartridges required
- Nail jammed or empty indicator
- Nailing depth adjustment dial
- Excludes battery and charger

MODEL NUMBER	NAIL SPEED	MAGAZINE CAPACITY	MAX LENGTH	NETT WEIGHT
XNS-1800	30 shots / min	100 pcs	50mm- 18GA brad nail 40mm, 18GA light duty staple	2.7kg



XSG-18

18V LI-ION CORDLESS SPRAY GUN 1000ML

FEATURES:

- HVLP spraying technology gives a fast and professional finish
- Variable paint flow control and 3 spray patterns cope with a variety of surfaces
- Detachable spray head makes cleaning and maintenance easier
- Ideal for applying paints, varnishes containing solvents, acrylic enamel paints, polishes, wood preservatives, etc
- Excludes battery and charger

MODEL NUMBER	VOLTAGE	PAINT CUP VOLUME	MAX. FLOW	MAX VISCOSITY	NETT WEIGHT
XSG-18	18V	1000ml	600ml/min	85-100DIN-s	1.1kg



XVC-18

18V LI-ION VACUUM CLEANER 500ML

FEATURES:

- Strong suction power
- Soft grip handle for more user comfort
- Standard accessories: Extension tube, Floor nozzle, Crevice nozzle
- Excludes battery and charger

MODEL NUMBER	FILTER TYPE	DUST CUP CAPACITY (DRY):	MAX. VACUUM	NETT WEIGHT
XVC-18	Fabric	500ml	3.8KPa	1.2kg



XWL-1800

18V LI-ION LED WORK LIGHT 20W

FEATURES:

- Ideal for work sites, camping grounds, disaster areas, power outages and more
- High brightness, 2000 lumens max
- 2 level, adjustable brightness
- 360° rotating base with pivoting head.
- Excludes battery and charger

MODEL NUMBER	POWER OUTPUT	BRIGHTNESS	COLOUR TEMP	LED TYPE	NETT WEIGHT
XWL-1800	20W	900 / 2 000lm	6500 K	2835SMD	7kg



ONE + 18V LITHIUM-ION TOOLS

BENEFITS OF BRUSHLESS:

- Longer life-time
- Longer run-time
- Compact size & lighter in weight
- More power
- Perfect control
- No consumable parts

XBG-115

18V LI-ION BRUSHLESS ANGLE GRINDER

FEATURES:

- Brushless technology delivers longer life, more power and more run-time
- 6-step speed adjustment for improved application control
- Tool-less wheel guard provides quick adjustment of the guard position
- Unique design heat emission outlet with dust-proof mesh

MODEL NUMBER	NO LOAD SPEED	DISC SIZE	BORE SIZE	NETT WEIGHT
XBG-115	3000-8500min ⁻¹	115mm	M14	1.56kg



BRUSHLESS

XBCS-185

18V LI-ION BRUSHLESS 185MM CIRCULAR SAW

FEATURES:

- Soft grip handle design for user comfort.
- 45 degree bevel cut
- LED light for better visibility in dark areas
- Excludes battery and charger

MODEL NUMBER	BLADE SIZE	BLADE BORE DIA.	CUTTING CAPACITIES:	DUST EXTRACTION
XBCS-185	185mm	20mm	62mm @90° 43mm @45°	Φ 35mm



BRUSHLESS

XBDG-25

18V LI-ION BRUSHLESS DIE GRINDER

FEATURES:

- Ergonomic handle design with soft grip for more user comfort.
- Variable speed
- Soft start
- Excludes battery and charger

MODEL NUMBER	NO LOAD SPEED	COLLET SIZE	MAX GRINDING CAPACITY	NETT WEIGHT
XBDG-25	8000~25000rpm	6mm	25mm	1.35kg



BRUSHLESS

ONE + 18V LITHIUM-ION BRUSHLESS

XBID-18

18V LI-ION BRUSHLESS DRIVER DRILL

FEATURES:

- 21+1 clutch setting + drill + impact with variable speed, for various jobs
- Soft grip handle design for increased comfort
- LED light for better visibility in dark areas
- Belt hook for high portability
- Forward/Reverse
- Excludes battery pack and charger

MODEL NUMBER	CLUTCH SETTING	CHUCK SIZE	NO-LOAD SPEED	IMPACT FREQUENCY	MAX TORQUE	MAX. CUTTING CAPACITY
XBID-18	21+1	13mm	0 - 500rpm/ 0 - 2000rpm	0 - 6400bpm/ 0 - 24000bpm	60Nm	Wood: 25mm Metal: 8mm



BRUSHLESS

XBID-18

18V LI-ION BRUSHLESS DRIVER DRILL

FEATURES:

- 21+1 clutch setting + drill + impact with variable speed, for various jobs
- Soft grip handle design for increased comfort
- LED light for better visibility in dark areas
- Belt hook for high portability
- Forward/Reverse
- Excludes battery pack and charger

MODEL NUMBER	CLUTCH SETTING	CHUCK SIZE	NO-LOAD SPEED	IMPACT FREQUENCY	MAX TORQUE	MAX. CUTTING CAPACITY
XBID-18	21+1	13mm	0 - 500rpm/ 0 - 2000rpm	0 - 6400bpm/ 0 - 24000bpm	60Nm	Wood: 25mm Metal: 8mm



BRUSHLESS

XBSP-180

18V LI-ION BRUSHLESS POLISHER

FEATURES:

- Ergonomic handle design with soft grip for more user comfort
- Variable speed
- Soft start
- Standard Accessories: Wool pad, Polisher pad, "D" type Aux handle, Sanding paper
- Excludes battery and charger

MODEL NUMBER	NO LOAD SPEED	DISC SIZE	BORE SIZE
XBSP-180	1000~3000rpm	180mm	M14



BRUSHLESS

XBRH-18

18V LI-ION BRUSHLESS ROTARY HAMMER

FEATURES:

- 3-mode function
- SDS-plus chuck type
- Powerful rotary hammer with 7.8J impact energy
- Excludes battery and charger

MODEL NUMBER	NO LOAD SPEED	NO LOAD IMPACT RATE	MAX. CUTTING CAPACITY	NETT WEIGHT
XBRH-18	0-1200rpm	0-5300bpm	Concrete: 26mm Steel: 13mm Wood: 30mm	2.5kg



BRUSHLESS

ONE + 18V LITHIUM-ION GARDENING

XBL-200

18V LI-ION BLOWER

FEATURES:

- Compact and lightweight design for minimum user fatigue
- Soft grip handle for increased user comfort
- Quick detachable tube for convenient storage
- Excludes battery and charger

MODEL NUMBER	NO LOAD SPEED	AIR SPEED	COMPATIBLE BATTERY	NET WEIGHT
XBL-200	14 000min ⁻¹	200km/h	XB-1500, XB-2000, XB-3000, XB-4000	1.3kg



XHT-510

18V HEDGE TRIMMER 510MM DUAL ACTION BLADE

FEATURES:

- High or low pressure mode
- 360° rotating nozzle. Patented technology
- Excludes battery pack and charger

MODEL NUMBER	NO-LOAD SPEED	BLADE LENGTH	CUTTING LENGTH	MAX. CUTTING WIDTH
XHT-510	1200rpm	510mm	510mm	15mm



XLT-240

18V LI-ION LINE TRIMMER 240MM

FEATURES:

- Adjustable front handle
- Cutting head can be adjusted to different angle
- Excludes battery pack and charger

MODEL NUMBER	NO-LOAD SPEED	CUTTING PATH	TRIMMING LINE SIZE
XLT-240	8000rpm	230mm	6.5m, Φ 1.6mm



XCS-254

18V LI-ION CHAIN SAW 20MM

FEATURES:

- Super light weight and compact design for ease of use
- Tool free tensioning for fast chain adjustments
- Automatic chain oiling system for longer chain life
- Patented mechanical chain brake for added user safety
- Battery and charger not included

MODEL NUMBER	BAR & CHAIN TYPE:	CHAIN SPEED	ROTATE SPEED	OIL TANK CAPACITY	NET WEIGHT
XCS-355	14" Oregon bar & chain	8.5m/s	4500min ⁻¹	170ml	3.84kg



ONE + 18V LITHIUM-ION GARDENING

XPCS-18

18V LI-ION POLE SAW

FEATURES:

- Telescopic shaft adjusts to operator's height for various cutting jobs
- 0 to 45 degree 4-position angle adjustable head for maximum comfort
- Automatic chain oiling for longer chain and bar life with Tool-free chain tension adjustment for quick and easy chain tensioning
- Ergonomic handle with shoulder strap for added user comfort
- Excludes battery and charger

MODEL NUMBER	VOLTAGE	CHAIN SPEED	OIL TANK CAPACITY	TOTAL LENGTH	NET WEIGHT
XPCS-18	DC 18V	DC 18V	100ml	2.35m	3kg



XPS-18

18V LI-ION PESTICIDE SPRAYER

FEATURES:

- 3.5L removable tank for easy clean up and easy level check
- User-friendly integrated measuring cup, lance and spray nozzle with various mode selection ensures ultimate performance in a variety of applications
- Modern and ergonomic design with large soft grip handle and shoulder belt for more user comfort
- Excludes battery and charger

MODEL NUMBER	VOLTAGE	TANK CAPACITY	WATER FLOW RATE	MAX WORKING PRESSURE	NETT WEIGHT
XPS-18	18V	3.5L	500ml/min	2Bar	1.7kg



XBPS-1200

18V LI-ION BACKPACK SPRAYER 12L

FEATURES:

- With no pumping required and cordless convenience allows for effortless spraying
- Easy fill translucent 12L tank, allowing you to spray large amounts of solution
- 2-mode flow rate/pressure and spraying angle adjustable telescopic lance for customized application
- Thick padded back support with adjustable padded shoulder straps and waistband for extra comfort
- Suitable for agriculture, forestry, gardening, disinfection and other fields
- Battery and charger not included

MODEL NUMBER	VOLTAGE	TANK CAPACITY	WATER FLOW RATE	MAX WORKING PRESSURE	NETT WEIGHT
XBPS-1200	18 V	12 l	1 200ml/min	15 Bar	2.3kg



XBL-200K

18V LI-ION CORDLESS BLOWER, KIT

FEATURES:

- Compact and lightweight design for minimum user fatigue
- Soft grip handle for increased user comfort
- Quick detachable tube for convenient storage
- Includes battery and charger LED indicator displays charging status. Deep discharge protection Quick charge

MODEL NUMBER	VOLTAGE	BLOWER NO LOAD SPEED	NO LOAD SPEED	BATTERY	BATTERY CHARGER	NET WEIGHT
XBL-200K	18VDC	14 000min ⁻¹	10 000min ⁻¹	XB-3000, Lith.ion	XPP-2700	1.7kg



ONE + 18V LITHIUM-ION GARDENING

XHT-510K

18V LI-ION HEDGE TRIMMER KIT

FEATURES:

- 180° rotatable rear handle with soft grip for added user control and comfort
- 510mm blade length and dual action blades for a cleaner, faster cut up to 14mm capacity
- Double action safety switch, blade brake and transparent safety guard for improved user safety
- Includes battery and charger
- LED indicator displays charging status; Deep discharge protection; Quick charge

MODEL NUMBER	VOLTAGE	NO LOAD SPEED	CUTTING LENGTH	BATTERY	BATTERY CHARGER	NET WEIGHT
XHT-510K	18VDC	2 400spm	510mm	XB-2000, Lith.ion	XPP-2700	2.3kg (inclu battery)



XLT-240K

18V LI-ION LINE GRASS TRIMMER KIT

FEATURES:

- Light weight and compact design for ease of use
- Telescopic aluminium shaft to operator's height for maximum comfort
- 7-position pivoting head tilts to accommodate hard to trim areas
- Head rotates 180-degrees for edging along sidewalks and driveways
- Includes battery and charger
- LED indicator displays charging status; Deep discharge protection; Quick charge

MODEL NUMBER	VOLTAGE	NO LOAD SPEED	CUTTING PATH	BATTERY	BATTERY CHARGER	NET WEIGHT
XLT-240K	18VDC	10 000min ⁻¹	240mm	XB-2000, Lith.ion	XPP-2700	2.8kg



XGK-001

18V BLOWER LINE TRIMMER KIT

FEATURES:

- Compact and lightweight designs for minimum user fatigue
- Soft grip handles for increased user comfort
- Blower has a quick detachable tube for convenient storage
- Trimmer has a telescopic aluminium shaft with a 7-position pivoting head which tilts to accommodate hard to trim areas. Head rotates 180-degrees for edging on sidewalks and driveways
- Includes battery and charger

MODEL NUMBER	VOLTAGE	NO LOAD SPEED	CUTTING PATH	BATTERY	BATTERY CHARGER	NET WEIGHT
XGK-001	18VDC	14 000min ⁻¹	240mm	XB-2000, Lith.ion	XPP-2700	1.3kg



ONE + 18V X2 LITHIUM-ION GARDENING

XBV-230 PLUS

18V X2 LI-ION LI-ION CORDLESS BLOWER VAC

FEATURES:

- Compact lightweight design for minimum user fatigue
- Soft grip for increased user comfort
- Quick detachable tube for convenient storage
- New design to improve the vacuum power and increase the air volume
- The vacuum power is increased by 50%
- New 2-blade design improves crushing power
- Enlarged vacuum tube for smooth suction of bigger leaves

MODEL NUMBER	LOAD SPEED	AIR SPEED	AIR VOLUME	MULCHING RATIO	DUST BAG CAPACITY	NET WEIGHT
XBV-230 PLUS	6000-12 500rpm	230km/h	11 cbm/min	8:1	45L	3.5kg



XCS-355 PLUS

18V X2 LI-ION CORDLESS CHAIN SAW

FEATURES:

- Super light weight and compact design for ease of use
- Constant motor speed gives excellent cutting performance as brushless motor
- Work light indicating power on, working, and overload status
- Less force employed while overloading to ensure continuously smooth cutting
- SDS tool free chain tensioning system to fix it with only one knob, easier and more reliable
- Auto oiling system with oil tank window for a clear view of oil level
- Ergonomic designed handle with soft grip provides comfortable operation for hours of fatigue free use
- Mechanical chain brake with patented brake design. Excludes battery pack and charger

MODEL NUMBER	BAR & CHAIN TYPE:	CHAIN SPEED	ROTATE SPEED	OIL TANK CAPACITY	NET WEIGHT
XCS-355 PLUS	14"Oregon bar & chain	8.5m/s	4500min ⁻¹	170ml	3.84kg



XRM-350 PLUS

18V X2 LI-ION CORDLESS LAWNMOWER

FEATURES:

- Half plastic grass box for easier assembling
- 150mm front wheel and 175mm rear wheel for easy maneuvering throughout your yard
- Adjustable folding handle is perfect for saving space and storage
- Single lever 6-position height adjustment offers cutting height range from 20mm to 75mm for the best cut in all environments
- Excludes battery pack and charger

MODEL NUMBER	NO LOAD SPEED	CUTTING WIDTH	WORKING HEIGHT	GRASS COLLECTION
XRM-350 PLUS	2600rpm	330mm	20-75mm (6 levels)	35L



ONE + 18V X2 LITHIUM-ION **GARDENING****XBBL-18 PLUS****18V X2 LI-ION BRUSHLESS BLOWER****FEATURES:**

- Brushless technology delivers longer life, more power, and more run-time
- Unique turbo function gives instant power supply in case of hard work condition
- Well-balanced design for minimum user fatigue
- Variable speed controller to generate optional wind for different applications
- Quick detachable tube for convenient storage
- Battery and charger not included

MODEL NUMBER	MAX ROTATION SPEED	MAX AIR SPEED	NET WEIGHT
XBBL-18 PLUS	22 000min ⁻¹	180km/h	2.3kg

**XBBC-18 PLUS****18V X2 LI-ION BRUSHLESS BRUSH CUTTER AND TRIMMER****FEATURES:**

- More power, more run-time, more efficiency and longer motor life
- Can be used as a brush cutter with 255mm cutting path or a line trimmer with 340mm cutting path for various trimming jobs
- Split shaft design for convenient storage and transport
- Adjustable bull horn handles with padded shoulder strap helps to minimize fatigues during extend use
- 1pc 255mm 3-teeth brush cutting blade and 30pcs 450mm trimming line are included.

MODEL NUMBER	NO LOAD SPEED	CUTTING PATH (LINE)	CUTTING PATH (BLADE)	NET WEIGHT
XBBC-18 PLUS	5 8000min ⁻¹	340mm	255mm	4.5kg



GUARANTEE
2-YEAR
GUARANTEE

5 YEAR
Guarantee

JAPANESE TECHNOLOGY



HEAVY DUTY - PROFESSIONAL USE

INDUSTRIAL POWER

TOOLS

INDUSTRIAL POWER TOOLS

BL-3500

630W BLOWER DUST/EXT

FEATURES:

- Rapid switching from vacuum to blower
- Long, small-diameter nozzle to reach awkward places
- Sufficient air pressure and volume for a wide variety of applications
- Standard accessories: dust bag
- Excellent for blowing dust out of computers and other appliances or machines

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	AIR OUTPUT	NETT WEIGHT
BL-3500	630W	16 000min ⁻¹	3.50 m ³ /min	1.7kg



C-126C

1400W CONCRETE CUTTER

FEATURES:

- Powerful 1 400 Watt motor for quick cutting
- Compact and light weight (2.9kg)
- Safe, ergonomical design for optimum handling
- Excludes blade

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETER	BORE DIAMETER	CUTTING CAPACITY	NETT WEIGHT
C-126C	1 400W	12 000min ⁻¹	110mm	20mm	34mm	2.9kg



C-126WDK

WATERING DEVICE KIT FOR C-126C

FEATURES:

- Designed to extend the Diamond Blade's life on the C-126C Concrete Cutter
- Creates a comfortable working environment by eliminating dust
- Provides clear visibility for precise cutting

MODEL NUMBER	WATER ADAPTER	HYDRANT ADAPTER	SCREW	HOSE
C-126WDK	1	1	1	5m



G-600C

500W DIE GRINDER

FEATURES:

- Ideal for grinding, deburring or polishing of dies, moulds and various tools
- Easy operation by slide switch with while toggle switch is convenient for continuous operation
- Balanced armature reduces vibration and bearing wear with automatic cut-off carbon brush for longer life

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CHUCK CAPACITY	NETT WEIGHT
G-600C	500W	3 000min ⁻¹	6.35mm	1.6kg



TR-50A

500W LAMINATE TRIMMER

FEATURES:

- Powerful 500 Watt motor
- Rigid body for fine cutting
- Compact and Light weight

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	COLLET CAPACITY	NETT WEIGHT
TR-50A	500W	33 000min ⁻¹	6mm or 1/4"	1.3kg



INDUSTRIAL POWER TOOLS

L-83

550W HAND PLANER 82MM 5 YEAR GUARANTEE

FEATURES:

- Powerful 550 Watt motor
- Aluminium base for fine planing
- Long-life V-belt
- Excellent rabbeting (11.5mm)

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PLANING WIDTH	PLANING DEPTH	NETT WEIGHT
L-83	550W	18 000min ⁻¹	82mm	1mm	2.6kg



IW-2000

IMPACT WRENCH 200NM 5 YEAR GUARANTEE

FEATURES:

- Forward / reverse action
- Equipped with LED light for ease of work in dark areas
- Speed / torque selector can be set on high for large bolts and low for small bolts
- Electronic trigger switch for accurate speed control
- Electronic cut-out at maximum torque to protect tool
- Includes a 19mm and a 22mm extra long socket

MODEL NUMBER	POWER INPUT	2-SPEED / TORQUE	DRIVE SHANK	DRIVING CAPACITY	NETT WEIGHT
IW-2000	320W	High: 3 100min ⁻¹ 200Nm Low : 2 600min ⁻¹ 100Nm	½" square	Bolt M10 – M16	1.5kg



JS-600C

600W JIGSAW 5 YEAR GUARANTEE

FEATURES:

- Powerful 600 Watt motor for professional use
- 4-orbital setting for versatile cutting
- Tilts 45 degrees left and right for various cutting requirements
- Comes with parallel guide for parallel cutting

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING CAPACITY	NETT WEIGHT
JS-600C	600W	500 -3 000min ⁻¹	Wood: 120mm; Aluminum: 20mm; Steel: 10mm	2.5kg



RJK-110

220W RECIPROCATING SAW 5 YEAR GUARANTEE

FEATURES:

- Ultra slim grip for use in hard to reach spaces with one-hand
- Optimal weight balance creates less fatigue with RYOBI's unique design
- Compact body enables superior manoeuvrability
- Various applications by using different changeable blades
- Ultra light weight (1.4kg)

MODEL NUMBER	STROKE LENGTH	MAX. CUTTING CAPACITY	NETT WEIGHT
RJK-110	10mm	120mm (Plastic Pipe); 55mm (Wood) 3.5mm (Soft Steel)	1.4kg



INDUSTRIAL POWER TOOLS

G-1160X

770W ANGLE GRINDER 115MM DISC

FEATURES:

- Powerful 770 Watt motor
- Ergonomic super slim housing
- Mesh filter design to prevent dust intake

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	SPINDLE NUT	NETT WEIGHT
G-1160X	770W	13 000min ⁻¹	115mm	M14	1.7kg



G-1159

1010W ANGLE GRINDER 115MM DISC

FEATURES:

- Light weight powerful 1010 Watt motor
- Mesh filter design to prevent dust intake and easy carbon brush replacement by external brush cap
- Disc lock and wheel spanner for faster wheel changing
- 2-Position handle design providing user comfort for left and right hand use
- Central lock-on switch for left or right hand operation

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	SPINDLE NUT	NETT WEIGHT
G-1159	1 010W	11 000min ⁻¹	115mm	M14	1.8kg



G-232

2200W ANGLE GRINDER 115MM DISC

FEATURES:

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	SPINDLE NUT	NETT WEIGHT
G-232					



G-235

2500W ANGLE GRINDER 115MM DISC

FEATURES:

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC SIZE	SPINDLE NUT	NETT WEIGHT
G-235					



INDUSTRIAL DRILLS

PD-220VR 800W IMPACT DRILL

FEATURES:

- Powerful 800 Watt motor
- Convenient storage case
- Durable aluminium die-casting gear case
- 2 speed gear transmission with 2 mode variable speed control
- Adjustable auxiliary handle for improved drilling control
- Depth stop for precise blind hole drilling
- Soft grip handle for fatigue free operation

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLOW CAPACITY	DRILLING CAPACITY	NETT WEIGHT
PD-220VR	800W	0 - 1 250 min ⁻¹ low, 0 - 2 700 min ⁻¹ high	21 600 bpm low, 43 200 bpm high	Wood: 40mm, Steel: 13mm, Concrete: 22mm	2.7 kg



5 YEAR
Guarantee
JAPANESE TECHNOLOGY

INDUSTRIAL SANDERS AND POLISHERS

S-550 170W PALM ORBITAL SANDER

FEATURES:

- High speed operation for a fast smooth finish
- Compact and lightweight with one hand switch control
- Dust proof ball bearings for superior durability
- Quick action sanding paper clamps
- Standard accessories: sanding paper
- All ball bearing construction

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	SANDING PAD / DISC SIZE	NETT WEIGHT
S-550	170W	12 000min ⁻¹	70 x 104mm	0.9kg



5 YEAR
Guarantee
JAPANESE TECHNOLOGY

SU-6300A 270W ORBITAL SANDER

FEATURES:

- Powerful 270 Watt motor
- Optimum weight for superior sanding performance
- Durable for professional usage
- Suitable for wood and steel finishing
- Wet sanding also possible

MODEL NUMBER	POWER INPUT	PAPER SIZE	SANDING PAD / DISC SIZE	NETT WEIGHT
SU-6300A	270W	115 x 280mm	112 X 226mm	3.8kg



5 YEAR
Guarantee
JAPANESE TECHNOLOGY

RSE-1250 300W DOUBLE ACTION SANDER POLISHER 125MM

FEATURES:

- Ideal for car polishing as well as wood sanding
- Random orbit function prevents scratching
- 6 speed control

MODEL NUMBER	POWER INPUT	PAD SIZE	RANDOM ORBIT	ROTATION SPEED	NETT WEIGHT
RSE-1250	300W	125mm	Yes	6000 - 12 000min ⁻¹	1.5kg



5 YEAR
Guarantee
JAPANESE TECHNOLOGY

INDUSTRIAL SANDERS AND POLISHERS

PE-2200

910W SANDER POLISHER 180MM

FEATURES:

- Powerful 910 Watt motor for heavy duty sanding and polishing applications
- Electronic constant speed control for consistent performance
- Compact and light weight for comfortable handling
- Aluminium die-casting protectors for long term durability

MODEL NUMBER	POWER INPUT	PAD SIZE	RANDOM ORBIT	NETT WEIGHT
PE-2200	910W	180mm	2	1.8kg

PE-201

1100W INDUSTRIAL POLISHER 180MM

FEATURES:

- Powerful 910 Watt motor for heavy duty sanding and polishing applications
- Electronic constant speed control for consistent performance
- Compact and light weight for comfortable handling
- Aluminium die-casting protectors for long term durability

MODEL NUMBER	POWER INPUT	PAD SIZE	RANDOM ORBIT	NETT WEIGHT
PE-2200	910W	180mm	2	1.8kg

PEG-130

910W POLISHER 125MM

FEATURES:

- Extremely fine finish by RYOBI's unique geared orbital action
- Variable speed function allows work on most speciality applications
- Electronic constant speed control for consistent performance
- Ergonomic handles for comfortable handling

MODEL NUMBER	POWER INPUT	PAD SIZE	RANDOM ORBIT	ROTATION SPEED	NETT WEIGHT
PEG-130	910W	125mm	Yes	200 - 600min ⁻¹	2.7kg



INDUSTRIAL ROTARY HAMMERS

ED-2620VR

830W ROTARY HAMMER 26MM (2-MODE)

FEATURES:

- Drills faster with a powerful 830 Watt motor
- SDS-plus bit system for easy tool-free bit change and high efficient work
- 26mm Drilling capacity
- 2 operation modes: Hammer Drill and Drill for various work

MODEL NUMBER	POWER INPUT	ROTATION SPEED	IMPACT RATE	MAX. DRILLING CAPACITY	NETT WEIGHT
ED-2620VR	830W	1 100min ⁻¹	4 600bpm	Concrete: 26mm	2.7kg



INDUSTRIAL ROTARY HAMMERS

ED-2630VR

830W ROTARY HAMMER 26MM (4-MODE)

FEATURES:

- Drills faster with a powerful 830 Watt motor
- SDS-plus bit system for easy tool-free bit change and high efficient work
- 26mm Drilling capacity
- 4 operation modes: Hammer Drill, Drill, Hammer with Rotation Free and Stop for various work

MODEL NUMBER	POWER INPUT	ROTATION SPEED	IMPACT RATE	MAX. DRILLING CAPACITY	NETT WEIGHT
ED-2630VR	830W	1 100min ⁻¹	4 600bpm	Concrete: 26mm	2.7kg



5 YEAR
Guarantee
JAPANESE TECHNOLOGY

INDUSTRIAL SAWS

W-2400

2400W CIRCULAR SAW

FEATURES:

- Powerful 2400 Watt motor
- Rigid and Lightest base for fine cutting
- Cut-off carbon brush

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE DIAMETERS	NETT WEIGHT
W-2400	2 400W	5 000min ⁻¹	230 – 240mm	6.6kg



5 YEAR
Guarantee
JAPANESE TECHNOLOGY

C-3561

2300W CUT-OFF SAW 355MM

FEATURES:

- Powerful 2300 Watt motor
- Accurate cutting by robust body
- Lock-off switch for user safety
- Max cutting capacities: 75 x 211mm Rectangle Pipe; 130 x 130mm Angle Steel; 120mm Round Pipe
- Quick release vice to release material once cut

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DISC DIAMETER	NETT WEIGHT
C-3561	2 300W	3 600min ⁻¹	355mm	17.2kg



5 YEAR
Guarantee
JAPANESE TECHNOLOGY



GUARANTEE
2-YEAR
GUARANTEE

MACHINERY

AIR COMPRESSORS

RC-1500

AIR COMPRESSOR 1.5HP COMPACT NO TANK

FEATURES:

- Compact, low maintenance, oil-free compressor
- Designed with a powerful 1.1kW motor
- Maximum working pressure 8 Bar (116 PSI)
- Perfect for all blowing and inflation operations
- Lightweight, portable and easy to store
- Complete with inflating gun

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	PUMP CAPACITY	AIR DISPLACEMENT CAPACITY	NETT WEIGHT
RC-1500	1 100W (1.5hp)	3 400min ⁻¹	116psi	180L/min	5kg

RC-1506N

AIR COMPRESSOR 6L 1.5HP PORTABLE OIL-LESS

FEATURES:

- Compact, low maintenance, oil-free compressor
- Designed with a powerful 1.1kW motor
- Maximum working pressure 8 Bar (116 PSI)
- Integrated control panel with easy to read gauge
- Perfect for DIY as well as commercial applications, including spray painting, inflating tyres, staple / nail guns and other air tools
- Lightweight and easy to carry thanks to the convenient handle
- Rear storage hooks for neat cable storage
- Suction cup feet ensure excellent stability

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	TANK CAPACITY	PUMP CAPACITY	AIR DISPLACEMENT CAPACITY	NETT WEIGHT
RC-1506N	1 100W (1.5hp)	3 400min ⁻¹	6L	116psi	196L/min	9.8kg

RC-1524D

AIR COMPRESSOR 24L 1.5HP DIRECT DRIVE

FEATURES:

- Powerful direct drive air compressor
- Oil lubricated for longer life
- Maximum working pressure 8 Bar (116 PSI)
- Pump head directly coupled to heavy duty induction motor for reliable and quiet operation
- Maximum free air delivery: 150L/min
- Fitted with fully automatic pressure cut-out switch and twin gauges displaying tank and working pressures

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	TANK CAPACITY	PUMP CAPACITY	AIR DISPLACEMENT CAPACITY	NETT WEIGHT
RC-1524D	1 100W (1.5hp)	2 850min ⁻¹	24L	116psi	150L/min	22kg

RC-2050NV

AIR COMPRESSOR 50L 2HP OIL-LESS VERTICAL MOUNT

FEATURES:

- Oil-free motor for easy maintenance and long-life
- Powered by a 2HP motor with a 50 litre tank capacity
- Designed for small workshops and restricted spaces with integrated handle for portability and rubber feet for added stability during use
- Produces 10 Bar of pressure, ideal for running a variety of workshop air tools
- Pressure gauge and quick release coupling for regulated working pressure

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	TANK CAPACITY	PUMP CAPACITY	AIR DISPLACEMENT CAPACITY	NETT WEIGHT
RC-2050NV	1 500W (2hp)	3 400min ⁻¹	50L	145psi	222L/min	22.2kg



AIR COMPRESSORS

RC-2055DK

AIR COMPRESSOR 50L 2HP DIRECT DRIVE WITH 5 PIECE KIT

FEATURES:

- Powerful direct drive air compressor
- Oil lubricated for longer life
- Maximum working pressure 8 Bar (116 PSI)
- Pump head directly coupled to heavy duty induction motor for reliable and quiet operation
- Fitted with fully automatic pressure cut-out switch and twin gauges displaying tank and working pressures
- Includes a 5 piece accessory kit: Air tyre inflator, Air blow gun, Gravity fed paint spray gun, Air wash gun, 5m recoil hose

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	TANK CAPACITY	PUMP CAPACITY	AIR DISPLACEMENT CAPACITY	NETT WEIGHT
RC-2055DK	1 500W (2hp)	2 850min ⁻¹	50L	116psi	196L/min	30kg



RC-3050T

AIR COMPRESSOR 50L 3HP TWIN HEAD

FEATURES:

- Powerful V-Twin cylinder air compressor
- Oil lubricated for longer life
- Pump head directly coupled to heavy-duty induction motor for reliable and quiet operation
- Fitted with thermal motor protection overload, on/off pressure switch, pressure regulator and pressure gauge
- Wheels and transport handle for improved portability

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	TANK CAPACITY	PUMP CAPACITY	AIR DISPLACEMENT CAPACITY	NETT WEIGHT
RC-3050T	2 200W (3hp)	2 850min ⁻¹	50L	131psi	356L/min	36.6kg



RC-3100B

AIR COMPRESSOR 100L 3HP BELT DRIVE

FEATURES:

- High performance belt driven compressor ideal for powering commonly used air tools and spray equipment
- Oil lubricated for longer life
- Pump head directly coupled to heavy-duty induction motor for reliable and quiet operation
- Fitted with overload motor protection with manual reset, on/off pressure switch, pressure regulator and pressure gauge
- Wheels and transport handle for improved portability

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	TANK CAPACITY	PUMP CAPACITY	AIR DISPLACEMENT CAPACITY	NETT WEIGHT
RC-3100B	2 200W (3hp)	1 375min ⁻¹	100L	145psi	356L/min	59.2kg



RC-3150B

AIR COMPRESSOR 150L 3HP BELT DRIVE

FEATURES:

- High performance belt driven compressor ideal for powering commonly used air tools and spray equipment
- Oil lubricated for longer life
- Wheels and transport handle for improved portability
- Pump head directly coupled to heavy-duty induction motor for reliable and quiet operation
- Fitted with overload motor protection with manual reset, on/off pressure switch, pressure regulator and pressure gauge

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	TANK CAPACITY	PUMP CAPACITY	AIR DISPLACEMENT CAPACITY	NETT WEIGHT
RC-3150B	2 200W (3hp)	1 375min ⁻¹	150L	145psi	356L/min	67.7kg



AIR COMPRESSORS KITS

RSG-3001

3 PIECE KIT - HOSE; AIR GUN AND SPRAY GUN

FEATURES:

- Kit consists of an Air duster gun; 4 metre recoil air hose with couplings and a suction powered paint spray gun
- The adjustable suction powered paint spray gun is suitable for most painting applications
- The air gun is suitable for cleaning and drying applications

PAINT SPRAY GUN	NOZZLE	AIR PRESSURE	AIR CONSUMPTION	CUP CAPACITY
	1.5mm	45 – 55psi	5 CFM @ 40psi	750cc
AIR DUST GUN	AIR PRESSURE	AIR CONSUMPTION		
	45 – 75psi	5 CFM @ 40psi		
AIR RECOIL HOSE	LENGTH	CAPACITY		
	4m	170psi		



RSG-5000

5 PIECE KIT HIGH PRESSURE GRAVITY FEED SPRAY GUN; AIR GUN; PARAFIN GUN; TYRE INFLATOR; AND HOSE

FEATURES:

- Kit consists of an Air dusting gun; 4 metre recoil air hose with couplings; gravity powered paint spray gun; engine cleaning gun; and a tyre inflator
- The adjustable gravity powered paint spray gun is suitable for most painting applications
- The air gun is suitable for cleaning and drying applications
- The heavy duty tyre inflator is equipped with a dual scale gauge with rubber protector, deflation button and a strong tyre chuck
- The general purpose engine cleaning gun with a steel pot is suitable for cleaning and degreasing applications

PAINT SPRAY GUN	NOZZLE	AIR PRESSURE	AIR CONSUMPTION	CUP CAPACITY
	1.5mm	45 – 55psi	5 CFM @ 40psi	750cc
AIR DUST GUN	AIR PRESSURE	AIR CONSUMPTION		
	45 – 75psi	5 CFM @ 40psi		
ENGINE CLEANING GUN	AIR PRESSURE	AIR CONSUMPTION		
	30 – 55psi	3.5 CFM @ 30psi		
AIR TYRE INFLATOR	CAPACITY			
	0 – 150psi			
AIR RECOIL HOSE	LENGTH	CAPACITY		
	4m	170psi		



AIR COMPRESSORS KITS

RSG-5001

5 PIECE KIT

SPRAY GUN SUCTION TYPE; AIR GUN; PARAFIN GUN; TYRE INFLATOR AND HOSE

FEATURES:

- Kit consists of an Air dusting gun, 4 metre recoil air hose with couplings, suction powered paint spray gun, engine cleaning gun, and a tyre inflator
- The adjustable suction powered paint spray gun is suitable for most painting applications
- The air gun is suitable for cleaning and drying applications
- The heavy duty tyre inflator is equipped with a dual scale gauge with rubber protector, deflation button and a strong tyre chuck
- The general purpose engine cleaning gun with a steel pot is suitable for cleaning and degreasing applications

PAINT SPRAY GUN	NOZZLE	AIR PRESSURE	AIR CONSUMPTION	CUP CAPACITY
	1.5mm	45 – 55psi	5 CFM @ 40psi	750cc
AIR DUST GUN	AIR PRESSURE	AIR CONSUMPTION		
	45 – 75psi	5 CFM @ 40psi		
ENGINE CLEANING GUN	AIR PRESSURE	AIR CONSUMPTION		
	30 – 55psi	3.5 CFM @ 30psi		
AIR TYRE INFLATOR	CAPACITY			
	0 – 150psi			
AIR RECOIL HOSE	LENGTH	CAPACITY		
	4m	170psi		



RSG-3025

25 PIECE KIT:

SUCTION TYPE SPRAY GUN; INFLATING GUN; 5M HOSE; AIR GUN; 2 BALL INFLATING NEEDLES; RUBBER NOZZLE; TAPERED NOZZLE; BLOW GUN ADAPTOR; 2 PIECE FEMALE QUICK COUPLER; 2 PIECE MALE QUICK NIPPLES; 2 FEMALE QUICK NIPPLES; 2 QUARTER INCH NAIL THREAD CONNECTORS; 1 QUARTER INCH FEMALE CONNECTOR; BRUSH; 6 MASKS

FEATURES:

- Kit consists of a Mini blow gun; 4 metre recoil air hose with couplings; suction powered paint spray gun; tyre inflator; 6 masks; cleaning brush; 2 inflating needles; 2 nozzles and 10 assorted couplers
- The air gun is suitable for cleaning and drying applications
- The adjustable suction powered paint spray gun is suitable for most painting applications
- The general purpose engine cleaning gun with a steel pot is suitable for cleaning and degreasing applications
- The heavy duty tyre inflator is equipped with a dual scale gauge with rubber protector, deflation button and a strong tyre chuck.

PAINT SPRAY GUN	NOZZLE	AIR PRESSURE	AIR CONSUMPTION	CUP CAPACITY
	1.5mm	45 – 55psi	5 CFM @ 40psi	750cc
AIR DUST GUN	AIR PRESSURE	AIR CONSUMPTION		
	45 – 75psi	5 CFM @ 40psi		
AIR TYRE INFLATOR	CAPACITY			
	0 – 150psi			
AIR RECOIL HOSE	LENGTH	CAPACITY		
	4m	170psi		



PETROL GENERATORS

RG-950

950W 2-STROKE GENERATOR PULL-START

FEATURES:

- 2-Stroke air-cooled engine
- Fitted with overload protection switch
- Fuel and oil mixture of 50:1 (unleaded petrol: 2-stroke lubrication)

MODEL NUMBER	ENGINE TYPE	POWER	START SYSTEM	RUN-TIME	TANK SIZE	NETT WEIGHT
RG-950	2-stroke air-cooled	Rated: 650W Max: 950W	Recoil pull start	6 hours	4L	20.5kg



RG-1200

1200W 4-STROKE GENERATOR PULL-START

FEATURES:

- Built-in see through fuel gauge
- Built-in overload current protection for efficient power delivery
- Powerful 100cc 4-stroke petrol engine delivers 1.2kW of power
- 7.5 litre fuel tank delivers over 7 hours of continuous run time
- Manual start for ease of operation

MODEL NUMBER	ENGINE TYPE	POWER	START SYSTEM	RUN-TIME	TANK SIZE	AVR	NETT WEIGHT
RG-1200	Vertical OHV, forced air-cooled, single cylinder	Rated: 1 000W Max: 1 200W	Recoil pull start	7 hours	7.5L	YES	25kg



RG-2700

2500W 4-STROKE GENERATOR PULL-START

FEATURES:

- Powerful 2500 Watt air-cooled, 4-stroke engine
- Fitted with overload protection switch
- Size of generator = total the wattage of the maximum number of items to be run simultaneously. Never exceed maximum run rating
- Manual start

MODEL NUMBER	ENGINE TYPE	POWER	START SYSTEM	RUN-TIME	TANK SIZE	NETT WEIGHT
RG-2700	4-stroke air-cooled	Rated: 2 000W Max: 2 500W	Recoil pull start	10 hours	12L	41.5kg



RG-3500

3000W 4-STROKE GENERATOR KEY-START

FEATURES:

- Powerful 3000 Watt air-cooled, 4-stroke engine with key start and manual start
- Maintenance free battery included
- Reliable AVR System with heavy duty "roll-cage" for rough handling conditions

MODEL NUMBER	ENGINE TYPE	POWER	START SYSTEM	RUN-TIME	TANK SIZE	AVR	NETT WEIGHT
RG-3500	4-stroke air-cooled	Rated: 2 500W Max: 3 000W	Push button start	7 hours	15L	YES	44kg



PETROL GENERATORS


RG-6900K

5500W 4-STROKE GENERATOR

FEATURES:

- Powerful 5 500 Watt, air cooled, 4 stroke engine
- Sturdy roll cage, hand rails and strong wheels for easy transportation
- Fitted with automated voltage regulator to protect appliances from voltage fluctuations
- Fitted with overload protection switch

MODEL NUMBER	ENGINE TYPE	POWER	START SYSTEM	RUN TIME	TANK SIZE	AVR	NETT WEIGHT
RG-6900K	4-stroke, air cooled	Rated: 5 000W Max: 5 500W	Push button start	8 hours	25L	YES	86kg



RG-7000K

6500W 4-STROKE GENERATOR

FEATURES:

- Powerful 6 500 Watt air-cooled, 4-stroke engine (unleaded petrol), with manual or push button start option
- Fitted with overload protection switch
- Fitted with automated voltage regulator to protect appliances from voltage fluctuations
- Sturdy roll cage, hand rails and strong wheels for easy transportation

MODEL NUMBER	ENGINE TYPE	POWER	START SYSTEM	FUEL	TANK SIZE	AVR	NETT WEIGHT
RG-7000K	4-stroke, air cooled	6 000W	Push button start	Unleaded	25L	YES	87kg



RG-7900K

7500W 4-STROKE GENERATOR

FEATURES:

- Powerful 7 500 Watt air-cooled, 4-stroke engine (unleaded petrol), with manual or push button start option
- 12V Battery for push button start included
- Two SA Sockets fitted with overload protection switch
- Fitted with automated voltage regulator to protect appliances from voltage fluctuations

MODEL NUMBER	ENGINE TYPE	POWER	START SYSTEM	RUN TIME	TANK SIZE	AVR	NETT WEIGHT
RG-7900K	4-stroke, air cooled	Rated: 6 800W Max: 7 500W	Push button start	7 hours	25L	YES	88kg



RG-10KVA

11 000W 4-STROKE GENERATOR

FEATURES:

- Max 11 000 Watt with key start
- Maintenance-free battery included
- Reliable AVR system
- Heavy-duty "roll-cage" for rough handling conditions
- Strong wheels and handrails for easy transporting
- 3-in-1 digital read out meter to monitor output voltage, frequency and run time

MODEL NUMBER	ENGINE TYPE	POWER	START SYSTEM	RUN TIME	TANK SIZE	AVR	NETT WEIGHT
RG-10KVA	4-stroke, air cooled	Rated: 12V Max: 11kW	Key start	9 hours	25L	YES	160kg



INVERTER GENERATORS

RG-1280I

1200W INVERTER GENERATOR OPEN FRAME

FEATURES:

- Powerful easy to use and safe for digital equipment
- 5L fuel tank capacity for 5hrs of operation
- Smooth running unit fitted with anti-vibration engine mounts
- Fitted with 2 x 230V sockets
- Low oil warning light & overload protection
- Quieter than a normal generator

MODEL NUMBER	ENGINE TYPE	MAX. POWER	VOLTAGE	NO. LOAD SPEED	FUEL TANK CAPACITY	NETT WEIGHT
RG-1280I	4-stroke, forced air	1 000W	230V-50Hz	3 300min ⁻¹	4L	42kg



RG-2600I

2600W INVERTER GENERATOR OPEN FRAME

FEATURES:

- Powerful easy to use and safe for digital equipment
- 5L fuel tank capacity for 5hrs of operation
- Smooth running unit fitted with anti-vibration engine mounts
- Fitted with 2 x 230V sockets
- Low oil warning light & overload protection
- Quieter than a normal generator

MODEL NUMBER	ENGINE TYPE	MAX. POWER	VOLTAGE	NO. LOAD SPEED	FUEL TANK CAPACITY	NETT WEIGHT
RG-2600I	4-stroke, forced air	2 200W	230V-50Hz	3 600min ⁻¹	5L	26kg



RG-2100I

2100W INVERTER SUITCASE GENERATOR

FEATURES:

- Portable inverter generator offering a versatile and economical source of electrical power for a wide range of domestic and commercial use
- Powerful, easy to use and safe for digital equipment
- Quiet 80cc engine produces pure sine wave power with no mixing of fuel and oil
- Fitted with two 230V AC sockets, 5V DC USB socket and 12V DC cigarette socket
- 4L fuel tank capacity for up to 3.5hrs of operation, depending on load
- Perfect for camping, caravanning and around the home

MODEL NUMBER	ENGINE TYPE	MAX. POWER	VOLTAGE	NO. LOAD SPEED	FUEL TANK CAPACITY	NETT WEIGHT
RG-2100I	4-stroke, air-cooled	2 100W	230V-50Hz	3 300min ⁻¹	4L	42kg



RG-3200I

3000W INVERTER SUITCASE GENERATOR

FEATURES:

- Super quiet, much quieter than a standard generator
- Remote control for added user convenience and safety
- Low-oil and overload alert lights prevent damage to the unit
- Strong wheels and telescopic handle for easy transporting
- 10.5L fuel tank provides up to 7 hours of runtime at rated load

MODEL NUMBER	ENGINE TYPE	MAX. POWER	VOLTAGE	NO. LOAD SPEED	FUEL TANK CAPACITY	NETT WEIGHT
RG-3200I	4-stroke, air-cooled	3 200W	230V-50Hz	3 600min ⁻¹	10.5L	42kg



Remote Control Start

PETROL WATER PUMPS

RWP-50

50MM PETROL WATER PUMP

FEATURES:

- Compact structure, sturdy frame and light weight makes it easy to store/manoeuvre and transport
- Convenient drainage plug to drain excess water for storage/transport
- 50mm diameter suction and discharge ports
- Maximum output of 370L/min and maximum head height of 26m. Self-priming pump type

MODEL NUMBER	ENGINE TYPE	START SYSTEM	MAX. POWER	INLET AND OUTLET	MAX. OUTPUT	FUEL TANK CAPACITY	NETT WEIGHT
RWP-50	4-stroke, forced air-cooled, single cylinder, petrol	Recoil pull start	6.5hp @ 3600min ⁻¹	50mm	370L/min	3.6L	27.5kg



RWP-80

80MM PETROL WATER PUMP

FEATURES:

- Compact structure, sturdy frame and light weight makes it easy to store/manoeuvre and transport
- Convenient drainage plug to drain excess water for storage/transport
- 80mm diameter suction and discharge ports
- Maximum output of 600L/min and maximum head height of 30m. Self-priming pump type

MODEL NUMBER	ENGINE TYPE	START SYSTEM	MAX. POWER	INLET AND OUTLET	MAX. OUTPUT	FUEL TANK CAPACITY	NETT WEIGHT
RWP-80	4-stroke, forced air-cooled, single cylinder, petrol	Recoil pull start	6.5hp @ 3600min ⁻¹	80mm	600L/min	3.6L	29.5kg



GENERATOR COMPARISON SHEET & APPLICATION CHART

Item Code	RG-950	RG-1200	RG-1280I	RG-2100I	RG-2600I	RG-3200I	RG-2700	RG-3500	RG-6900K	RG-7000K	RG-7900K	RG-10kVA
Maximum Power	950 W	1.2 kW	1 200W	2 100W	2 600W	3 200W	2.5 kW	3.0 kW	5.5 kW	6.5 kW	7.5 kW	11.0kW
Rated Power	650 W	1.0 kW	1 000 W	1 750 W	2 200 W	2 800 W	2.0 kW	2.5 kW	5.0 kW	6.0 kW	6.8 kW	10.0 kW
Voltage & Frequency	230V, 50Hz	230V, 50Hz	230V, 50Hz	230V, 50Hz	230V, 50Hz	230V, 50Hz	230V, 50Hz	230V, 50Hz	230V, 50Hz	230V, 50Hz	230V, 50Hz	230V, 50Hz
Rated Current	2.8 A	4.35 A	4.4 A	7.6 A	9.6 A	12.2 A	8.7 A	10.9 A	23.9 A	26 A	29.5 A	43.5A
DC Voltage	12 V	12 V	USB 5 V	12 V	USB 5 V	12 V	12 V	12 V	12 V	12 V	12 V	12V
Fuel	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded
Fuel Tank	4 L	6.5 L	4 L	4 L	5 L	10.5 L	12 L	15 L	25 L	25 L	25 L	25L
Fuel Mix	50:1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Engine Type	2-stroke air cooled	Vertical OHV, 4-stroke Forced air cooled, single cylinder	4-stroke, forced air cooled	4-stroke, forced air cooled	4-stroke, forced air cooled	4-stroke, forced air cooled	4-stroke, forced air cooled	4-stroke air cooled	4-stroke air cooled	4-stroke air cooled	4-stroke air cooled	4-stroke air cooled
Displacement	63 cc	100 cc	97.7 cc	80 cc	196 cc	207 cc	196 cc	212 cc	389 cc	460 cc	460 cc	614 cc
Start System	Recoil pull start	Recoil pull start	Recoil pull start	Recoil pull start	Recoil pull start	Remote and key start	Recoil pull start	Push button start	Push button start	Push button start	Push button start	Key start
Estimated Run Time	6 hrs	8 hrs	5 hrs	3.5 hrs	5 hrs	7 hrs	10 hrs	7 hrs	8 hrs	7 hrs	7 hrs	9 Hrs
Weight	20.5 kg	25 kg	42 kg	42 kg	26 kg	42 kg	41.5 kg	44 kg	87 kg	88 kg	90 kg	160 kg
Regulated Voltage (AVR)	No	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes

AUDIO VISUAL & COMPUTER EQUIPMENT

It is highly recommended to use a Ryobi Generator with an Automated Voltage Regulator (AVR) or an Un-interruptable Power Supply (UPS) when using sensitive electronic equipment. If these items are used on a regular generator, and they are damaged by a power surge, the manufacturer/supplier cannot be held liable.

IMPORTANT POINT:

The most important fact to remember when buying a generator is to ascertain what it will be used for and to identify the power requirement, expressed in Watts. All generators have a Maximum Power and Rated Power output quoted specification. Always take the Rated Power Output figure. It must be remembered that when operating generators at altitude, the performance is affected by air density. In other words, a petrol motor at the coast will run at its given output and inland $\pm 17\%$ less output. Too low Watts / Volts available = Equipment Burnout or Possible Damage.


HOW TO WORK OUT CONSUMPTION REQUIREMENTS:

SUM of Device Watts \div 1000 = Kilo Watts (kW)

Volts (V) = Always 230V (Std in S.A.)

Watts (W) = Amps (A) x Volts (V)

Amps (A) = Watts (W) \div Volts (V)



Remember:

Electric motors require a minimum power source of up to 3 x their rating to start! (Add any "Startup" Watts to the total SUM of your consumption requirements.)

Refer to the chart on next page to estimate which Ryobi Generator will meet your requirements.

SERVICE & MAINTENANCE INTERVALS

Remember: This schedule is based on the assumption that your generator will be used for its designed purpose. Sustained high-load or high-temperature operation, or use in unusually wet or dusty conditions, will require more frequent servicing.


1. Service more frequently when used in dusty or enclosed areas.
2. For commercial use, log hours of operation to determine proper maintenance intervals.
3. If not used frequently, recharge the battery every 3 months.
4. A major service is recommended every year or 300 Hrs.
5. Do not use a generator in unventilated areas.

ITEM Performed at every indicated month or hour interval which ever comes first.		Before each use	Every Month or 20 Hrs	Every 3 Months or 50 Hrs	Every 6 Months or 100 Hrs
Engine Oil	Check	✓			
	Change		✓		
Air Cleaner	Check	✓			
	Clean			✓	
Spark plug	Clean / Adjust				✓
Fuel Tank and Filter	Clean			✓	

Conventional Generator Vs Inverter Generator

Buying Consideration	Analysis	Generator	Inverter
Size/weight/portability	The compact size, relatively light weight and resulting portability of inverter generators make them the clear winner in this category.		✓
Run times	Because their design is less size-conscious, conventional generators can allow for bigger fuel tanks, yielding longer run times. That said, inverters make better use of the fuel they have and their run times of 10 hours and more are generally more than adequate for their applications	✓	✓
Fuel efficiency	Inverters often use smaller, more efficient engines than Conventional generators. In addition, because the engine can adjust the throttle to meet the current load requirements, they use less fuel.		✓
Noise	Many inverter generators have been designed specifically to keep noise to a minimum. In addition, they can throttle back under lighter loads, further reducing noise. Conventional designs simply can't compete in this category.		✓
Max power output	Conventional generators vary greatly in their rated wattage, anywhere from 500 up to 50,000 watts and more. Inverter Generators are generally available up to 4000 watt models.	✓	
Quality of power output	Conventional generators hook their AC alternators directly to the load, without any processing. Inverter generators convert the AC output to DC and back to AC, producing much "cleaner" and higher-quality power than conventional units.		✓
Price	This is where conventional generators come out on top. While prices on inverter generators have come down, their more complex design and sophisticated electronics, keep their price higher than a conventional unit.	✓	

PLEASE NOTE: This is only a guide, please consult your equipment's handbook for accurate power usage requirements. Ryobi cannot be held responsible for damage to appliances or equipment due to incorrect usage.





GUARANTEE
2-YEAR
GUARANTEE

CLEANING

EQUIPMENT

HIGH PRESSURE WASHERS

HJP-1270

1200W HIGH PRESSURE WASHER 100 BAR

FEATURES:

- Compact and lightweight design
- 3 Axial-piston wobble-plate pump
- Tempered stainless steel plungers
- Energy saving auto-stop system
- Self-resetting thermal cut-out

MODEL NUMBER	RATED POWER	RATED PRESSURE	MAX PRESSURE	RATED FLOW	MAX FLOW	NETT WEIGHT
HJP-1270	1 200W	100bar	100bar	5.5L/min	6.5L/min	4.9kg

AJP-1480

1600W HIGH PRESSURE WASHER 115 BAR

FEATURES:

- Powerful 1600W motor
- 5m high pressure hose
- Rated flow 5L/min
- Auto stop function for prolonged motor life
- 5m mains cable
- Includes: spray gun, lance with adjustable fan nozzle, trigger lock and detergent bottle

MODEL NUMBER	RATED POWER	MAX. PRESSURE	RATED FLOW	HOSE LENGTH	WATER TEMPERATURE	NETT WEIGHT
AJP-1480	1 600W	115 bar	5.0L/min	5m	0 – 40°C	6.2kg

AJP-1690

1600W HIGH PRESSURE WASHER

FEATURES:

- Variable nozzle lance
- High pressure hose
- Quick connection
- Foam nozzle
- Flexible & double high pressure hose
- Large wheel for easy manoeuvrability

MODEL NUMBER	RATED POWER	RATED PRESSURE	MAX. PRESSURE	RATED FLOW	MAX FLOW	NETT WEIGHT
AJP-1690	1 600W	90 bar	130 bar	6.0L/min	7.0L/min	6kg

AJP-1623

1900W HIGH PRESSURE WASHER 120 BAR

FEATURES:

- Nonslip spray handle with safety locking device
- Foldable handle for convenient storage and wheels for easy manoeuvrability
- Includes: detergent bottle, variable nozzle and turbo nozzle lances, high pressure hose, supply hose, coupler, connector and nozzle cleaning pin
- High power 120 bar pressure cleans fast and efficiently
- Eco Mode saves 30% water and energy (Delicate Wash)

MODEL NUMBER	RATED POWER	MAX. PRESSURE	RATED FLOW	WATER TEMPERATURE	NETT WEIGHT
AJP-1623	1 900W	120 bar	6L/min	0 – 50°C	7.9kg



HIGH PRESSURE WASHERS

AJP-1700VGQ

1700W HIGH PRESSURE WASHER 120 BAR WITH ADJUSTABLE PRESSURE & WATER VOLUME SELF WATER SUCTION

FEATURES:

- Designed to clean vehicles, machines, buildings, paving, facades and especially useful for cleaning delicate materials due to the adjustable water pressure and volume control
- Nonslip spray handle with safety locking device
- Includes: detergent nozzle bottle, variable nozzle and turbo nozzle lances, 10m high pressure hose, 3m supply hose, suction kit, coupler, connector, cleaning pin, folding handle and storage for accessories and hose
- Cleans fast and efficiently with up to 80% less water than a garden hose
- Built-in self-suction pump kit allows suction from a bucket / tank
- Equipped with a motor circuit breaker switch to prevent overheating
- Unique air bleeding valve allows quick spray start

MODEL NUMBER	RATED POWER	MAX. PRESSURE	RATED FLOW	WATER TEMPERATURE	NETT WEIGHT
AJP-1700VGQ	1 700W	120 bar	3.5 – 6L/min	0 – 40°C	8.4kg



AJP-2200GQ

1400W HIGH PRESSURE WASHER 120 BAR WITH SILENT WATER COOLED INDUCTION MOTOR AND SELF PRIMING WATER SUCTION

FEATURES:

- Water-cooled induction motor which decreases motor noise by 50% with increased durability and up to 120 Bar pressure for industrial use
- Nonslip spray handle with safety locking device
- Includes: variable nozzle and turbo nozzle lances, 15m high pressure hose on built-in hose reel, 3m supply hose, suction kit, coupler, connector, extendable handle and storage for accessories and hoses
- Built-in self-suction pump kit with self-priming water suction function, allows suction from a bucket / tank
- 15m flexible high pressure hose with protective rubber sleeve enables wider cleaning jobs without moving the unit

MODEL NUMBER	RATED POWER	MAX. PRESSURE	RATED FLOW	WATER TEMPERATURE	NETT WEIGHT
AJP-2200GQ	1 400W	120 bar	5.0L @	0 – 40°C	17.8kg



HIGH PRESSURE WASHER - PETROL

AJP-2900

94CC (2.9HP) PETROL HIGH PRESSURE WASHER 112 BAR

FEATURES:

- Powerful 94cc 4-stroke, air cooled engine
- Ideal for cleaning patio's, driveways, vehicles and machinery quickly and effortlessly
- Four spray nozzles included for flexibility, enabling you to quickly and easily switch between settings for a variety of different tasks
- Includes spray gun, lance, 8m high pressure hose, detergent hose, water supply hose and water filter

MODEL NUMBER	RATED POWER	MAX. PRESSURE	RATED FLOW	WATER TEMPERATURE	NETT WEIGHT
AJP-2900	2.9HP	112 bar	6L	5 – 40°C	18.0kg



HIGH PRESSURE CLEANER ACCESSORIES

MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
6710117	FLEXIBLE EXTENSION HOSE 8M, HPW ACCESSORIES	1



MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
6710077	FLOOR CLEANER, HPW ACCESSORIES	1



MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
6710037	FIXED BRUSH, AJP1610	1



MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
6710047	ROTATION BRUSH, AJP1610	1



MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
6710107	TURBO GUARD, HPW ACCESSORIES	1



MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
6710127	FOAM NOZZLE, HPW ACCESSORIES	1



MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
3710157	VARIABLE UNDERBODY SPRAY HAND, HPW ACCESSORIES	1



MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
6710027	EXTENSION PIPE 1,65M, AJP1610	1



MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
6710017	FIXED BRUSH - STRAIGHT, HPW ACCESSORIES	1



MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
6710067	ROTARY CLEANER, HPW ACCESSORIES	1



MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
3710217	UNDERBODY SPRAY HAND, AJP1610	1



PRESSURE SPRAYERS

GS-300 PRESSURE SPRAYER 3L

FEATURES:

- Fully adjustable nozzle and trigger for various spraying jobs in the home or garden
- Automatic pressure relief valve for user safety
- Comfortable handle for easy pumping and carrying
- Translucent tank to view the fluid level

MODEL NUMBER	TANK CAPACITY	WORKING PRESSURE	HOSE LENGTH	NETT WEIGHT
GS-300	3L	2.5 - 3.0Bar	1.3m	0.9kg



PRESSURE SPRAYERS

GS-500

PRESSURE SPRAYER 5L

FEATURES:

- Fully adjustable nozzle and trigger for various spraying jobs in the home or garden
- Automatic pressure relief valve for user safety
- Comfortable handle for easy pumping and carrying
- Translucent tank to view the fluid level

MODEL NUMBER	TANK CAPACITY	WORKING PRESSURE	HOSE LENGTH	NETT WEIGHT
GS-500	5L	2.5 – 3.0Bar	1.3m	1.1kg

GS-700

PRESSURE SPRAYER 3L

FEATURES:

- Fully adjustable nozzle and trigger for various spraying jobs in the home or garden
- Automatic pressure relief valve for user safety
- Comfortable handle for easy pumping and carrying
- Translucent tank to view the fluid level

MODEL NUMBER	TANK CAPACITY	WORKING PRESSURE	HOSE LENGTH	NETT WEIGHT
GS-700	7L	2.5 – 3.0Bar	1.3m	1.3kg



HAND PRESSURE SPRAYERS

TPS-500

TRIGGER SPRAY 0.5L

MODEL NUMBER	TANK MATERIAL	NETT WEIGHT
TPS-500	PP/PE	0.06kg

TPS-1000

TRIGGER STRAP 1L

MODEL NUMBER	TANK MATERIAL	NETT WEIGHT
TPS-1000	PP/PE	0.09kg

HPS-1500

TRIGGER PRESSURE SPRAYER 1.5L

FEATURES:

- Fully adjustable nozzle and trigger for various spraying jobs in the home or garden
- Automatic pressure relief valve for user safety
- Comfortable handle for easy pumping and carrying
- Translucent tank to view the fluid level

MODEL NUMBER	TANK CAPACITY	WORKING CAPACITY	NETT WEIGHT
HPS-1500	1.5L	2.5 – 3.0Bar	1.3kg



BACK PACK SPRAYERS

BPS-1200

BACK PACK SPRAYER 12L

FEATURES:

- Suitable for agriculture, forestry, gardening, disinfection and other fields
- Large capacity and highly resistant pressure chamber
- Nozzle clips onto handle to keep it clean and for easy storage
- 4 nozzles are included for various tasks needed
- Large diameter piston pump enables quick and easy pressurization of liquid

MODEL NUMBER	TANK CAPACITY	WORKING PRESSURE	HOSE LENGTH	NETT WEIGHT
BPS-1200	12L	3.0 – 3.5Bar	1.5	3kg



RBS-20L

PETROL BACKPACK SPRAYER 42CC 20L

FEATURES:

- Widely used for epidemic prevention, pest control, crop protection
- Ergonomically designed back frame with shoulder strap for added user comfort
- Low centre of gravity with big bottom frame for excellent stability
- Integrated chemical tank and fuel tank enable the machine to have small and compact configuration
- Unique spraying handle system for easier and better control of spraying volume

MODEL NUMBER	ENGINE TYPE	POWER OUTLET	MIXED FUEL RATIO	FUEL TANK CAPACITY	NETT WEIGHT
RBS-20L	2-Stroke	2.13kW	25:1	1.3L	10.5kg



VACUUM CLEANERS

VC-20

20L VACUUM CLEANER

FEATURES:

- Ideal for vacuuming carpets and smooth surfaces
- Includes blower function
- Includes: 3 piece wand, crevice tool, 1.8m hose, Floor tool, Cartridge filter, foam filter, dust bag

MODEL NUMBER	POWER INPUT	TANK CAPACITY	SUCTION	CORD LENGTH	NETT WEIGHT
VC-20	1 250W	18L	15kpa/ 2.17 PSI	2.5m	4.5kg



VACUUM CLEANERS

VC-25HD

23L VACUUM CLEANER 1250W

FEATURES:

- Powerful 1250 Watt motor for higher suction and longer life
- Wet and dry for all spills around the home, in the garage or in your workshop
- Robust, non-rusting 20L stainless steel canister and durable anti-crush hose
- Includes: Dust bag, cartridge filter and foam filter
- Convenient and neat on-board accessory storage

MODEL NUMBER	POWER INPUT	TANK CAPACITY	MAX. VACUUM	MAX. AIR FLOW	NETT WEIGHT
VC-25HD	1 250W	20L	150 mBar	1.8m³/min	5.45kg



VC-50HD

50L VACUUM CLEANER 1500W WET & DRY

FEATURES:

- Wet and dry vacuum cleaner with built-in drain plug, ideal for vacuuming carpets and smooth surfaces
- Includes blower function
- 2180 Watt power outlet synchronized with auto on/off usage of power tools
- Standard accessories include: floor tool, crevice tool, power tool adapter, cartridge filter, foam filter, dust bag, 2.5m hose set and 3 extension tubes

MODEL NUMBER	POWER INPUT	POWER OUTPUT	TANK CAPACITY	SUCTION	CORD LENGTH	DRY VACUUM	WET VACUUM	NETT WEIGHT
VC-50HD	1 500W	2 180W	50L	20kpa / 2.9 PSI	4m	Cartridge Filter	Foam Filter	12kg



VACUUMS ACCESSORIES

VC-FF01

RYOBI FOAM FILTER HEAVY DUTY

MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
VC-FF01	FOAM FILTER HEAVY DUTY	1



VC-FF01

RYOBI DUST BAG 20L

MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
VC-FF01	DUST BAG 20L	1



VC-CFW01

RYOBI WASHABLE CARTRIDGE FILTER

MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
VC-CFW01	WASHABLE CARTRIDGE FILTER	1



VC-DB60

RYOBI DUST BAG 60L

MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
VC-DB60	DUST BAG 60L	1



VC-CPF01

RYOBI CLOTH PRE-FILTER

MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
VC-CPF01	CLOTH PRE-FILTER	1



VC-CF01

RYOBI CLOTH PRE-FILTER

MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
VC-CF01	CARTRIDGE FILTER	1





GUARANTEE
2-YEAR
GUARANTEE

OTHER TOOLS AND MEASURING EQUIPMENT

Ryobi's surface-mounted door closers are easy to install and provide for the controlled closing of doors. The range caters for doors from 35kg - 80kg in weight, for hollow-core, solid wood, glass, aluminium, extra-large or pivot doors. The speed at which the door closer closes the door can be adjusted, controlling the sweep speed (all models) and the latch speed (models 8803 and D-2550) of the door.

DOOR CLOSERS EXTERIOR/INTERIOR



D-1200BC
DOOR CLOSURE STANDARD INTERIOR SILVER

FEATURES:

- Back check functions
- 2 speed control valves

MODEL NUMBER	LOAD WEIGHT
D-1200 BC	40kg



D-1200BCT
DOOR CLOSURE TRACK RAIL ARM SILVER

FEATURES:

- Back check functions
- 2 speed control valves

MODEL NUMBER	LOAD WEIGHT
D-1200 BCT	-

DOOR CLOSERS EXTERIOR



HDC12SA-IVR
HYDRAULIC DOOR CLOSER EXTERIOR IVORY

MODEL NUMBER	LOAD WEIGHT	NETT WEIGHT
HDC12SA-IVR	45kg	1.5kg



HDC12SA-BRN
HYDRAULIC DOOR CLOSER EXTERIOR BROWN

MODEL NUMBER	LOAD WEIGHT	NETT WEIGHT
HDC12SA-BRN	45kg	1.5kg

DOOR CLOSERS HEAVY DUTY

Ryobi's surface-mounted door closers are easy to install and provide for the controlled closing of doors. The range caters for doors from 35kg - 80kg in weight, for hollow-core, solid wood, glass, aluminium, extra-large or pivot doors. The speed at which the door closer closes the door can be adjusted, controlling the sweep speed (all models) and the latch speed (models 8803 and D-2550) of the door.

8803-SIL
HEAVY DUTY DOOR CLOSER
65KG SILVER


MODEL NUMBER	LOAD WEIGHT	NETT WEIGHT
8803-SIL	65kg	1.6kg

8803-BRZ
HEAVY DUTY DOOR CLOSER
65KG BRONZE

MODEL NUMBER	LOAD WEIGHT	NETT WEIGHT
8803-BRZ	65kg	1.6kg

D-2550-SIL
HEAVY DUTY DOOR CLOSER
80KG SILVER

MODEL NUMBER	LOAD WEIGHT	NETT WEIGHT
D-2550-SIL	80kg	2kg



DIGITAL MEASURING EQUIPMENT

TP-1100

COMPACT TRIPOD STAND FOR LL-650, LDM-500, DLL-250

FEATURES:

- Extends to 500mm and collapsible to 240mm
- Fluid 3-way panning head with 1/4" standard tripod mount
- Built-in bubble level for precise adjustment
- Quick release mount for easy transition to hand-held operation
- Quick snap release leg locks for fast and sure operation

MODEL NUMBER	MAX. HEIGHT	FOLD LENGTH	HEAD TYPE	LEG SECTION	NETT WEIGHT
TP-1100	500mm	240mm	3-way panning head	3	0.38kg



MM-100

MOISTURE METER

FEATURES:

- Compact and portable meter for quickly and accurately reading the moisture content level of different materials
- Digital LCD display shows moisture content percentage
- Hold function and ambient temperature measurements

MODEL NUMBER	SCREEN DISPLAY	OPERATING HUMIDITY	MEASURING RANGE	SCREEN DISPLAY
MM-100	23 x 13mm	85% Max. Relative	Wood 5 - 50% / $\pm 2\%$ Building Materials 1.5 - 33% / $\pm 2\%$ Temperature 0-40°C / $\pm 2\%$	23 X 13mm



MM-210

2 IN 1 MOISTURE METER

FEATURES:

- Compact and portable meter for quickly and accurately reading the moisture content level of different materials
- Digital LCD display shows moisture content percentage with either prongs or built-in sensor
- Hold function and ambient temperature measurements
- Ideal for use on wood, plaster, concrete, mortar and other building materials

MODEL NUMBER	SCREEN DISPLAY	MAX SCANNING DEPTH	PROBE MEASURING RANGE	SCANNING MEASURING RANGE
MM-210	35 x 29.5mm	20mm	Wood 5 - 50% / $\pm 2\%$ Building Materials 1.5 - 33% / $\pm 2\%$	Soft Wood 0 - 53% / $\pm 4\%$ Building Materials 0 - 35% / $\pm 4\%$



VT-400

VOLTAGE TESTER 400V

FEATURES:

- For the testing of domestic wiring, automotive circuitry, electronic equipment, control panel trouble shooting, etc.
- Measure AC current between 12 - 400V and DC current between 12 - 500V
- LED voltage level indicator with polarity detection
- Two handed operation for low impedance testing
- Conforms to IEC/EN 61243-3 for safety

MODEL NUMBER	AC FREQUENCY RANGE	MAX. MEASURING CURRENT	OPTIMUM WORKING TEMPERATURE	OPERATING HUMIDITY	PROTECTION TYPE	NETT WEIGHT
VT-400	0 - 100Hz	30mA	-10 to 50°C	< 85%	1P4X	0.13kg



DIGITAL MEASURING EQUIPMENT

VT-600

VOLTAGE TESTER AC NON-CONTACT

FEATURES:

- Locates breaks along live, insulated wires and power cords
- Non-contact voltage test from 12V to 600V AC
- Visible and audible indication of test result
- Compact size with pocket clip for convenience
- Adjustable sensitivity that tests under various working conditions

MODEL NUMBER	POWER SUPPLY	VOLTAGE SENSITIVITY	OPTIMUM WORKING TEMPERATURE	OPERATING HUMIDITY	STORAGE TEMPERATURE	NETT WEIGHT
VT-600	2 x AAA batteries (not incl.)	12V - 600V	-10 to 50°C	< 80%	-20 to 60°C	0.12kg



WWD-100

WALL DETECTOR

FEATURES:

- Compact, easy to use detector for safe drilling in walls
- Detects ferrous metal, non-ferrous metal and live wires
- LED warning lights indicate where drilling is possible
- Automatic calibration and easy On/Off switch operation

MODEL NUMBER	POWER SUPPLY	OPERATING TEMPERATURE	STORAGE TEMPERATURE	WALL MAX SCAN DEPTH
WWD-100	3x 1.5V LR44 (included)	-10°C to - 50°C	-20°C to - 70°C	40mm



LASER MEASURING EQUIPMENT RANGE

LL-160

LASER LINER

FEATURES:

- Laser class 2 Point range of 20m, line range of 5m
- Strong magnetic base for efficient alignment
- Ideal for horizontal, vertical or angular applications
- 2 built-in bubble vials for quick and accurate leveling
- Versatile mounting accessory that mounts to walls or on a compact tripod with 1/4 Inch thread
- Requires 2 x AAA batteries (not included)

MODEL NUMBER	LASER LINE RANGE	LASER POINT RANGE	ACCURACY	POWER SUPPLY	NETT WEIGHT
LL-650	5m	20m	±1 mm/m	2 x AA 1.5V batteries	100g



LASER MEASURING EQUIPMENT RANGE

TLL-90

90-DEGREE TILE LASER LEVEL

FEATURES:

- Projects exact 90° angle laser lines on the floor or wall - ideal for a variety of uses, including flooring, tile layout, paneling, wallpapering, stenciling, wain-scoting, finish carpentry, outlet and switch layout, wall stud layout, partition installation and more
- Wall mounting plate and double bubble vial helps vertical or horizontal alignment on the wall - easy and quick alignment of pictures, shelves, etc
- Functional base plate with contact edge and scale
- 7m working range

MODEL NUMBER	POWER	LASER WAVE LENGTH	ACCURACY	OPTIMUM WORKING TEMPERATURE	WORKING RANGE
TLL-90	2-AAA Battery (not incl.)	635Nm Class II	± 0.5mm/m	0 - 40°C	7m



CLL-100

CROSS LASER LINER

FEATURES:

- Projects exact cross, laser lines. Automatic self-leveling
- High-visibility and precise laser lines
- 10m working range
- Precise laser cross line serves as a reference point on the wall
- Automatic self-levelling in a few seconds guarantees quick and error-free alignment

MODEL NUMBER	POWER	LASER WAVE LENGTH	ACCURACY	OPTIMUM WORKING TEMPERATURE	WORKING RANGE
CLL-100	2-AAA Battery (not incl.)	635Nm Class II	± 0.5mm/m	0 - 40°C	10m



CLL-360

360-DEGREE ROTARY LASER LEVEL

FEATURES:

- Perfectly levelled horizontal 360° line - accurate and error-free alignment of objects in the entire room
- Automatic self-leveling
- 10m diameter working range
- Projects laser lines in 4 modes: cross, vertical, horizontal and diagonal lines

MODEL NUMBER	POWER	LASER WAVE LENGTH	ACCURACY	OPTIMUM WORKING TEMPERATURE	WORKING RANGE	LASER LINE WIDTH
CLL-360	4-AA Battery (not incl.)	635Nm Class II	± 0.5mm/m	0 - 40°C	10m	100lux, 3mm/5m



LDM-22

LASER DISTANCE MEASURE 20M

FEATURES:

- Perfect for quick and accurate interior measurements up to 20m
- Small, light and fits easily into your pocket
- Simple one button operation
- Measure in meters, feet and inches. Includes 2x 1.5V AAA batteries

MODEL NUMBER	POWER	LASER WAVE LENGTH	MEASURING ACCURACY	OPTIMUM OPERATING TEMPERATURE	MEASURING RANGE	BATTERY LIFE
LDM-22	2 x 1.5LR03 (AAA)	650Nm Class II	± 3mm + 5x10 ⁻⁵ D	0 - 40°C	0.2 - 20m	± 5000 measurements



LASER MEASURING EQUIPMENT RANGE

LDM-32

LASER DISTANCE MEASURE 30M

FEATURES:

- Measure distances up to 30m quickly and easily with laser-point accuracy
- Instant readings with a push of a button
- Measures length, area and volume, in meters, feet and inches.
- Includes 2x AAA 1.5V batteries

MODEL NUMBER	POWER	LASER WAVE LENGTH	MEASURING ACCURACY	OPTIMUM OPERATING TEMPERATURE	MEASURING RANGE	BATTERY LIFE
LDM-32	2 x 1.5LR03 (AAA)	650nm Class II	± 2mm + 5x10 ⁵ D	0 - 40°C	0.2 - 30m	± 5000 measurements



LDM-500

LASER DISTANCE MEASURE 50M

FEATURES:

- Quick, easy and accurate point-to-point measuring up to 50m
- Length, area, volume, Pythagorean and continuous mode measuring
- Accurate to ±1.5mm at 50m
- 4 Measuring reference points
- Backlit LCD screen for high-visibility with easy-to-read numerals

MODEL NUMBER	BATTERY	LASER	MAX. LASER OUTPUT	MEASURING ACCURACY	OPTIMUM OPERATING TEMPERATURE	MEASURING RANGE	SMALLEST UNIT DISPLAYED
LDM-500	4 x AAA 1.5V batteries	635nm, Class 2 laser	< 1mW	±1.5mm	0 - 40°C	0.1 - 50m	1mm



LDM-72B

LASER DISTANCE MEASURE 70M

FEATURES:

- For simple and accurate measurements up to 70m
- Measure distance, area, volume, indirect distance by Pythagorean Theorem, auto level and auto height
- 3D (point to point) measurement to determine any distance between two points in any space (in metres, feet or inches)
- 2" touch screen colour display (IP65 dustproof, waterproof)
- Automatic storage of the last 30 measurements

MODEL NUMBER	POWER	LASER WAVE LENGTH	MEASURING ACCURACY	OPTIMUM OPERATING TEMPERATURE	MEASURING RANGE
LDM-72B	3 x 1.2V AAA (incl.)	630 - 670nm	±2mm +5x10 ⁵ D	0 - 40°C	0.2 - 70m



BUILDING LINE



RBL-085
RYOBI BUILDING LINE 0.85MM

MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
RBL-085	RYOBI BUILDING LINE 0.85mm	1



RBL-070
RYOBI BUILDING LINE 0.70MM

MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
RBL-070	RYOBI BUILDING LINE 0.70mm	1



RBL-090
RYOBI BUILDING LINE 0.90MM

MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
RBL-090	RYOBI BUILDING LINE 0.90mm	1



RBL-100
RYOBI BUILDING LINE 1.00MM

MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
RBL-100	RYOBI BUILDING LINE 1.00mm	1

JERRY CANS



JC-20LG
JERRY CAN 20L PETROL
(OLIVE GREEN) WITH S/PIN

MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
JC-20LG	PETROL WITH SAFETY PIN (GREEN)	4



JC-20LY
JERRY CAN 20L PETROL
(YELLOW) WITH S/PIN

MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
JC-20LY	20L DIESEL WITH SAFETY PIN (YELLOW)	4



JC-20LS
JERRY CAN,
SPOUT

MODEL	DESCRIPTION	BOX LOT QTY (MOQ)
JC-20LS	SPROUT	20



GUARANTEE
2-YEAR
GUARANTEE

GARDENING

EQUIPMENT

AUGER

PA-200

2-STROKE PETROL EARTH AUGER 80-200MM

FEATURES:

- High power 51.7cc petrol, 2-stroke engine, built for endurance
- Standard accessory is 200mm diameter auger and auger fixing pin
- Diaphragm carburettor so machine can run at an angle
- Anti-vibration handle combats user fatigue
- Centrifugal clutch for longer tool life
- Easy to control trigger throttle with safety mechanism
- Heavy-duty frame and durable gear transmission mechanism



MODEL NUMBER	POWER INPUT	RATED POWER	FUEL / OIL RATIO	CARBURETTOR	CLUTCH TYPE	IDLING SPEED	BIT DIAMETER	TANK CAPACITY	NETT WEIGHT
PA-200	51.7cc 2-stroke	1.45kW / 6 500min ⁻¹	25:1	Diaphragm	Centrifugal	2 800min ⁻¹	80 – 200mm	980ml	9.8kg

BLOWER / VACUUMS CORDED

RBV-2000

2000W ELECTRIC BLOWER

FEATURES:

- Slide lock-on switch for increased user comfort
- Quick detachable tube for convenient storage

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	VOLTAGE/ FREQUENCY	AIR SPEED	AIR VOLUME	NETT WEIGHT
RBV-2000	2 000W	14 000min ⁻¹	230V/50Hz	250km/h	660m ³ /h	4kg

RBV-3050

3000W Blower Vacuum

FEATURES:

- Powerful 3000 watt, 15000rpm motor for super performance. 10:1 mulching ratio reduces waste
- Lever change for a fast transition between blower and vacuum models
- Ergonomic handle with shoulder strap for weight distribution and ease of use
- Fully adjustable front handle and roller wheels for user comfort.

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	VOLTAGE/ FREQUENCY	AIR SPEED	AIR VOLUME	NETT WEIGHT
RBV-3050	3 000W	15 000min ⁻¹	230V/50Hz	270km/h	13.2m ³ /h	3.1kg

RBV-3500

3500W BLOWER MULCHING VACUUM 3-IN-1 FUNCTIONALITY

FEATURES:

- Powerful 3500 Watt motor for fast and efficient cleaning
- 3-in-1 multi function includes blowing, suction and shredding
- 10:1 mulching ratio reduces waste
- Lever change for a fast transition between blower and vacuum modes
- Roller wheels increase user comfort during operation and transport
- Ergonomic handle with shoulder strap for weight distribution and ease of use

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DUST BAG CAPACITY	AIR VELOCITY	AIR VOLUME	MULCHING RATIO	NETT WEIGHT
RBV-3500	3 500W	15 000min ⁻¹	40L	300km/h	16m ³ /min	10:1	3.1kg



BLOWER / VACUUMS PETROL

RB-262S

PETROL BLOWER

FEATURES:

- Powerful 26cc full crank engine built for endurance
- Electronic ignition for easy starting and smooth running
- Unique light weight and balanced design for superior user comfort

MODEL NUMBER	MOTOR	NO LOAD SPEED	TANK CAPACITY	ENGINE DISPLACEMENT	FUEL MIX RATIO	STARTING SYSTEM	NETT WEIGHT
RB-262S	2-stroke	8 000min ⁻¹	460ml	26cc	40:1	Recoil	4.3kg




RB-264S

26CC 2-STROKE PETROL BLOWER

FEATURES:

- Powerful 26cc 4-stroke fuel efficient low emissions engine
- Ideal for moving leaves, light trees debris, grass clippings and other
- Easy start electronic ignition system
- 2 Part blower tube for easy storage in cramped sheds and garages
- Lightweight design ensures user comfort and allows easy maneuvering around the garden
- Delivers air speeds up to 200km/h

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	AIR VELOCITY	AIR VOLUME	NETT WEIGHT
RB-264S	26.5cc	11 000min ⁻¹	55.5m/s	9m ³ /min	4.2kg



RBV-3000

30CC PETROL BLOWER MULCHING VACUUM

FEATURES:

- Powerful 30cc 2-stroke engine built for endurance
- 50:1 Fuel ratio (use unleaded petrol with 2-stroke lubricant)
- Complete with shoulder harness
- Compact twin tube design with instant change from blower to vacuum
- 8:1 Mulching ratio reduces garden waste and bag emptying
- Variable speed control for the correct speed selection depending on the job
- Easy click system to remove / attach the dust bag
- Recoil starter makes starting easier

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	DUST BAG CAPACITY	AIR VELOCITY	AIR VOLUME	MULCHING RATIO	NETT WEIGHT
RBV-3000	30cc	7 300 – 8 500min ⁻¹	45L	60m/s	10m ³ /min	8:1	7.3kg



RBV-5200

52CC BACKPACK BLOWER

FEATURES:

- Powerful 52cc full tank engine
- Equipped with a better-designed impeller & engine cooling system for optimal cooling and blowing performance
- Ergonomic 60 degrees back frame design with shoulder strap for added user comfort
- Ideal for moving leaves, light trees debris, grass clippings

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	FULE TANK CAPACITY	AIR VELOCITY	AIR VOLUME	NETT WEIGHT
RBV-5200	52cc	7 800min ⁻¹	880ml	288km/h	13.5m ³ /mil	8.8kg



BRUSH CUTTERS

RBC-33

32CC PETROL BRUSH CUTTER WITH LINE TRIMMER ATTACHMENT

FEATURES:

- Powerful and efficient 32cc 2-stroke engine
- Can be used as a Brush Cutter or Line Trimmer
- Bump feed head with 2.5m of ø2.4mm pre-loaded line makes easy work of trimming and extending line
- Double harness and adjustable bull horn handles helps to minimise fatigue during periods of extended use
- Split shaft design for convenient storage and transport
- 430mm cutting path with combination guard for use with both blade and trimmer for trimming the largest gardens

MODEL NUMBER	POWER INPUT	ENGINE MAX SPEED	TANK CAPACITY	FUEL / OIL MIX	START SYSTEM	NETT WEIGHT
RBC-33	32cc 2-stroke	10 500min ⁻¹	800ml	25:1 (unleaded petrol: 2-stroke)	Recoil Starter	7.2kg



RBC-4300A

43CC PETROL BRUSH CUTTER (RED HOUSING)

FEATURES:

- 43cc 2-stroke engine built for power and endurance
- Includes 255mm 3-teeth blade and dual line bump-head for various vegetation
- Aluminium tube and solid steel drive shaft for maximum power transmission and minimal vibration
- Ergonomic handle to prevent an uneven load being placed on the user's back
- Centrifugal clutch with electronic ignition for easier starting

MODEL NUMBER	ENGINE	DISPLACEMENT	MAX. OUTPUT	FUEL TANK CAPACITY	FUEL / OIL RATIO	NETT WEIGHT
RBC-4300A	1.25kW, 2-stroke	43cc	1.25kW @ 7 000min ⁻¹	1.25L	40:1	7.5kg



RBC-5200A

52CC PETROL BRUSH CUTTER (RED HOUSING)

FEATURES:

- 52cc 2-stroke engine built for power and endurance
- Includes 255mm 3-teeth blade and dual line bump-head for various vegetation
- Aluminium tube and solid steel drive shaft for maximum power transmission and minimal vibration
- Ergonomic handle to prevent an uneven load being placed on the user's back
- Centrifugal clutch with electronic ignition for easier starting

MODEL NUMBER	ENGINE	DISPLACEMENT	MAX. OUTPUT	FUEL TANK CAPACITY	FUEL / OIL RATIO	NETT WEIGHT
RBC-5200A	1.5kW, 2-stroke	52cc	1.5kW @ 7 500min ⁻¹	1.25L	40:1	7.5kg



CHAIN SAW SHARPENER

CSS-85

ELECTRIC CHAIN SAW SHARPENER

FEATURES:

- Built-in chain vise adjusts to all saw chain designs and pitches
- Chain rotation rollers move the links forward while the vise stays in position for quick and consistent sharpening
- Mountable to bench, wall or vise for stable operation
- Table vise angle of 35° to the right or left
- Includes 108 x 3.2mm sharpening wheel

MODEL NUMBER	NO LOAD SPEED	SHARPENING WHEEL	POWER OUTPUT	NETT WEIGHT
CSS-85	5 700min ⁻¹	Φ108 x 3.2mm	85W	2.1kg



CHAIN SAWS - ELECTRIC

CS-1835

1800W ELECTRIC CHAIN SAW 350MM

FEATURES:

- Powerful 1800 Watt motor provides ample power for tough jobs
- Tool free chain adjustment for convenience
- Automatic chain lubrication system for longer chain life
- Quick and secure chain brake system for added operator safety
- Compact and light weight design for more user comfort

MODEL NUMBER	POWER OUTPUT	CHAIN SPEED	CUTTING LENGTH	OIL TANK CAPACITY	NETT WEIGHT
CS-1835	1 800W	13.5 m/sec	350mm	150ml	4.9kg



CS-2000

2200W ELECTRIC CHAIN SAW

FEATURES:

- Powerful electric chainsaw suitable for cutting branches, trunks, logs and beams
- Automatic chain and bar lubrication ensures continuous cutting, with the quick mechanical brake system providing smooth control
- Tool-less chain tensioning system
- 13m/s chain speed offers excellent cutting performance
- Fast and safe chain break mechanism stops the chain in less than 0.12 seconds
- 40cm bar and chain with blade sheath

MODEL NUMBER	POWER OUTPUT	CHAIN SPEED	CUTTING LENGTH	OIL TANK CAPACITY	NETT WEIGHT
CS-2000	2 200W	13.5 m/sec	395mm	260ml	5.2kg



CS-2240

2200W ELECTRIC CHAIN SAW 400MM

FEATURES:

- 2200 Watt high power motor cuts hardwood with ease
- Tool free chain adjustment for convenience
- Automatic chain lubrication system for longer chain life
- Well-balanced design with soft grip for more user comfort

MODEL NUMBER	POWER OUTPUT	CHAIN SPEED	CUTTING LENGTH	OIL TANK CAPACITY	NETT WEIGHT
CS-2240	2 200W	13.5 m/sec	400mm	150ml	5.1kg



CHAIN SAW SHARPENER AND KITS

CSF-3532 4,0MM CHAIN SAW FILE



CSS-532K 5/32" CHAIN SAW SHARPENING KIT



CSS-316K 3/16" CHAIN SAW SHARPENING KIT



CHAIN SAWS - PETROL

CS-4016

40CC 2 - STROKE PETROL CHAIN SAW 380MM

FEATURES:

- Powerful 40cc engine delivers power to cut through the toughest jobs
- Convenient primer bulb for easy starting
- Inertia-activated chain brake system for safety
- Built-in automatic chain oiling system for longer chain and bar life

MODEL NUMBER	ENGINE TYPE	MAX. CUTTING LENGTH	BAR LENGTH	FUEL / OIL RATIO	FUEL TANK CAPACITY	NETT WEIGHT
CS-4016	40cc	380mm	460mm	25:1	580ml	6.35kg



CS-4518

45CC 2 - STROKE PETROL CHAIN SAW 405MM

FEATURES:

- Powerful 45cc engine delivers power to cut through the toughest jobs
- Convenient primer bulb for easy starting
- Inertia-activated chain brake system for safety
- Built-in automatic chain oiling system for longer chain and bar life

MODEL NUMBER	ENGINE TYPE	MAX. CUTTING LENGTH	BAR LENGTH	FUEL / OIL RATIO	FUEL TANK CAPACITY	NETT WEIGHT
CS-4518	45cc	455mm	545mm	25:1	580ml	6.5kg



CS-6250

62CC 2-STROKE PETROL CHAIN SAW 500MM

FEATURES:

- Powerful 62cc, 2-stroke engine provides ample power for tough jobs, cuts hardwood with ease
- Quality 505mm low kickback chain bar and chain
- Effortless pull starting system with automatic fuel pump for quick and easy start
- Automatic chain oiling system for longer chain life
- Convenient primer bulb for easy starting
- Chain brake system for safety and Oregon "Pro-lite" chain bar

MODEL NUMBER	ENGINE TYPE	IDLING SPEED	RATED POWER	FUEL TYPE	FUEL TANK CAPACITY	MAX CUTTING DIAMETER	NETT WEIGHT
CS-6250	62cc	3 300min ⁻¹	2.8Kw	Unleaded	550ml	505mm	7.1kg



HEDGE TRIMMER - ELECTRIC

BHS-720

HAND HEDGE TRIMMER AND GRASS SHEAR 7.2V LI-ION IN CARRY CASE

FEATURES:

- 7.2V Lithium-ion technology for lighter weight and more power
- Converts from a hedge trimmer into a grass shear
- Quick and easy tool-free blade change system
- Precision-sharpened blades for faster and cleaner cutting
- Battery indicator LED for user convenience

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING WIDTH	NETT WEIGHT
BHS-720	7.2V	1 000min ⁻¹	Grass Shear: 100mm Hedge Trimmer: 120mm	0.8kg



RHT-500

500W GARDEN TRIMMER

FEATURES:

- Powerful 500 Watt motor with electric brake
- 410mm blade length with double action cutting blades for a cleaner and faster cut
- Double action safety switch and blade brake improves user safety

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE LENGTH	MAX. CUTTING CAPACITY	NETT WEIGHT
RHT-500	500W	1 650min ⁻¹	410mm	17mm	2.8kg



HEDGE TRIMMER - ELECTRIC

RHT-650

650W GARDEN TRIMMER 550MM

FEATURES:

- Powerful 650 Watt motor with electric brake
- 180° rotatable rear handle with soft grip improves ergonomics and user control
- Double action safety switch and blade brake improves user safety
- 550mm blade length and dual action cutting blades for a cleaner and faster cut

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	BLADE LENGTH	MAX. CUTTING CAPACITY	NETT WEIGHT
RHT-650	650W	1 500min ⁻¹	550mm	20mm	3.8kg



HEDGE TRIMMER - PETROL

RHT-2600

26CC 2-STROKE HEDGE TRIMMER

FEATURES:

- 26cc 2-cycle engine can power through large jobs
- 180-degree rotatable rear handle for ideal working position when making vertical cuts or sculpting
- Dual action cutting blades for a cleaner and faster cut
- Large 550mm cutting capacity
- Double action safety switch allows greater user safety

MODEL NUMBER	ENGINE TYPE	ENGINE DISPLACEMENT	POWER	CUTTING LENGTH	CUTTING DIAMETER	FUEL TANK CAPACITY	NETT WEIGHT
RHT-2600	2-stroke, air cooled	26cc	10000rpm	550mm	24mm	460ml	5.2kg



ELECTRIC LAWNMOWERS

RM-1202

1200W ELECTRIC LAWNMOWER 320MM PLASTIC DECK

FEATURES:

- Powerful 1200 Watt motor providing quiet running performance with low maintenance
- Safety switch to prevent accidental start improves operator safety and avoids accidental start ups
- Wheeled lawnmower for easy push mowing
- 320mm cutting path with 3 height positions
- 25 Litre plastic grass catcher helps to efficiently dispose clippings
- Handles and wheels for easy storage and transportation
- Convenient cable guide to secure cable when in use

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION SACK / BOX	NETT WEIGHT
RM-1202	1 200W	3 450min ⁻¹	320mm	25/45/65mm	25L	6.85kg



RM-1602

1600W ELECTRIC LAWNMOWER 400MM PLASTIC DECK

FEATURES:

- Powerful 1600W motor, providing quiet running performance with low maintenance
- Wheeled lawnmower for easy push mowing
- Safety switch mechanism improves operator safety and avoids accidental start-ups
- One central handle to adjust 5 cutting heights between 25 - 75mm
- 40 Litre plastic grass catcher help to efficiently dispose clippings
- Handles and wheels for easy storage and transportation
- Convenient cable guide to secure the cable when in use

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION SACK / BOX	NETT WEIGHT
RM-1602	1 600W	3 450min ⁻¹	380mm	25 - 75mm (5 positions)	40L	10.2kg



ELECTRIC LAWNMOWERS

RM-1802

1800W ELECTRIC LAWNMOWER 400MM

FEATURES:

- Powerful 1800W motor, providing quiet running performance with low maintenance
- Wheeled lawnmower for easy push mowing
- Safety switch mechanism improves operator safety and avoids accidental start-ups
- One central handle to adjust 5 cutting heights between 25 – 80mm
- 40 Litre grass catcher help to efficiently dispose clippings
- Convenient cable guide to secure the cable when in use
- Handles and wheels for easy storage and transportation

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION SACK / BOX	NETT WEIGHT
RM-1802	1 800W	3 450min ⁻¹	420mm	25 - 80mm (5 positions)	40L	12.0kg



RM-2010

2000W ELECTRIC LAWNMOWER 471MM

FEATURES:

- Powerful 2 000 Watt motor provides smooth cutting
- 471mm wide cutting path
- 6-position single lever adjustable cutting height, 25/30/35/45/50/60mm
- Large capacity 50 litre grass collection box
- Safety switch prevents mower from accidental start

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION SACK / BOX	NETT WEIGHT
RM-2010	2 000W	2 850min ⁻¹	471mm	25 – 60mm (6 steps)	50L	25kg



RM-2410

2400W ELECTRIC LAWNMOWER 471MM

FEATURES:

- Powerful 2 400 Watt motor provides smooth cutting
- 460mm wide cutting path
- 6-position single lever adjustable cutting height, 25/30/35/45/50/60mm
- Large capacity 50 litre grass collection box
- Safety switch prevents mower from accidental start

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION SACK / BOX	NETT WEIGHT
RM-2410	2 400W	2 850min ⁻¹	471mm	25 – 60mm (6 steps)	50L	25.9kg



HM-3416

1600W HOVER MOWER 340MM

FEATURES:

- Powerful 1 600 Watt motor provides smooth mowing
- 4-position adjustable cutting height
- Extra-long rear-mounted handle provides longer reach and improved handling
- Fold-down handle for space-saving storage

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	NETT WEIGHT
HM-3416	1 600W	4 300min ⁻¹	340mm	12/19/26 /33mm	6.8kg



PUSH MOWERS

RPM-380

PUSH MOWER 380MM

FEATURES:

- Push reel mower ideal for most turf grasses
- 5 heat-treated, steel blades provide a clean, precise, scissor-like cut
- Cutting height adjustable 15, 25, 35, 40mm
- 380mm cutting width
- 217mm high impact, polymer wheels are cleated to reduce slippage

MODEL NUMBER	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION SACK / BOX	DECK MATERIAL	NETT WEIGHT
RM-380	380mm	15, 25, 35, 40mm	25L	Steel	7.2kg



PETROL LAWNMOWERS

RM-125P

125CC PETROL LAWNMOWER 410MM

FEATURES:

- 410mm cutting width
- Rigid 410mm steel deck
- Durable plastic grass collection catcher
- 7 position, central cutting height adjustment from 20~70mm
- Steel bearing wheels

MODEL NUMBER	DISPLACEMENT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION SACK / BOX	NETT WEIGHT
RM-125P	125cc	2800rpm	410mm	20 - 70mm	45L	21kg



RM-1448P

139CC 4-STROKE PETROL LAWNMOWER 480MM

FEATURES:

- Easy to start OHV 4-stroke petrol engine that delivers 139cc of power
- 480mm cutting width makes it ideal for cutting small to medium sized lawns
- Easy to remove, 70L grass catcher with flap indicating when box is full, minimizing time spent emptying cuttings
- 6 Different cutting heights 25mm - 75mm
- Folding handles for easy storage
- Treated steel deck to prevent rust and corrosion
- 4 individual swing blades for a cleaner cut and effective clipping collection

MODEL NUMBER	DISPLACEMENT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION SACK / BOX	NETT WEIGHT
RM-1448P	139cc	2 800min ⁻¹	480mm	25 - 75mm	70L	30kg



RM-1748P

173CC 4-STROKE PETROL LAWNMOWER 480MM

FEATURES:

- Easy to start OHV 4-stroke petrol engine that delivers 173cc of power
- 480mm cutting width makes it ideal for cutting small to medium sized lawns
- Easy to remove, 70L grass catcher with flap indicating when box is full, minimizing time spent emptying cuttings
- 6 Different cutting heights 25mm - 75mm
- Folding handles for easy storage
- Treated steel deck to prevent rust and corrosion
- 4 individual swing blades for a cleaner cut and effective clipping collection

MODEL NUMBER	DISPLACEMENT	NO LOAD SPEED	CUTTING WIDTH	CUTTING HEIGHT	COLLECTION SACK / BOX	NETT WEIGHT
RM-1748P	173cc	2 800min ⁻¹	480mm	25 - 75mm	70L	33.5kg



POLESAW

RPS-1000

1000W REAR MOTOR POLE SAW

FEATURES:

- Powerful 1000W rear-mounted motor for better balance & easy use
- Suitable for brush-clearing, pruning & trimming
- Tool-less chain tension for fast & easy chain tensioning & assembling
- Split shaft for easy transport & storage
- Equipped with ergonomic handle with shoulder strap for added comfort
- Automatic chain oiling for longer chain & bar life

MODEL NUMBER	POWER OUTPUT	CHAIN SPEED	GUIDE BAR LENGTH	TANK CAPACITY	NETT WEIGHT
RPS-1000	1 000W	13m/s	200ml	120ml	4.7kg



ELECTRIC LINE TRIMMERS

RLT-310

300W LINE TRIMMER

FEATURES:

- 300W motor is perfect for everyday grass trimming
- Loop shaped handle with textured surface for improved grip
- Light weight design provides greater comfort during use
- Bump feed mechanism to adjust the spool line
- 220mm cutting diameter for efficient cutting action
- Use Ryobi 1.2 / 1.4mm trimmer line as replacement line

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING PATH DIAMETER	TRIMMING LINE DIAMETER	LINE FEED	NETT WEIGHT
RLT-310	300W	13 000min ⁻¹	220mm	1.2mm	Bump feed	1.25kg

RLT-552

550W LINE TRIMMER

FEATURES:

- 550 Watt powerful motor offers excellent performance
- 3 Position pivoting head tilts to accommodate hard to trim areas
- Metal plant protector protects flowers and delicate surfaces
- Adjustable length aluminum shaft up to 180mm with adjustable angle auxiliary handle for user comfort
- Edging function with wheel support for easy accurate edge trimming while metal plant protector protects trees and delicate surfaces
- Auto-spool system allows automatic feeding of the cutting line when required with 300mm cutting diameter
- Use Ryobi 1.4mm trimmer line as replacement line

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING PATH DIAMETER	TRIMMING LINE DIAMETER	LINE FEED	NETT WEIGHT
RLT-552	550W	10 000min ⁻¹	300mm	1.4mm	Bump feed	2.3kg

RLT-710

710W LINE TRIMMER

FEATURES:

- 710 Watt high power motor
- Adjustable length aluminium shaft with adjustable angle auxiliary handle
- 3-position pivoting head tilts to accommodate hard-to-trim areas
- Edging function with wheel support for easy and accurate edge trimming
- Auto-spool system allows automatic feeding of the cutting line when required

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING PATH DIAMETER	TRIMMING LINE DIAMETER	LINE FEED	NETT WEIGHT
RLT-710	710W	11 000min ⁻¹	290mm	1.5mm	Auto feed	3.5kg



PETROL LINE TRIMMERS

RLT-1002

1000W TOP MOUNT LINE TRIMMER

FEATURES:

- Powerful 1000 Watt rear mounted motor for improved balance and endurance
- Split shaft design for convenient storage and transport
- Adjustable auxiliary handle and shoulder harness to help maintain balance and provide comfort
- Bump feed head with 6m of 2mm pre-loaded line, easy to trim and extend line
- Angled drive shaft helps tackle hard to reach areas
- Large 350mm trimming path to get your job done quickly
- Use Ryobi 2mm twisted line as replacement line

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	CUTTING PATH DIAMETER	TRIMMING LINE DIAMETER	LINE FEED	FUEL / OIL RATIO	NETT WEIGHT
RLT-1002	1 000W	7 000min ⁻¹	350mm	2mm	Bump feed	Electrical	3.8kg

RPT-2650

2 STROKE PETROL LINE TRIMMER 25CC SPLIT SHAFT

FEATURES:

- Powerful and efficient 25cc 2-stroke engine
- 38cm cutting path for trimming the largest gardens
- Easy start electronic ignition system
- Bump feed head with 5m of 2.0mm pre-loaded line, makes easy work of trimming and extending line
- Split shaft design for convenient storage and transport
- Support strap and adjustable, anti-vibration 'D' auxiliary handle for user comfort
- Lightweight, low vibration and easy to handle

MODEL NUMBER	POWER INPUT	CUTTING PATH DIAMETER	TRIMMING LINE DIAMETER	LINE FEED	FUEL / OIL RATIO	TANK CAPACITY	NETT WEIGHT
RPT-2650	25cc 2-stroke	380mm	2mm	Bump feed	40:1 (unleaded: 2-stroke)	400ml	4.9kg

RPT-3000

30CC 2 STROKE PETROL LINE TRIMMER

FEATURES:

- 30cc 2-Stroke air-cooled engine built for endurance
- Electronic ignition makes starting 70% easier
- Automatic line dispensing system releases trimming line with a single tap
- Diaphragm carburetor so machine can run at an angle
- D-shaped handle can rotate for user comfort
- Complete with shoulder strap

MODEL NUMBER	POWER INPUT	CUTTING PATH DIAMETER	TRIMMING LINE DIAMETER	LINE FEED	FUEL / OIL RATIO	TANK CAPACITY	NETT WEIGHT
RPT-3000	30cc 2-stroke	360mm	2mm	Bump feed	40:1 (unleaded: 2-stroke)	700ml	3.8kg


RPT-264S

26CC 4-STROKE BENT SHAFT PETROL LINE TRIMMER

FEATURES:

- Powerful and efficient 26cc 4-stroke engine, no mixing of gas and oil required
- Easy start electronic ignition system
- Fully adjustable anti-vibration 'D' handle
- Bump feed head with 2m of 2.0mm pre-loaded line, easy to trim and extend line
- Split shaft design for convenient storage and transport
- 43cm cutting path for trimming the largest gardens

MODEL NUMBER	POWER INPUT	CUTTING PATH DIAMETER	TRIMMING LINE DIAMETER	LINE FEED	FUEL / OIL RATIO	TANK CAPACITY
RPT-264S	26.5cc 4-stroke	430mm	2mm	Bump feed	Unleaded	280ml



PETROL LINE TRIMMERS

RPT-52W

52CC WALK BEHIND PETROL TRIMMER

FEATURES:

- 52cc 2-stroke engine built for power and endurance
- Can be used as a Brush Cutter with 255mm cutting path or a Line Trimmer with 400mm cutting path for various trimming jobs
- Wide throttle lever for safety and simple operation
- Easy-to-manoeuvre large wheels for all sorts of terrain operation
- Handle folds in seconds to take less space for storage
- Wide handle and long shaft design for wider working range with stable control

MODEL NUMBER	ENGINE TYPE	MAX SPREADING	FUEL TANK CAPACITY	NETT WEIGHT
RPT-52W	2-stroke, air cooled	8 500min ⁻¹	1.3L	13.1kg



SHREDDERS

RGS-2540

2500W SHREDDER 40L

FEATURES:

- Powerful 2500 Watt motor with twin hardened steel blade cutting device provides efficient shredding
- Large top hopper accepts branches up to 45mm
- Reversible and re-sharpenable blades for longer service life
- Overload protection switch prevents the motor from being overloaded
- Large wheels provide easier transportation and manoeuvrability

MODEL NUMBER	POWER INPUT	NO LOAD SPEED	MAX CUTTING	COLLECTION BAG CAPACITY	NETT WEIGHT
RGS-2540	2 500W	4 200min ⁻¹	45mm	40L	48kg



FERTILIZER SPREADER

RSC-450

SEEDING CART 450MM

FEATURES:

- Light weight cart with large wheels for easy manoeuvrability
- Adjustable spreading rate
- Large 12 litre spreading box
- Suitable for materials up to 8mm in length

MODEL NUMBER	WORKING WIDTH	MAX SPREADING SIZE	SPEEDING CAPACITY	NETT WEIGHT
RSC-450	450mm	8.0mm	12L	2.3kg



GARDEN ACCESSORIES

RMB-100
MIXING BOTTLE



MODEL NUMBER	BOTTLE SIZE	FUEL / OIL RATIO	NETT WEIGHT
RMB-100	1L	50:1/ 40:1/32:1/25:1	0.1kg

UTH-04
UNIVERSAL TRIMMING HEAD
FITS ALL PETROL BRUSH CUTTERS



MODEL NUMBER	SIZE	NETT WEIGHT
UTH-04	N/A	N/A

FH-640
FOREST HELMET
52-64CM



MODEL NUMBER	HEAD CIRCUMFERENCE	NETT WEIGHT
FH-640	520 - 640mm	0.7kg



RPS-001
RYOBI
SPRINKLER



RRG-002
RYOBI
RAIN GAUGE



RGF-003
RYOBI
GARDEN FORK



RGT-004
RYOBI
GARDEN TROWEL

EXTENSION CORDS (GARDENING)



822201015 15M EXTENSION CORDS 220V 10AMP



822201025 25M EXTENSION CORDS 220V 10AMP



822201020 20M EXTENSION CORDS 220V 10AMP



822201635 35M EXTENSION CORDS 220V 10AMP

TRIMMING LINES



70214008
TRIMMING LINE 1,4mm x 8m
(2 -PACK)



70116008
TRIMMING LINE 1.6mm x 8m
(SINGLE)



70216008
TRIMMING LINE 1.6mm x 8m
(2 -PACK)



70516008
TRIMMING LINE 1.6mm x 8m
(5-PACK)



71216008
TRIMMING LINE 16mm x 8m
TWISTED (2-PACK)



71516008
TRIMMING LINE 16mm x 8m
TWISTED (5-PACK)



71716100
TRIMMING LINE 16mm x 100m
BLISTER (DONUT)



70716100
TRIMMING LINE
1.6mm x 100m (DONUT)

TRIMMING LINES



70120008
TRIMMING LINE
2mm x 8m (SINGLE)



70220008
TRIMMING LINE
2mm x 8m (2 -PACK)



70520008
TRIMMING LINE
2mm x 8m (5-PACK)



70120108
TRIMMING LINE SQUARE
2mm x 8m (SINGLE)



70220108
TRIMMING LINE 2mm x 8m
(2-PACK)



70520108
TRIMMING LINE 2mm x 8m
(5-PACK)



71220008
TRIMMING LINE 2mm x 8m
TWISTED (5-PACK)



71520008
TRIMMING LINE 2mm x 8m
TWISTED (5-PACK)



70720100
TRIMMING LINE 2mm x 100m
(DONUT)



71720100
TRIMMING LINE 2mm x 100m
BLISTER TWISTED (DONUT)



70820002
2mm x 2kg
SPOOL



70224005
TRIMMING LINE 2.4mm x 5m
(2 -PACK)



70724080
TRIMMING LINE 2.4mm x 80m
(DONUT)



70730050
TRIMMING LINE 3mm x 50m
(DONUT)



70830002
3mm x 2kg SPOOL




70935100
PRE CUT LINE 3.5mm x 220mm
(100 PIECES)

ALWAYS MIX ACCURATELY!

Add 2-stroke oil to unleaded petrol before using the machine.

USE UNLEADED PETROL & 2-STROKE OIL



CONSULT USER
MANUAL FOR
CORRECT PETROL-TO-
OIL RATIO

OILS PRODUCTS



RTS-200
2-STROKE OIL
200ML



RTS-500
2-STROKE OIL
500ML



RTS-5000
2-STROKE OIL
5L



RFS-530
4-STROKE OIL
SAE 30
500ML



RFS-130
4-STROKE OIL
SAE 30
1L



RFS-5030
4-STROKE OIL
SAE 30
5L



RCB-500
CHAINSAW BAR
LUBRICATION
500ML



RCB-100
CHAINSAW BAR
LUBRICATION 1L



RCB-5000
CHAINSAW BAR
LUBRICATION 5L




RCO-100
COMPRESSOR OIL
1L

TRIMMER LINE INFO

TRIMMER LINE INFO

Did you know that the shape and diameter of your trimmer line can determine how quickly and efficiently your weeds are cut?

Trimmer lines come in different shapes and diameter sizes to be used for heavier or lighter jobs. The size of your yard and thickness of your grass should be determined before choosing your line shape or diameter. Different styles of lines can assist you in cutting your job time in half and creating a cleaner, more even cut. Always refer to your owner's manual before shopping for trimmer line to determine which line shape and diameter best suits your trimmer.



Round Trimmer Line

- Standard, basic shape that won't wear down as quickly as other trimmer lines.
- Used for lighter, residential use with minimum weeds.
- Breaks less and is more durable against concrete and trees.
- Easiest trimmer line to replace in your trimmer.




Multi-sided Trimmer Line

- Best used for medium sized jobs with heavier weeds or larger lawns.
- Multi-sided trimmer lines have multiple sides that produce a cleaner cut.
- These lines commonly come in the shape of a star, square or pentagon.
- Break easy when they come in contact with stones, fences, curbs, sidewalks and etc.



Serrated Trimmer line

- Commercial use
- Used for heavier jobs with thicker weeds and more area to cover.
- Edges that act like teeth or a kitchen knife, this serrated line can quickly saw through grass blades and thick leaves, leaving a cleaner trim.



Twisted Trimmer Line

- Used for heavy-duty use and on yards with a lot of heavy, thick weeds.
- Twisted Trimmer line adds strength, improved efficiency and reduces noise levels.
- Offers durability when hitting concrete or hard surfaces.
- Reduces trimmer vibrations and noise levels while giving you a clean, even cut.

TRIMMER LINE INFO

Line Diameter

Trimmer line comes in many different line weights and diameters. A larger diameter will increase your cutting power and durability against thicker grasses and weeds. A lighter weight should be used on areas where there are a minimum of weeds. However, each trimmer can only handle a certain line diameter, check your owner's manual for model specific recommendations.

Light Work: Residential front and back lawns with lighter weeds.

Medium Work: Larger back and front lawns or lawns with heavier weeds and light commercial work.

Heavy work: Industrial landscaping, large yards, golf courses and other areas that need a large amount of trimming.

Diameter Size:

Light-medium work: 0.65mm – 2mm

Medium-heavy work: 2.1mm – 2.6mm

Very heavy work: 2.7+mm

Conclusion

When choosing trimmer line determine the thickness of your weeds and the line recommendations in your owner's manual.

With the right trimmer line choice you'll get a clean, even cut in half the time.



GUARANTEE
2-YEAR
GUARANTEE

WELDING

EQUIPMENT

WELDING MACHINES - SINGLE PHASE (220 VOLTS)

MMA-140

METAL ARC INVERTER WELDER 140AMP

FEATURES:

- Powerful, lightweight and easy to use MMA inverter welder with variable Amperage of 20-140A and regulated DC power output
- 80% duty cycle with thermal overload protection and anti-stick protection
- Set includes 1.5m electrode holder, 1.5m earth clamp, welding mask, chipping hammer and wire brush

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE DIAMETER	NETT WEIGHT
MMA-140	5.3kVA	20 - 140A	80%	2.5 - 3.2mm	3.8kg



MMA-160

METAL ARC INVERTER WELDER 160AMP

FEATURES:

- Powerful, lightweight and easy to use MMA inverter welder with variable Amperage of 20-160A, with regulated DC power output
- 80% duty cycle with thermal overload protection, anti-stick protection
- Set includes 1.5m electrode holder, 1.5m earth clamp, welding mask, chipping hammer and wire brush

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE DIAMETER	NETT WEIGHT
MMA-160	7.6kVA	20 - 160A	80%	2.5 - 3.2mm	4.3kg



MMA-200

METAL ARC INVERTER WELDER 200AMP

FEATURES:

- Powerful, lightweight and easy to use MMA inverter welder with variable Amperage of 20-200A, with regulated DC power output
- 80% duty cycle with thermal overload protection, anti-stick protection
- Set includes 1.5m electrode holder, 1.5m earth clamp, welding mask, chipping hammer and wire brush

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE DIAMETER	NETT WEIGHT
MMA-200	8.7kVA	20 - 200A	80%	2.5, 3.2 & 4mm	5.8kg



MIG-180

METAL INERT GAS WELDER 180AMP

FEATURES:

- Powerful yet flexible gas/gasless MIG welder with burnback control
- IGBT multi process inverter technology provides stable arc and reliable performance
- Suitable for general site use, automotive repairs and more accurate fabrication
- Can also function as an MMA arc welder
- 60% duty cycle with thermal overload protection
- Set includes 3m MIG torch, 2.5m earth clamp and 3m gas hose

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE DIAMETER	NETT WEIGHT
MIG-180	6.9kVA	30 - 180A (MIG), 10 - 160A (MMA)	60%	0.6 - 1mm MIG, 2.5 - 4mm MMA	12.8kg



WELDING MACHINES - SINGLE PHASE (220 VOLTS)

TIG-180

TUNGSTEN INERT GAS WELDER 180AMP

FEATURES:

- Powerful, versatile inverter welder with digital LED display
- Can also function as an MMA arc welder
- 80% duty cycle with thermal overload protection
- Easy to use with precise control, suitable for detailed fabrications
- Superior TIG welding performance using the latest high grade IGBT technology
- Set includes 4m TIG torch, 2.5m earth clamp and accessories

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE DIAMETER	NETT WEIGHT
TIG-180	6.7kVA	10 - 180A (TIG), 10 - 160A (MMA)	80%	1.6 - 2.4mm (TIG) 2.5 - 4mm (MMA)	7.2kg



PLASMA-40

PLASMA CUTTER 40AMP

FEATURES:

- Powerful and compact plasma cutting machine with 8mm mild steel cutting capacity
- Ideal for cutting steel, stainless, galvanized steel, aluminium, copper and brass
- IGBT inverter soft-switch technology with digital LED display
- HF arc Ignition mode for easy start, with post-flow function
- 80% duty cycle with thermal overload protection
- Set includes 5m cutting torch, 3m earth clamp and 3m gas hose

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	CUTTING CAPACITY	GAS PRESSURE	NETT WEIGHT
PLASMA-40	6.4kVA	20 - 40A	80%	Clean Cut 8mm Sever 12mm	0.35 - 0.55Mpa	7.8kg



MIG-250

COMPACT INVERTER WELDER CC/CV + VRD

FEATURES:

- Powerful Flexible Gas/Gasless Mig Welder with burn back control.
- IGBT Multiprocessor Inverter technology provides stable arc and reliable performance
- Suitable for general workshop and site use, automotive repairs and more accurate fabrication
- MMA and TIG Modes with VRD function
- **100% duty cycle** with thermal overload protection, anti-stick protection
- Set includes MB25 Mig Torch, 3m Earth Clamp, Argon flowmeter (3m gas hose)

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE	NETT WEIGHT
MIG-250	12.6kVA	30-250A(MIG), 15-250A(MMA,TIG)	100%	0.8-1mm(MIG), 1.6-6.0mm (MMA), 1.0-3.2mm (TIG)	46.5kg



WELDING MACHINES - SINGLE PHASE (220 VOLTS)

TIG-200P PULSE TIG WELDER

FEATURES:

- Powerful flexible TIG DC PULSE welder
- IGBT multi process inverter technology provides stable arc and reliable performances
- Suitable for general site use, automotive repairs and more accurate fabrication
- Digital Display
- 2T mode & 4T mode
- Can also function as an MMA arc welder, with VRD function
- 70% duty cycle with thermal overload protection
- Set includes WP-26 Tig Torch, 3m Earth cable and clamp, Argon flowmeter (3m gas hose)

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE DIAMETER	NETT WEIGHT
TIG-200P	7.9kVA	10-200A(TIG), 10-180A(MMA)	70%	1.0-3.2mm (TIG), 1.6-4.0mm (MMA)	8kg



TIG-200PAD PULSE TIG WELDER AC/DC

FEATURES:

- Powerful flexible TIG AC/DC PULSE welder
- IGBT multi process inverter technology provides stable arc and reliable performances
- Digital Display
- TIG spot welding
- Tungsten size setting facility
- Welding torch mode selection button
- 2T & 4T mode
- Suitable for general site use, automotive repairs and more accurate fabrication
- Can also function as an MMA arc welder, with VRD function
- **100% duty cycle** with thermal overload protection
- Set includes WP-26 Tig Torch, 3m Earth cable and clamp, Argon flowmeter (3m gas hose), Foot control

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE DIAMETER	NETT WEIGHT
TIG-200 PAD	6.9kVA	5-200A (TIG), 10-160A (MMA)	100%	1.0-3.2mm (TIG), 1.6-4.0mm (MMA)	13.7kg



WELDING MACHINES - 3 PHASE (380 VOLTS)

MMA-400 INVERTER WELDER 400AMP + VRD

FEATURES:

- Powerful and easy to use MMA inverter welder
- **100% duty cycle** with thermal overload protection, anti-stick protection
- With lift-TIG function, with VRD function
- Set includes electrode holder (3m cable), earth clamp (2m cable)

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	APPLICABLE ELECTRODE	NETT WEIGHT
MMA-400	21kVA	20-400A	100%	1.6 - 6mm	25kg



WELDING MACHINES - 3 PHASE (380 VOLTS)

MMA-500

INVERTER WELDER 500AMP + VRD

FEATURES:

- Powerful and easy to use MMA inverter welder
- Variable Amperage of 20-500A, with regulated DC power output
- **100% duty cycle** with thermal overload protection, anti-stick protection
- With lift-TIG function, with VRD function
- Set includes electrode holder (3m cable), earth clamp (2m cable)

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	APPLICABLE ELECTRODE	NETT WEIGHT
MMA-500	29kVA	20-500A	100%	1.6 - 6mm	25,8kg



MIG-300

COMPACT INVERTER WELDER CC/CV + VRD

FEATURES:

- Powerful Flexible Gas/Gasless Mig Welder with burn back control.
- IGBT Multiprocessor Inverter technology provides stable arc and reliable performance
- Suitable for general workshop and site use, automotive repairs and more accurate fabrication
- MMA and TIG Modes with VRD function
- **100% duty cycle** with thermal overload protection, anti-stick protection
- Set includes MB25 Mig Torch, 3m Earth Clamp, Argon flowmeter (3m gas hose)

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE	NETT WEIGHT
MIG-300	14.3kVA	30-300A(MIG), 10-250A(MMA,TIG)	100%	0.8-1.2mm(MIG), 1.6-6.0mm (MMA), 1.0-3.2mm (TIG)	48kg



MIG-350

HEAVY DUTY INVERTER WELDER CC/CV + VRD

FEATURES:

- Industrial Mig Welder for all procedure and materials - Gas/Gasless with burn back control.
- IGBT Multiprocessor Inverter technology provides stable arc and reliable performance.
- Heavy duty 4 Wheel drive feeder with 5m Interconnecting cable
- MMA and TIG Modes with VRD function.
- **100% duty cycle** with thermal overload protection, anti-stick protection
- Set includes MB36 Mig Torch, 3m Earth Clamp, Argon flowmeter (7m gas hose)

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE	NETT WEIGHT
MIG-350	16.4kVA	50-350A(MIG), 20-350A(MMA,TIG)	100%	0.8-1.2mm(MIG), 1.6-6.0mm (MMA), 1.0-3.2mm (TIG)	56kg



MIG-500

MIG-500 HEAVY DUTY INVERTER WELDER CC/CV + VRD

FEATURES:

- Industrial Mig Welder for all procedure and materials - Gas/Gasless with burn back control.
- IGBT Multiprocessor Inverter technology provides stable arc and reliable performance.
- Heavy duty 4 Wheel drive feeder with 5m Interconnecting cable
- MMA and TIG Modes with VRD function.
- **100% duty cycle** with thermal overload protection, anti-stick protection

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE DIAMETER	NETT WEIGHT
MIG-500	25.7kVA	50-500A(MIG), 20-500A(MMA,TIG)	100%	1.0-1.6mm(MIG), 1.6-6.0mm(MMA), 1.0-3.2mm (TIG)	62kg



WELDING MACHINES - 3 PHASE (380 VOLTS)

PLASMA-60

PLASMA CUTTER 60AMP

FEATURES:

- Powerful and compact plasma cutting machine with 20mm mild steel cutting capacity
- Ideal for cutting steel, stainless steel, galvanized steel, aluminium, copper and brass
- IGBT inverter technology with digital LED display
- HF arc ignition mode for easy start, with post-flow function
- **100% duty cycle** with thermal overload protection
- Set includes P80 cutting Torch (5m cable), 2.5m earth clamp

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	CUTTING CAPACITY	GAS PRESSURE	NETT WEIGHT
PLASMA-60	10kVA	20 - 60A	100%	Clean cut 20mm, Sever 30mm	0.4-0.6Mpa	17kg



PLASMA-80

PLASMA CUTTER 80AMP

FEATURES:

- Powerful and compact plasma cutting machine
- Clean cut 16mm stainless steel and 25mm mild steel cutting capacity - Piercing 35mm
- Ideal for cutting steel, stainless steel, galvanized steel, aluminium, copper and brass
- IGBT inverter technology with digital LED display
- 2T/4T, OH/OC, protection Euro connector
- HF arc ignition mode for easy start, with post-flow function
- **100% duty cycle** with thermal overload protection
- Set includes cutting torch (5m cable), earth clamp (2.5m cable)

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	CUTTING CAPACITY	GAS PRESSURE	NETT WEIGHT
PLASMA-80	14.5kVA	20 - 80A	100%	Clean Cut 25mm, Sever 35mm	0.4-0.6Mpa	17.5kg



TIG-315PAD

PULSE TIG WELDER AC/DC

FEATURES:

- Powerful flexible TIG AC/DC PULSE welder
- IGBT multi process inverter technology provides stable arc and reliable performance.
- Digital data displays
- TIG welding parameter indicators
- TIG function selection
- MMA welding parameter indicators
- Remote control selection
- Water tank control selection
- Can also function as an MMA arc welder, with VRD function
- **100% duty cycle** with thermal overload protection
- Set includes WP-26 Tig Torch, 3m Earth cable and clamp, Argon flowmeter (3m gas hose), Foot control

MODEL NUMBER	RATED INPUT	CURRENT RANGE	RATED DUTY CYCLE	ELECTRODE DIAMETER
TIG-315 PAP	12.8kVA	10 - 315A (TIG), 10 - 270A (MMA)	100%	1.0-4.0mm (TIG), 1.6-5.0mm (MMA)



PPE & WELDING HELMETS

RWH-100 WELDING HELMET

FEATURES:

- The RYOBI Flip front helmet is a polypropylene welding helmet for MIG, TIG and ARC welding
- It offers full protection against welding UV radiation and heat resistant.
- The helmet has a fully adjustable headgear.

MODEL NUMBER	LENS SIZE	FIELD OF VISION	COMPLIANCE
RWH-100	108 x 51mm	99 x 48mm	EN379



RWH-200A WELDING HELMET 90X34MM SHADE DIN3-11

FEATURES:

- Powered by solar cells and lithium battery for fast switching and low-amp sensitivity (Batteries included)
- Conforms with standards CE, EN379 and EN175
- Fully automatic light (DIN3) to dark (DIN11) in 5/10 000 second

MODEL NUMBER	VIEWING AREA	LIGHT SHADE	DARK SHADE	SWITCHING TIME	OPERATING TEMP	ARC SENSOR	NETT WEIGHT
RWH-200A	90 x 34mm	DIN 3	DIN 11	5/10 000sec	-5 to 55°C	2	350g



RWH-500F WELDING HELMET 92.5X42.5MM VARIABLE SHADE CONTROL

FEATURES:

- Powered by solar cells and lithium battery for fast switching and low-amp sensitivity (Batteries included)
- No need to raise & lower helmet during usage
- Conforms with standards CE, EN379 and EN175
- Fully automatic light (DIN4) to dark (DIN9-13) in 3/10 000 second
- Has a grinding mode setting

MODEL NUMBER	VIEWING AREA	LIGHT SHADE	DARK SHADE	SWITCHING TIME	OPERATING TEMP	ARC SENSOR	NETT WEIGHT
RWH-500F	92.5 x 42.5mm	DIN 4	DIN 9 - 13	3/10 000sec	-20 to 65°C	2	450g



RWH-800A WELDING HELMET 100X59.5MM VARIABLE SHADE CONTROL

FEATURES:

- Adjustable weld/cut/grind mode settings
- 9 - 13 shade for ARC/MIG/TIG welding, 5 - 9 shade for plasma cutting, 4 shade for grinding
- No need to raise and lower helmet during usage
- 4x light sensors provide more accurate shading
- Powered by solar and 2x 3V Li-batteries with low power warning light (Batteries included)

MODEL NUMBER	VIEWING AREA	LIGHT SHADE	DARK SHADE	SWITCHING TIME	OPERATING TEMP	ARC SENSOR	NETT WEIGHT
RWH-800A	100 x 59.5mm	DIN 4	DIN 5-9/ - 13	1/10 000sec	-20 to 65°C	4	500g



RWH-800AX1 WELDING HELMET 100X59.5MM WITH GRAPHIC

FEATURES:

- Adjustable weld/cut/grind mode settings
- 9 - 13 shade for ARC/MIG/TIG welding, 5 - 9 shade for plasma cutting, 4 shade for grinding
- No need to raise and lower helmet during usage
- Lightweight and comfortable with a weight of 500g
- 1/10 000 second light to dark response time
- 4x light sensors provide more accurate shading
- Powered by solar and 2x 3V Li-batteries with low power warning light (Batteries included)

MODEL NUMBER	VIEWING AREA	LIGHT SHADE	DARK SHADE	SWITCHING TIME	OPERATING TEMP	ARC SENSOR	NETT WEIGHT
RWH-800AX1	100 x 59.5mm	DIN 4	DIN 5-9/ - 13	1/10 000sec	-20 to 65°C	4	500g



SPECTACLES & GOGGLES

RW-SWAA

SPECTACLES, WRAP AROUND AMBER

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-SWAA	SPECTACLES, WRAP AROUND AMBER	1	Pre-pack

RW-SWAC

SPECTACLES, WRAP AROUND CLEAR

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-SWAC	SPECTACLES, WRAP AROUND AMBER	1	Pre-pack

RW-MGG

GOGGLES, SAFETY MONO

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-MGG	GOGGLES, SAFETY MONO	1	Pre-pack

RW-BGLF

BRAZING GOGGLES LIFT FRONT

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-BGLF	BRAZING GOGGLES LIFT FRONT	1	Pre-pack



MIG WIRE - MILD STEEL

RWM-PSMER701508

PROSTRIKE MIG WIRE - ER 70 S - 6 MIG WIRE 0.8MM, 15KG

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RWM-PSMER701508	ER 70 S - 6 MIG WIRE 0.8MM 15kg	1	Mig Welding

RWM-PSMER701509

PROSTRIKE MIG WIRE - ER 70 S - 6 MIG WIRE 0.9MM, 15KG

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RWM-PSMER701509	ER 70 S - 6 MIG WIRE 0.9MM 15kg	1	Mig Welding

RWM-PSMER70151

PROSTRIKE MIG WIRE - ER 70 S - 6 MIG WIRE 1MM, 15KG

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RWM-PSMER70151	ER 70 S - 6 MIG WIRE 1MM 15kg	1	Mig Welding

RWM-PSMER701512

PROSTRIKE MIG WIRE - ER 70 S - 6 MIG WIRE 1.2MM, 15KG

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RWM-PSMER701512	ER 70 S - 6 MIG WIRE 1.2MM 15kg	1	Mig Welding

RWE-SSE6013125

SUPERSTRIKE MILD STEEL ELECTRODE E 6013 2.5MM X 1KG

PRODUCT CODE	DESCRIPTION	APPLICATION
RWE-SSE6013125	Superstrike Mild Steel Electrode E 6013 2.5mm X 1kg	MMA Welding



MIG WIRE - MILD STEEL

RWE-SSE6013525

SUPERSTRIKE MILD STEEL ELECTRODE E 6013 2.5MM X 5KG

PRODUCT CODE	DESCRIPTION	APPLICATION
RWE-SSE6013525	Superstrike Mild Steel Electrode E 6013 2.5mm X 5kg	MMA Welding

RWE-SSE60131325

SUPERSTRIKE MILD STEEL ELECTRODE E 6013 3.25MM X 1KG

PRODUCT CODE	DESCRIPTION	APPLICATION
RWE-SSE60131325	Superstrike Mild Steel Electrode E 6013 3.25mm X 1kg	MMA Welding

RWE-SSE60135325

SUPERSTRIKE MILD STEEL ELECTRODE E 6013 3.25MM X 5KG

PRODUCT CODE	DESCRIPTION	APPLICATION
RWE-SSE60135325	Superstrike Mild Steel Electrode E 6013 3.25mm X 5kg	MMA Welding

RWE-SSE601354

SUPERSTRIKE MILD STEEL ELECTRODE E 6013 4MM X 5KG

PRODUCT CODE	DESCRIPTION	APPLICATION
RWE-SSE601354	Superstrike Mild Steel Electrode E 6013 4mm X 5kg	MMA Welding



MIG WIRE - MILD STEEL FLUX CORED

RWM-SSE71T1095

SUPERSTRIKE FLUX-CORED MIG WIRE 0.9MM 5KG E71T-1

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RWM-SSE71T1095	0.9mm 5kg E71T-1 (Gas Assisted)	1	Mig Welding

RWM-SSE71T11095

SUPERSTRIKE FLUX-CORED MIG WIRE 0.9MM 5KG E71T-11

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RWM-SSE71T11095	0.9mm 5kg E71T-11 (Gasless)	1	Mig Welding

RWM-SSER316085

SUPERSTRIKE MIG WIRE 0.8MM 5KG ER316

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RWM-SSER316085	ER316 0.8mmx5kg	1	Mig Welding



MIG TORCHES - BINZEL STYLE (PREMIUM)

RWA-MT1508094

MIG TORCH BNZ 15 4M

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RWA-MT1508094	MIG Torch BNZ 15 0.8-0.9mm 4m	1	Binzel Torch



MIG TORCHES - BINZEL STYLE (PREMIUM)

RWA-MT2508094 **MIG TORCH BNZ 25 4M**

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RWA-MT2508094	MIG Torch BNZ 25 0.8-0.9mm 4m	1	Binzel Torch

RWA-MT361164 **MIG TORCH BNZ 36 4M**

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RWA-MT361164	MIG Torch BNZ 36 1 - 1.2mm 4m	1	Binzel Torch



MIG TORCHES - BINZEL STYLE (PREMIUM)

RW-CT606 **CONTACT TIPS M6 X 0.6MM**

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-CT606	CONTACT TIPS M6 x 0.6MM	5	Pre-pack

RW-CT608 **CONTACT TIPS M6 X 0.8MM**

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-CT608	CONTACT TIPS M6 x 0.8MM	5	Pre-pack

RW-CT609 **CONTACT TIPS M6 X 0.9MM**

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-CT609	CONTACT TIPS M6 x 0.9MM	5	Pre-pack

RW-CT610 **CONTACT TIPS M6 X 1.0MM**

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-CT610	CONTACT TIPS M6 x 1.0MM	5	Pre-pack

RWA-MLB0609 **LINER BLUE**

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RWA-MLB0609	LINER BLUE	1	Pre-pack

RW-WP01 **TIG CERAMICS**

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-WP01	TIG CERAMICS	2	Pre-pack

RW-WP04 **MB 15 STARTER KIT**

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-WP06	MB 15 STARTER KIT	9	Pre-pack

RW-WP06 **MB 15 STARTER KIT**

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-WP06	MB 15 STARTER KIT	9	Pre-pack



MIG TORCHES - BINZEL STYLE (PREMIUM)

RW-WPKIT TIG KIT X 1.6MM

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-WPKIT	TIG KIT x 1.6MM	7	Pre-pack



EARTH CLAMPS

RW-EC200 200 AMP EARTH CLAMP

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-EC200	200 AMP EARTH CLAMP	1	Pre-pack



RW-EC400 EARTH CLAMP

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-EC400	EARTH CLAMP	1	Pre-pack



ELECTRODES

RWE-PSE6013125 PROSTRIKE MILD STEEL ELECTRODE E 6013 2.5MM X 1KG

PRODUCT CODE	DESCRIPTION	APPLICATION
RWE-PSE6013125	Prostrike Mild Steel Electrode E 6013 2.5mm x 1kg	MMA Welding




RWE-PSE6013525 PROSTRIKE MILD STEEL ELECTRODE E 6013 2.5MM X 5KG

PRODUCT CODE	DESCRIPTION	APPLICATION
RWE-PSE6013525	Prostrike Mild Steel Electrode E 6013 2.5mm x 5kg	MMA Welding



RWE-PSE60131325 PROSTRIKE MILD STEEL ELECTRODE E 6013 3.25MM X 1KG

PRODUCT CODE	DESCRIPTION	APPLICATION
RWE-PSE60131325	Prostrike Mild Steel Electrode E 6013 3.25mm x 1kg	MMA Welding



RWE-PSE60135325 PROSTRIKE MILD STEEL ELECTRODE E 6013 3.25MM X 5KG

PRODUCT CODE	DESCRIPTION	APPLICATION
RWE-PSE60135325	Prostrike Mild Steel Electrode E 6013 3.25mm x 5kg	MMA Welding



RWE-PSE601354 PROSTRIKE MILD STEEL ELECTRODE E 6013 4MM X 5KG

PRODUCT CODE	DESCRIPTION	APPLICATION
RWE-PSE601354	Prostrike Mild Steel Electrode E 6013 4mm x 5kg	MMA Welding



ELECTRODES

RW-ER1625 ELECTRODE ROD

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-ER1625	ELECTRODE ROD 1.6X300MM (E6013)	25	Pre-pack

RW-ER1650 ELECTRODE ROD

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-ER1650	ELECTRODE ROD 1.6X300MM (E6013)	50	Pre-pack

RW-ER2025 ELECTRODE ROD

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-ER2025	ELECTRODE ROD 2.0X300MM (E6013)	25	Pre-pack

RW-ER2050 ELECTRODE ROD

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-ER2050	ELECTRODE ROD 2.0X300MM (E6013)	50	Pre-pack

RW-ER2525 ELECTRODE ROD

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-ER2525	ELECTRODE ROD 2.5X300MM (E6013)	20	Pre-pack

RW-LH25 LOW HYDROGEN ROD

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-LH25	LOW HYDROGEN ROD 2.5X350MM (E7018-1)	20	Pre-pack

RW-LH32 LOW HYDROGEN ROD

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-LH32	LOW HYDROGEN ROD 3.2X350MM (E7018-1)	12	Pre-pack

RW-SS125 STAINLESS STEEL ROD, 400A OPTI

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-SS125	STAINLESS STEEL ROD 2.5X350MM (E308L-16)	10	Pre-pack

RW-SS132 STAINLESS STEEL ROD, 400A OPTI

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-SS132	STAINLESS STEEL ROD 3.2X350MM (E308L-16)	15	Pre-pack

RW-SS225 STAINLESS STEEL ROD, 400A OPTI

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-SS225	STAINLESS STEEL ROD 2.5X350MM (E316L-16)	10	Pre-pack

RW-SS232 STAINLESS STEEL ROD, 400A OPTI

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-SS232	STAINLESS STEEL ROD 3.2X350MM (E316L-16)	15	Pre-pack



ELECTRODE HOLDERS

RW-EH300

ELECTRODE HOLDER, 300A KD

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-EH300	ELECTRODE HOLDER	1	Pre-pack

RW-EH0400

ELECTRODE HOLDER, 400A OPTI

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-EH0400	ELECTRODE HOLDER	1	Pre-pack



OTHER ACCESSORIES

RW-CH

CHIPPING HAMMER

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-CH	CHIPPING HAMMER	1	Pre-pack

RW-WB

WIRE BRUSH STAINLESS STEEL 5 ROW

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-CA	TORCH	1	Pre-pack

RW-CA

CUTTING ATTACHMENT

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-CA	TORCH	1	Pre-pack

RW-FLA

FLINT LIGHTER ASSY WITH 3 REPLACEMENT FLINTS

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-FLA	FLINT LIGHTER ASSY	3	Pre-pack

RW-NC

NOZZLE CLEANER

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-NC	NOZZLE CLEANER	1	Pre-pack

RW-PS

TORCH SHANK

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-PS	TORCH SHANK	1	Pre-pack

RW-WP02

TIG COLLETS

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-WP02	TIG COLLETS	2	Pre-pack

RW-WP03

TIG COLLET BODY

PRODUCT CODE	DESCRIPTION	PIECES	APPLICATION
RW-WP03	TIG COLLET BODY	2	Pre-pack



KNOWLEDGE IS POWER.

For expert advice on the use and
maintenance of your Ryobi power tools,
go to www.ryobiknows.co.za

A man with a beard and a light blue shirt is smiling while using a Ryobi chainsaw. The chainsaw is blue and black, and the man is holding the handle with his right hand. The background is slightly blurred, showing what appears to be a workshop or construction site.

RIGHT TOOL
FOR THE JOB?

#RYOBI
#KNOWS

ASK AN EXPERT.

For expert advice on any power tool, log on to our [#RyobiKnows](#) website, click on the “Ask an expert” tab and one of our in-house specialists will be in contact with you within 24 hours!

A photograph of a store display featuring several red and grey Ryobi lawnmowers lined up on a green artificial turf mat. In the background, a green Ryobi product box is visible.

EXPERT ADVICE,
TIPS AND TRICKS?

**#RYOBI
KNOWS**



Ryobi's full product range includes industrial and DIY power tools, cordless tools, generators, gardening, cleaning equipment, and a full welding solution. Ryobi began operations in Japan over 60 years ago, manufacturing die cast components. Since that time the company has grown to become one of the world's largest and most advanced aluminium die cast component suppliers. Ryobi has accumulated innovative technologies and produces die cast components for numerous industries, including automotive, computer, telecommunications and electronic manufacturers.

Ryobi power tools meet a wide array of needs from handheld drills, planers, grinders and stationary saws, to lawnmowers, hedge trimmers, cordless tools, generators and door closers. Ryobi also offers a comprehensive selection of power sources, giving consumers a choice of electric, cordless or petrol-powered models designed to meet specific market needs.

We have gone to great lengths to gain the trust of users by creating safe, easy-to-use products that are highly functional and durable. With over 350 different models catering for all power equipment categories, Ryobi's range can satisfy the needs of both trade professionals and DIY enthusiasts alike.





JOHANNESBURG

604, 16th Road, Randjespark, Midrand
+27 (11) 357 9600



CAPE TOWN

30 Montague Drive, Montague Gardens
+27 (21) 551 9882



DURBAN

Unit K1C, 35 Intersite Avenue, Springfield Park
+27 (31) 263 0505



PORT ELIZABETH

151 Heugh Road, Walmer
+27 (41) 001 1030



NELSPRUIT

Unit 1 Riverside Circle, 9 Water Lilly Crescent,
Riverside Park, Nelspruit
+27 (13) 590 6587



KENYA

Off Muthithi Road, Taisi Road,
Nairobi, Westlands District, Westlands
+25 473 557 5754



NAMIBIA

531A Dante Street, Prosperita, Windhoek
+264 10 443 320



**Stevens & Co.
South Africa**

+27 11 357 9600
604, 16th Road,
Midrand
info@ryobi.co.za

www.ryobi.co.za

**Stevens & Co.
Namibia**

+264 10 443 320
531A Dante Street,
Prosperita, Windhoek
info@ryobi.co.na

www.ryobi.co.na

**Stevens East African
Trading Co. Limited - Kenya**

+25 473 557 5754,
Off Muthithi Road, Taisi Road,
Nairobi, Westlands
info@ryobi.co.ke

www.ryobi.co.ke